

CityQuest - COMPSCI 732: Individual Report

Romili Townsend
University of Auckland
rtow454@aucklanduni.ac.nz

Abstract—CityQuest is a GPS-based mobile exploration game designed to encourage physical activity and improve users' familiarity with urban environments through navigation-based tasks. The system assigns challenges at locations within the city that users must travel to in order to complete. Gamification elements such as streaks, levels, badges, and leaderboards are employed to increase user motivation and engagement. This report outlines the motivation, design, and implementation of this system developed for the COMPSCI 732 course, with a particular focus on methodology and tooling, and compares it to existing solutions.

1 INTRODUCTION: INTRODUCE AND MOTIVATE THE PROJECT.

Less than half of the New Zealand population meets recommended physical activity guidelines [1]. This highlights the need for interventions that encourage greater participation in physical activity and increase user engagement.

A systematic review and meta-analysis found that gamification interventions are effective at promoting physical activity across diverse age groups and genders and may outperform alternative interventions [2]. Gamification therefore presents a promising approach for encouraging physical activity while maintaining user motivation and engagement.

Beyond physical activity, environmental interaction how people learn to navigate their surroundings. Environmental familiarity has been associated with improved wayfinding performance, including reduced navigation errors and shorter route completion times [3]. In addition, repeated exposure to an environment has been shown to support the acquisition of spatial knowledge in multiple dimensions, including landmark recognition and route learning [4]. Together, these findings suggest that increasing familiarity with local environments may improve users' navigation ability through the development of stronger spatial knowledge.

This project addresses both objectives by employing gamified, navigation-based activities that promote exploration and interaction with local environments, with the aim of increasing environmental familiarity and physical activity levels.

2 GOALS

Create a GPS-based city exploration game that rewards movement and exploration of the local environment.

- Encourage physical activity through gameplay that requires movement, reinforced by reward-based incentives.
- Promote environmental familiarity through interaction with local landmarks and points of interest.
- Promote an engaging, gamified alternative to traditional navigation tools.

3 RELATED WORK: WHAT HAS BEEN DONE BEFORE? COMPARE IT WITH YOUR PROJECT.

Several existing solutions incorporate location-based interaction and exploration-based gameplay. Notable examples include *Pokemon Go* and *Ingress*, both of which use GPS-backed movement as a core gameplay mechanic to encourage real-world exploration and physical activity.

While these location-based games require users to physically travel to geographic locations, interaction with these environments is primarily mediated through game mechanics rather than direct engagement with the world. In these systems, players interact with virtual elements overlaid on geographic locations, such as collecting items or capturing creatures.

In contrast, this project requires users to engage directly with the physical environment through curated, contextually relevant real-world tasks. Unlike existing systems, the primary interaction occurs within the physical environment rather than within the application itself.

In the domain of navigation, Google Maps is widely used application that supports local discovery and route planning. Features such as *Search This Area* allow users to explore points of interest within a geographic region, including categories such as restaurants and parks. The platform also provides optimised route planning through turn-by-turn navigation instructions, prioritising minimising travel time.

search within a geographic area for locations belonging to certain categories, such as restaurants or parks. Search results are curated based on proximity, user ratings, and popularity. In addition, Google Maps also provides comprehensive route planning with turn-by-turn instructions.

While these features support location discovery and navigation, Google Maps is designed primarily to optimise travel efficiency through finding the fastest route to a location rather than encourage physical activity and exploration. In Google Maps, users select destinations and are guided to them, where CityQuest instead provides users with daily, location-backed challenges that encourage exploration, environmental interaction, and physical activity. In addition, CityQuest incorporates game mechanics to encourage exploration and movement, whereas Google Maps does not.

TODO: compare it with my project

4 DESIGN: SOFTWARE ARCHITECTURE (E.G. CLASS DIAGRAM)? USER INTERFACE (E.G. SCREEN DIAGRAM)? WHY THIS DESIGN?

We created an ERD with PlantUML during the initial system planning phase to visualise the relationships between entities within the system. As the system evolved, we updated this ERD to reflect the changes in the system. This final ERD can be seen in Figure 1. As can be seen in this ERD, there is an inherent relationship between each entity type in the database. For example, users are assigned user challenges, each of which corresponds to a challenge, and each of which which has an associated category. This highly relational nature of our database influenced our decision in choosing a relational database such as PostgreSQL over a document-oriented database such as MongoDB.




Figure 1: Entity Relationship Diagram of the CityQuest project

Our group created low-fidelity Figma mockups for the Challenge list, challenge map, achievements, and profile pages of the frontend system user interface, as can be seen in Figures 2 and 3. These prototypes were created to serve as inspiration for the in-development system, identify early and UX concerns, and ensure all group members had a consistent vision for the system.

5 IMPLEMENTATION: WHAT HAVE YOU IMPLEMENTED?

6 TESTING: HOW HAVE YOU TESTED?

Testing was done using Vitest and Playwright. Unit tests were used to test individual functionalities.

The end-to-end tests were added to the GitHub Actions CI/CD pipeline to automatically trigger. On every commit to a branch, the testing suite runs and the outcome of these tests is displayed.

7 METHODOLOGY: HOW HAS YOUR TEAM MANAGED THE PROJECT?

Our team took part in weekly sprint meetings. During these meetings we took attendance and recorded all discussions as meeting minutes. This was done for future reference; if there is any uncertainty about what was discussed, team members can check the minute meetings to see what was discussed and what decisions were decided upon. During the weekly sprints, we made a list of tasks to be completed this sprint and assigned each task to a person. To avoid ambiguity over whether a task's functionality has been fulfilled, for each task we clearly described what criteria would have to be met for that task to be marked as completed.




Figure 2: Figma mockups of the Achievements and Map view pages




Figure 3: Figma mockups of the Profile and Challenge view pages

We used the MoSCoW method to prioritise tasks, grouping tasks by labels denoting their importance to the project, in order from most important to least important: Must haves, Should haves, Could haves, and Won't haves (out of scope).

TODO: Mention PR reviews.

For each task that we created, we added a corresponding issue ticket to GitHub. Commits referenced these issues so that team members can see what commits are responsible. Each pull request has a issue linked and was done in a suitable branch, so that viewing the commit history makes it clear which commits effect which issue.

8 TOOLING: WHAT TOOLS DID YOU USE TO ASSIST THE DEVELOPMENT PROCESS (E.G. GIT, JIRA, CHATGPT, ETC...)? HOW EFFECTIVE WERE THOSE TOOLS? ANY DRAWBACKS (ESPECIALLY WITH THE GENAI STUFF)?

Generative AI was used by some team members to increase efficiency, particularly for menial tasks where the code is easy to validate.

Copilot code review was used in multiple instances to check for any bugs, syntax errors, and suggest considerations. However, this was not used as a substitute to human-run peer reviews but rather in addition to; all pull requests to the main branch were peer reviewed by at least one other team member.

9 DISCUSSION: HAVE THE GOALS BEEN ACHIEVED? PROBLEMS?

A user study could be valuable to investigate whether this city exploration game had an impact on users' familiarity with their surroundings, and whether it increased users' physical activity levels, particularly average daily step counts. Unfortunately, due to the nature of the course, it was not feasible to conduct a user study.

In our project proposal we marked 13 tasks as must haves, 6 tasks as should haves, 10 tasks as could haves, and 4 tasks as out of scope. Of these tasks, all must haves were completed, all should haves, 2 could haves, and no out of scope tasks.

The following table compares, for every prioritisation category, the number of tasks completed vs the number of tasks assigned.

Prioritisation	Completed tasks	Assigned tasks	Percent completed
Must have	13	13	100%
Should have	6	6	100%
Could have	2	10	20%
Total (within scope)	22	29	75.86%
Won't have (outside scope)	0	4	0%

Table 1: Task completion summary by prioritisation category

10 CONCLUSION: CONCLUSIONS? LESSONS LEARNED? REFLECTIONS? FUTURE WORK?

REFERENCES

- [1] Nick Garrett, Philip J. Schluter, and Grant Schofield. Physical activity profiles and perceived environmental determinants in new zealand: A national cross-sectional study. *Journal of Physical Activity and Health*, 9(3):367 – 377, 2012.
- [2] A Mazeas, M Duclos, B Pereira, and A Chalabaev. Evaluating the effectiveness of gamification on physical activity: Systematic review and meta-analysis of randomized controlled trials. *Journal of Medical Internet Research*, 24(1):e26779, 2022.
- [3] Michael J. O'Neill. Effects of familiarity and plan complexity on wayfinding in simulated buildings. *Journal of Environmental Psychology*, 12(4):319–327, 1992.
- [4] Qi Ying, Christopher Hilton, and Sara Irina Fabrikant. Do mobile maps help or hinder? investigating their role in spatial knowledge acquisition across repeated navigation episodes. *Journal of Environmental Psychology*, 111:103031, 2026.