

Tender Document
for
Construction of Shed
for Plinth Type Substations
in MDB area

OPEN TENDER THROUGH E-Tendering

Reliance Infrastructure Limited hereby invites open tenders for 'Construction of Shed for Plinth Type sub-stations' as per BOQ, at various locations of Mumbai Distribution area, Maharashtra.

1. The scope of work shall be as detailed in the Bill of Quantities and Specifications issued along with this tender document.

2. Period of Completion

The 'Construction of Shed for Plinth Type sub-stations', as per BOQ shall be completed in all respects within 12 Calendar months from the date of issue of Letter of Intent/ Purchase Order whichever is earlier, in a phased manner and in accordance with the requirement of Client/ EIC.

3. The tenderer should examine carefully the accompanying tender documents and obtain all the information including inspection at site at his cost, prior to submission of his tender.

4. The tenderer shall quote all-inclusive rates (component of taxes should be shown separately). There shall be no extra on any account. The sum payable shall be calculated on the basis of the unit prices specified in the Contract and of the work actually executed.

5. The Client reserves the right to reject any or all the tenders without assigning any reason and does not bind himself to accept the lowest or any tender.

6. This tender, together with the Client's written acceptance, work order and any other agreed conditions / documents shall constitute a binding Contract between the Client and the Contractor.

7. The tenderer, whose tender is accepted, shall be called as "The Contractor".

8. Upon acceptance of the tender the rates quoted shall remain valid for the complete duration of the Contract plus 12 months beyond scheduled completion period and no escalation in rates (i.e. labour, material, etc.) shall be permitted on any account during this period including any extension if any instructed by the Client.

INSTRUCTIONS TO TENDERERS**1. Tenderer's Eligibility and Qualifications:**

Qualifying Requirements (QR): The Tenderer should have:-

Experience:

- a) The bidder shall have more than 5 years of presence in this field of Construction of Shed & allied works of electric sub stations.
- b) The bidder should have credential of Construction of Shed & allied works of electric sub stations as per BOQ at any other power utility under PSU or Govt. organization like any State Electricity Board, NTPC, PGCIL and reputed private power sector etc. during last 5 (Four) years ending on the day bid is submitted. The bidder needs to furnish self attested photocopies of purchase, work orders and work completion certificates.
- c) The bidder shall be available with the facility to complete the Construction of Shed & allied works, with all kind of Tools and tackles, Labour and required material.

Turnover :

- a) Average annual financial turn over on Construction of Shed & allied works should be at least 30 % of the estimated cost during the immediate last 3 consecutive financial years
- b) Bank Solvency Certificate issued from Nationalized or any Schedule Bank should be at least 30% of Estimated Cost of the work put to tender. The certificate should have been issued within 12 months from original last date of the submission of the applications.
- c) Net worth of the company / firm as on 31st March of previous Financial Year should be positive.

2. The tenderer is required, at his expense, to obtain all the information he may require to enable him to submit his tender including necessary visits to the site to ascertain the local conditions, procurement of necessary materials, labour, etc., requirements of the local/government/public authorities in such matters.

3. A schedule of approximate quantities for various items accompanies this tender. The Client do not accept any responsibility for the correctness or completeness of this schedule in respect of items and quantities and is liable to alteration by omissions, deductions, or additions to any extent at the discretion of the Client without affecting the terms of Contract.

4. Contractors are requested to visit the site/ store location before quote and be aware about the site/ store condition. Regarding Site/ store location visits contact person is Mr. Suresh Ambre (9323792160)

5. Clarifications if any, regarding the tender documents shall be directed to the Client at ;

Attn.: Mr. Nikhil Gupta

Civil - Central Procurement Department

Reliance Infrastructure Limited

1st Floor, North Wing,

Reliance Center, Santacruz,

Mumbai – 400055

Ph – +91 22 3303 1448

Email – nikhil.gupta@relianceada.com

The Client shall send clarifications to all the tenderers by written e-mail/ letters.

6. No claims whatsoever as regards want of information of any particular point or any change in rate or conditions after the opening of tender shall be entertained.

7. Only those tenders fully completed in writing on the form of tender together with all the documents and received by the time and date specified hereunder will be considered. All copies of drawings should be returned unmarked.

8. The Tenderer shall affix his seal and signature / signature of his authorized signatory on each and every page of the tender document and other submittals made by him before submission.

9. If the Tenderer makes any alterations in the tender document, the tender shall be liable for rejection.

10. All information supporting the tender shall be in English and all entries shall be made by hand and written in ink. There shall be no over-writing or erasure. All corrections should be attested by the tenderer with his dated initials as many times as the corrections occur.

11. The tenderer should fill in the rates tendered in figures as well as in words. The amount for each item should be worked out and the requisite totals indicated. The tender sum and pricing of bill of quantities shall be given in the Indian currency.

12. The tenderer is required to check the numbers of the pages and should any be found missing or in duplicate or the figures or writing indistinct, he must inform the Client at once and have the same clarified.

13. The tender shall remain valid for acceptance for a period of 180 days counted from the date of opening of tender.

14. The tenderer is required to submit satisfactory evidence of his experience, eligibility and that of the recently executed works.

15. The Client reserves the right to reject any tender or all tenders/ bids without assigning reason and does not bind himself to accept the lowest or any tender.

16. In the event of any discrepancy between the details and or description given in the bill of quantities, the drawings, and the technical specifications, then the item shall be deemed to have been priced in accordance with the details and / or description given in the following order of precedence:

- Work Order
- Drawings
- Technical specifications
- Bill of quantities
- Instruction of EIC

In all the cases, it is understood that the details and/or description not specifically mentioned in the Bill of quantities and/or the drawings shall be the same as those mentioned in the technical specifications. In the absence of specification in the tender document, Indian Standard Code/ TAC/NFPA/NBC of practices together with their latest revisions / amendments as applicable shall be

followed. In the absence of relevant IS Code/TAC/NFPA/NBC of practice also, the instructions of the Engineer In-charge shall be followed. In case of any contradiction / conflict between the specifications, the interpretation of Client's Engineer In-Charge shall be final and binding.

Any further interpretation of the above clause shall be at the discretion of the Client/ Engineer In Charge whose decision shall be final and binding to the Contractor.

17. Tenderer shall furnish the following along with the Tender: -

A) Bid Security:

a) Proposal shall be accompanied by a Bid Security for an amount of Rs. 0.5 lacs./-

b) No relaxation of any kind in Bid Security shall be given to any Bidder.

c) The Bid Security shall remain valid for a minimum period of 150 days beyond the original validity period of bids, and would need to be extended by the Bidders, if so required by the Issuer, for any extension in Proposal Validity Period.

d) The Bid Security shall be in the form of a demand draft/ **Bank Guarantee** issued by a bank in India, drawn in favor of "Reliance Infrastructure Limited" encashable at Mumbai. Reliance Infrastructure Limited shall not be liable to pay any interest on the Bid Security and the same shall be interest free.

d) The Bid Security shall be returned to unsuccessful Bidders on the signing of Contract agreement. The Bid Security, submitted by the Successful Bidder, shall be released:

i) upon signing of the Contract Agreement; and

ii) upon furnishing a Security Deposit & Performance Guarantee for an amount mentioned in the Contract Agreement.

e) The Bid Security shall be liable to be forfeited as mutually agreed genuine pre-estimated compensation and damages to the Issuer in the following cases:

(i) If the Bidder withdraws its Proposal; or

(ii) If the Bidder modifies or withdraws its Proposal during the interval between the Proposal Due Date and expiration of the Proposal Validity Period; or

(iii) If the Bidder fails to accept the Letter of Acceptance within the stipulated time period; or

(iv) In case the Successful Bidder fails to sign the Contract Agreement within the specified time limit or any extension thereof; or

- (v) In case the Selected Bidder, having signed the Contract Agreement, commits any breach therefore prior to the furnishing of the Performance Security; or
- (vi) If the Successful Bidder fails to furnish the Performance Security within the specified time limit prescribed therefore in the Contract Agreement; or
- (vii) If any information or document furnished by the Successful Bidder turns out to be misleading or untrue in any respect; or
- (viii) If a Bidder engages in a corrupt, fraudulent, coercive or restrictive practice;

B) Commercial Information:

- a) IT clearance certificate - latest.
- b) Latest Balance sheet.
- c) PAN number.
- d) GST Registration Number as applicable
- e) PF number.
- f) Details of constitution of the company. (Proprietary/Limited, etc. along with details).
- g) Memorandum & Articles of Association of the Company if any.

C) Technical information:

- a) Organization Chart of the Tenderer's Company.
- b) Proposed Site Organization Chart with Designation of the employees, Brief resumes of key and technical personnel Powers and duties vested with each personnel proposed to be deployed on the work which will be declared on company letter head
- c) Self attested list in company letter head indicating order details like name of buyer (utility/industry name), order no, order description, quantity, year of order placement
- d) Performance certificate from customers
- e) Plant, Machinery and Tools proposed to be deployed for the work with calibration certificate.
- f) Manpower deployment schedule.
- g) Methodology of working.
- h) List and Names with addresses of Sub-Contractors proposed to be deployed for the various items of work comprising the tender, along with brief resumes of the Sub-Contractors and their period of association with the tenderer.
- i) Experience details with credentials.

18. Tenderers to note that the Client / Engineer-in-Charge reserve the right to split the Contract in two or more packages if he so desires and award the scope of work accordingly.

19. **Submission of Offer:**

19.1 The Tenderers are advised to submit the offer based strictly on the Terms and Conditions and specifications contained in the tender documents including amendments, if any issued by Client prior to submission of offer.

19.2 Tenderer's offer shall be prepared and submitted in three sealed envelopes (i.e. (i)Commercial bid, (ii)Technical bid and (iii)Other requested documents), and following shall be separately SUPERSCRIBED prominently on the outside of the envelopes.

“Construction of Shed for Plinth Type sub-stations’ in R Infra Mumbai Distribution area”

The full name, postal address, telephone/ fax no of the Tenderer shall be written on the bottom left corner of the sealed envelopes.

19.3 All the cost of the tender preparation including annexure, submission and making copies shall be at the cost of the tenderer.

19.4 Offer shall be submitted with a covering letter indicating clearly the summary of offer with annexure/ schedules of the complete offer.

19.5 All the pages of the offer, including the annexure shall be signed by the authorized signatory. Insertion, postscript addition and alteration shall not be recognized.

19.6 Submission of offer and further correspondence

Tender Offer shall be submitted by **16.00 Hrs on or before 22.08.2018** in a sealed envelope to the address mentioned below:

Attn.: Mr. Nikhil Gupta
Civil - Central Procurement Department
Reliance Infrastructure Limited
1st Floor, North Wing,
Reliance Center, Santacruz,
Mumbai – 400055
Ph – +91 22 3303 1448
Email – nikhil.gupta@relianceada.com

Tenderer shall send all further correspondence to the above address.

19.7 No claim or compensation for submission of offer

The Tenderer whose offer is whether accepted or not shall not be entitled to claim any costs, charges and expenses incidental to or incurred by him through or in connection with his submission of offer or its consideration by the Client.

20. Contract Performance Bank Guarantee (CPBG) - The performance bank Guarantee @ 5% of Contract Value shall be submit within 15 days from date of WO and valid till completion of work plus three months for claim period. The CPBG shall be issued by Nationalized bank as per Reliance Format.

21. Defect Liability Period: 12 months from completion of work.

22. Payment Terms - 95% payment within 90 days from the date of Submission of bill to Engineer & Release of bill in SAP (SRN), and 5% retention money shall be kept till defect liability period.

23. Liquidity Damages - 0.5% per week delay of work up to a maximum of 10% of Contract value.

24. Power and Water – Please refer SCC.

25. Vendor shall ensure for removal earth/ debris if any, immediately to avoid penalty from MCGM. If there is any penalty that will be in the account of contractor

26. "STATUTORY COMPLIANCE - Contractor shall hereby comply all applicable central & state laws, rules, court orders, governmental, regulatory or statutory orders and other regulations as required in connection with the performance of the obligation under this Contract".

26. Price Basis-Firm till completion of works.

27. Taxes & duties:- Price inclusive of all taxes and duties. The break-up of GST to be shown.

28. Necessary safety precautions measures shall be taken during the work execution

29. Annexures :

- I. Bill of Quantities (BOQ)
- II. Work Execution Schedule
- III. Scope of Work
- IV. Self declaration Format
- V. Safety Precautions, ISO OHSAS Policy

- VI. ISO Environmental Policy
- VII. Typical Drawing

Annexure –II : Work Execution Schedule

The 'Construction of Shed for Plinth Type sub-stations' as per BOQ shall be completed in all respect within 12 Calendar months from the date of issue of Letter of Intent/ Purchase Order whichever is earlier, in a phased manner and in accordance with the requirement of Client/ EIC.

Since the execution sites are at scattered locations, the completion time of individual site shall depend on location, quantum and difficulty level of the respective site, and shall be in accordance with the requirement of Client/ EIC.

Annexure –III : SCOPE OF WORK :

The scope is as per BOQ in Annexure-I.

Along with major activity of Construction of Shed it includes allied civil repair works/items. The execution sites are at 50 various/ scattered locations, within Mumbai Electric Distribution area of the company.

The vendor shall execute the work as per approved methodology. Also material required for Construction of Shed & allied works work shall be of approved quality as directed by Engineer.

Annexure –IV : Self Declaration on Company Letterhead

Self Declaration

Name of Company:-

Name of contact person:-

Registered E-mail Id:-

Type of Services:-

Date:-

I/ We _____ hereby confirm that we have clearly understood the scope of work and technical details related to the above mentioned job & submitted the signed and stamped copy of the same.

Further we hereby submit following information for review,

	Yes	NO
Annexure 1:- History		
Annexure 2:- Past Experience of similar job		
Annexure 3:- Past Experience of similar job in Rlnfra		
Annexure 4: Turnover for last 3-years		
Annexure 5:- Qualified Staff list		
Annexure 6:- Relevant Licenses/ Certificates		
Annexure 7:-Any other (Please specify)		

Signed by

Name (Authorized Signatory)

Designation

V – Safety Precautions

SAFETY OBLIGATIONS TO BE FOLLOWED BY THE VENDOR

A - GENERAL:

The Contractors shall comply with all the central & state legal provisions applicable at the location – where work is undertaken. The contractor shall also comply with all the additional statutory provisions, applicable to his work, e.g Indian Electricity Act/ Rules/ Code, Factory act, Indian Explosives Act/ Rules, Motor Vehicles Act and Rules, REL Electrical & Mechanical Safety Rules and any other applicable statute, Rules/ Checklists framed by REL relating to working at sites. As per attached Annexure. Contractor shall adhere to safe working practice and guard against hazardous and unsafe working conditions and shall comply with REL's safety rules as set forth herein.

The contractor shall ensure before start of work:

- a) That Safety Shoes and Safety Helmets, all IS marked, are provided to each worker brought by him to the work place, before start of the work on the first day itself. He shall purchase and keep adequate number of Safety Harnesses/ other Person Protective Equipments, including Safety Goggles and Ear Protection, all IS marked, in his store and it shall be used, when any worker is to work at height or forcing hazards.
- b) All the Lifting equipments/ tackles are tested by Competent Person, approved by the local state government; also required periodic testing as per the statute applicable to the local land and related documents to be submitted to concern department & Safety Department before execution of work
- c) All the workers are provided with at least one day Safety Training at the local work place.
- d) The contractor shall ensure & conduct Medical Examination of the workers and submit the necessary report to the medical officer of the organization. Required tests and examinations at the start and subsequently with the frequency, as mentioned in central & state legal provision.
- e) Submit Safety Plan to REL Engineer In Charge, which shall consist of following:

Conduct risk analysis (HIRA) in job, and action plan to mitigate the risks;

Name of persons responsible for implementing safety provisions and their specific responsibilities;

Methodology of conduct of Safety Training to his workers;

Methodology of taking action against intentional erring employees;

List of names of Safety Representative, supervisors, competent electricians, operators of lifting equipments such as Cranes, Truck Mounted cranes & hydras, Vehicle Drivers etc. ;

The Contractor shall ensure during the work:

Adequate supervision with the supervisors having adequate qualification required for the task and

appointing one such supervisor for each 30 workers, is provided at all times to work / site;

All the Contractor's worker are provided with required Personal Protective Equipments, and the workers use these issued Personal Protective Equipments, at all times of work, at the site, If Safety in-charge suggests any other PPE's required for the particular task pertaining to the specific work hazard if necessary, then the same type of PPE's are to be provided by the contractor at his cost as per attached Annexure of PPE.

Barricading is to be provided by contractor in connection with his operations to guard or to protect persons from excavations, Hoists & crane operations, Falling materials, REL's existing Property subject to damage by Contractors operations.

Their workers always keep their identity card with them;

Any worker will not be allowed under the influence of alcohol & any drugs.

The Testing & Protection equipments of the Contractors are tested / examined within the limits

prescribed by the State Rules in this regard. Certificates of calibration should be always be available at site for inspection.

Explosives and any inflammable material should not be used on work or on site without the permission of Site – Engineer in writing. If any explosives and any inflammable material is to be used on work place & Site, while handling & storing of such material proper safety precautions to be taken as per the local land statutes.

First-Aid facilities are to be provided by the contractor on his workplace / Sites.

Any handling of gas having health hazard to the workers & people around the work place is not permitted without prior written permission from site-engineer and handling & storage of such gas will be as per the statute requirements of the local land.

The employees of the contractor shall be skilled / competent in accordance with the job requirement to the satisfaction of Department in charge. Department in charge shall have the right to remove any employee of the contractor, whom he feels to be incompetent and appears to be indulging or aiding violation of the prescribed or statutory safety norms.

Reliance Infrastructure Ltd Receiving Station Tender Document.

B - SPECIAL SAFETY PROVISIONS FOR WORKING AT HEIGHTS:

- All working platforms, passages etc shall be free from accumulations of any material causing obstructions and tripping hazards. The permit System devised by REL for working at height shall be implemented by the Contractor;
- To prevent fall of workers into water, where they work near or in vicinity of water body, the contractor shall provide Life Jackets to the workers, and ensure its use. The contractor shall provide boat or launch equipped with sufficient number of life buoys, life jackets etc., manned with trained personnel for rescue operations, at the site of such work.
- Wherever there is a possibility of falling of any material, equipments or workers while working at heights, suitable safety net shall be used. The safety net shall be for required load and shall comply with BIS Standards.
- The Contractor shall provide safe ladders/stairs meeting IS requirements, for workers to ascend/ descend and he shall ensure that the workers use them, for these purposes. The workers shall be provided with appropriate safety harness fitted with suitable fall arresting system (Fall arrestors) in case the elevation difference is more than 8 Ft. The contractor shall provide and maintain safe scaffolding or working platforms to ensure prevention of fall of person from there. The contractor shall ensure that scaffolding erection and repairs are done by the expert supervision in accordance with IS provisions.

C - SPECIAL SAFETY PROVISIONS FOR ELECTRICAL HAZARDS:

- The contractor shall appoint Electricians with ITI in Electrical Trade or those who possess
- Wireman's Certificate, prescribed by local State Government. He will work under supervision of our competent person. No electrical supply connection will be taken, without permission of appropriate authority.
- Minimum one ELCB/RCCB for all each electrical distribution panels etc., shall be used to prevent electrical shocks to the workers. More such ELCB/ RCCB shall be used, when required.
- The contractor shall use single / double insulated body hand tools or low voltage of ISI marked standards.
- No supply shall be taken with any loose connection like taking supply by inserting wires in the socket. In such cases suitable plug tops shall be used for making such connections.
- No cable, except the one with IS Mark and not less than 3 Core shall be used for single phase connections and 4 Core for three phase connections. This cable shall not lie on ground, where it may get damaged due to vehicles, falling objects etc. The electrical wires shall not lie on ground, where they can be damaged by persons/ vehicles moving over it.

D - RIGHT TO STOP WORK

- The Unit head/ Department in charge & Safety Officer shall have right, at his sole discretion, to stop the work, if in his opinion the work is being carried out in such a way that it may cause imminent danger to the person and / or property and /or equipments. In such cases, the contractor shall be informed in writing about the nature of hazards and possible injury/ accident and he shall comply to remove shortcomings promptly.
- The Contractor shall not be entitled for any damaged / compensation for stoppage of work, solely due to safety reasons and the period of such stoppage of work shall not be taken as an extension of time for Completion of the Facilities and will not be the ground for waiver of levy of liquidated damages.
- He shall submit Occupational Health Examination record of victim within 15 days of its conduct and found fit by Doctor.

- Whenever asked by REL, the contractor shall send his employees to depose in any enquiry arising out of any in- jury / facility / loss etc., without any reservation.

E - REPORTING OF INCIDENT, ACCIDENTS, NEAR-MISS & MEDICAL TREATMENT

- In case of any injury including the fatal injury, the contractor shall inform the same to Safety Officer, Unit head, Department in charge & Divisional head within two hours of its occurrence & to Electrical Inspector in case of electrical accident .
- In case of fatal injury, the Contractor shall inform it to the Local Police Station, relatives of deceased worker, Workmen Compensation Commissioner and District Collector also in addition to Safety Officer In charge, Divisional Engineer In charge.
- Contractor shall arrange transportation, medical treatment, in case of accident to his work force.
- REL is not responsible or have any obligation in such accident.

F - FOR VIOLATIONS

- If any of act, not undertaken to prevent the accident; or required safety provisions not complied with, the contractor shall be penalized @ Rs. 5,000/-per day or part thereof till the instructions are complied with.
- In case injury is caused due to not ensuring all required safety provisions or lack of supervision, the Contractor shall be penalized as below:
 - o Fatal accident /injury causing death -Penalty @ 10% of the contract Value or Rs.5 lakh whichever is less for each fatal accident / Injury causing death.
 - o Major injury or accident causing 25% or more permanent disablement to workmen - Penalty @ 2.5% of contract value or Rs. 1 lakh Whichever is less for each disablement injury
 - o Additionally, compensation shall be paid by the contractor, as per Workmen's Compensation Act with additional amount if mutually agreed upon.

The contractor is required to fulfill all the requirements as per Rlnfra's following OHSAS policy and the detailed documents and formats for the same shall be shared with the contractor at the time of commencement of works

health and safety policy

At Reliance Infrastructure Limited (RInfra) we believe that our employees are most valuable assets and their occupational health and safety is our biggest concern. We believe that their well being will make life easier, comfortable, healthier and above all safe.

We expect all employees to follow occupational health and safety standards and procedures during work.

We believe that probability ill health or injury to any person during work can be prevented with a proper work environment, healthy and safe work place and contribution of everyone in observing the safety standards.

With regard to Health & Safety objectives, RInfra is committed to

- Comply with the requirements of all applicable statutory provisions and other requirements as required by relevant processes
- Incorporate appropriate health & safety criteria and factors in business decisions by selection and placement of personnel at appropriate level and assigning the responsibility thereof
- Provide and maintain safe & healthy work places for all employees
- Adopt safe and healthy practices, operational procedures and methods of work
- Develop a high degree of awareness about occupational health and safety standards to shield the employees from the foreseeable work hazards
- Provide training and support to the employees to ensure that they are able to fulfill their responsibilities towards health & safety
- Ensure that when working with major suppliers, contractors and customers, they facilitate the improvement of their health and safety performance and also make it obligatory for them to follow the plant safety rules, procedures, system and safe practices
- Conduct audits and mock drills on site to check for emergency preparedness and to ensure that operations are in compliance with Health & Safety management requirements
- Ensure that appropriate resources are available to fully implement health & safety policy and continuously review the policy's relevance with respect to legal and business developments
- Work towards continual improvement of Occupational Health and Safety management system and OH & S performance

The RInfra Management cares for well-being of all employees and believes that every mishap or accident is preventable. The aim is to progress towards a 'Zero Accident Level'.



Lalit Jalan,

Reliance Infrastructure Limited, January 14, 2009

VI - Environmental policy

The contractor is required to fulfill all the requirements as per RInfra's following Environmental policy and the detailed documents and formats for the same shall be shared with the contractor at the time of commencement of works.

Environmental Policy

Reliance Infrastructure Limited, Mumbai Distribution, is committed to continually improve its environmental performance and towards achieving this, the Company shall -

- Optimize the use of resources by effective planning, implementation & operation.
- Prevent environmental pollution and minimize the loss of energy during distribution by adopting relevant and economically viable technologies and practices.
- Comply with applicable environmental legislation; and other environmental requirements to which it subscribes.
- Raise environmental awareness amongst employees, vendors and customers.
- Encourage energy conservation and energy efficiency practices amongst employees and customers.

Date: 05.06.2010



Lalit Jalan
CEO & Director

RELIANCE Energy
Anil Dhirubhai Ambani Group

.....END OF DOCUMENT.....

