

HW 6.8.1.a: Graphing Polar Functions by Hand


Use the unit circle to determine exact values.

$$\frac{\sqrt{3}}{2} = .866$$

$$\frac{\sqrt{2}}{2} = .707$$


1. Sketch the polar function $r = 8 \cos \theta$ by completing the table and plotting the points.

θ	0	$\frac{\pi}{6}$	$\frac{\pi}{3}$	$\frac{\pi}{2}$	$\frac{2\pi}{3}$	$\frac{5\pi}{6}$	π	$\frac{7\pi}{6}$	$\frac{4\pi}{3}$	$\frac{3\pi}{2}$	$\frac{5\pi}{3}$	$\frac{11\pi}{6}$	2π
$\cos \theta$													
r													




2. Sketch the polar function $r = 3 \sec \theta$ by completing the table and plotting the points.

θ	0	$\frac{\pi}{6}$	$\frac{\pi}{3}$	$\frac{\pi}{2}$	$\frac{2\pi}{3}$	$\frac{5\pi}{6}$	π	$\frac{7\pi}{6}$	$\frac{4\pi}{3}$	$\frac{3\pi}{2}$	$\frac{5\pi}{3}$	$\frac{11\pi}{6}$	2π
$\sec \theta$													
r													



3. Sketch the polar function $r = 2 + 6 \sin \theta$ by completing the table and plotting the points.

θ	0	$\frac{\pi}{6}$	$\frac{\pi}{3}$	$\frac{\pi}{2}$	$\frac{2\pi}{3}$	$\frac{5\pi}{6}$	π	$\frac{7\pi}{6}$	$\frac{4\pi}{3}$	$\frac{3\pi}{2}$	$\frac{5\pi}{3}$	$\frac{11\pi}{6}$	2π
$\sin \theta$													
r													



4. Sketch the polar function $r = 8\sin 3\theta$ by completing the table and plotting the points.

θ	0	$\frac{\pi}{6}$	$\frac{\pi}{3}$	$\frac{\pi}{2}$	$\frac{2\pi}{3}$	$\frac{5\pi}{6}$	π	$\frac{7\pi}{6}$	$\frac{4\pi}{3}$	$\frac{3\pi}{2}$	$\frac{5\pi}{3}$	$\frac{11\pi}{6}$	2π
3θ													
$\sin(3\theta)$													
r													

