



API DOCUMENTATION



Single Sign-On integration for eGov partners.

- API documentation
- Integration
- Credentials
- Usage

Search requests...

POST Generates Access Token

POST SSO Authentication

This spec's base URL is blank until you generate a credential — open the Credentials tab to get yours.

Variables

Generate an eGov exchange code

Mint an exchange code against this platform's own eGov partner using a test identity — the same thing a real SSO redirect would hand you. Use it against the eGov-SSO gateway.

Test account

Select a test account

Generate

Generates Access Token

- Documentation
- Test

POST `{{base_url}}/api/token`

Exchanges an authorization code for an access token using the eGov SSO service.

This endpoint is used as part of the OAuth 2.0 authorization code flow. After a user successfully authenticates and an exchange code is issued, the partner system calls this endpoint to obtain an access token that can be used to authenticate subsequent API requests.

Request Body

Field	Type	Required	Description
exchange_code	string	Yes	The authorization code received after user authentication.
scope	string	Yes	The requested scope. Use SSO_AUTHENTICATION for standard SSO login.
partner_code	string	Yes	The unique code identifying the partner/agency system.
partner_secret	string	Yes	The secret key associated with the partner account.

Responses

Status	Description
200 OK	Access token successfully generated.
403 Forbidden	The request is forbidden. This may occur if the partner credentials are invalid or the partner is not authorized.
422 Unprocessable Entity	The exchange code is invalid or has already been used/expired.

Notes

- The exchange_code is single-use and expires after a short period.
- Store the partner_secret securely and never expose it on the client side.
- Use the returned access token in the Authorization header of subsequent requests.

BODY · RAW

Request body

```
{
  "exchange_code": "generated_exchange_code",
  "scope": "SSO_AUTHENTICATION",
  "partner_code": "{{partner_code}}",
  "partner_secret": "{{partner_secret}}"
}
```

EXAMPLE REQUEST

cURL



```
curl --request POST \
  --url '{{base_url}}/api/token' \
  --header 'Content-Type: application/json' \
  --data '{
    "exchange_code": "generated_exchange_code",
    "scope": "SSO_AUTHENTICATION",
    "partner_code": "{{partner_code}}",
    "partner_secret": "{{partner_secret}}"
  }'
```

EXAMPLE RESPONSES

200 200 - Success**422** 422 - Invalid Exchange Code**403** 403 - Forbidden

Response body · 200 OK



```
{
  "access_token": "eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJodHRwczovL3N0Zy1zdXB1cmFwcC1zc28ub3VlZy5pbmZvIiwiaWF0IjoxNzgzMzk3NDYyLjEwNDY0LCJzY29wZSI6I1NTT19BVVRIRU5USUNBVElPTiIsInBjIjoiVEVTVF9BR0VOQ1kiLCJ0a2kiOiY4LCJqdGkiOiJNVlBDQkVWVWkNHUFpSIiwiaXhwIjoxNzgzNDExMDEyYy51bWVtc-Vm6j5cyVn98W0FOQS3fxY4UwNcE"
}
```

► Response headers (22)