

← Back to dashboard

API DOCUMENTATION

eMessage

Deliver SMS, email and in-app notices to citizens through a single messaging API.

API documentation Credentials Usage

Q Search requests...

POST Push SMS

This spec's base URL is blank until you generate a credential — open the Credentials tab to get yours.

{ } Variables

Push SMS

Documentation Test

POST {{base\_url}}/messaging/v1/sms/push

Sends an SMS message to a recipient number.

Headers

| Header          | Value            | Required | Description              |
|-----------------|------------------|----------|--------------------------|
| X-EMESSAGE-Auth | <API-TOKEN>      | Yes      | eMessage API auth token. |
| Content-Type    | application/json | Yes      | Request body is JSON.    |

Body Parameters

| Field   | Type   | Required | Description                                                   |
|---------|--------|----------|---------------------------------------------------------------|
| number  | string | Yes      | Recipient mobile number in E.164 format, e.g. +639090000000 . |
| message | string | Yes      | The SMS message body.                                         |

HEADERS

| Key             | Value         | Description              |
|-----------------|---------------|--------------------------|
| X-EMESSAGE-Auth | {{api_token}} | eMessage API auth token. |

BODY · RAW

Request body

```
{
  "number": "+639090000000",
  "message": "Test message"
}
```

EXAMPLE REQUEST

cURL

```
curl --request POST \
  --url '{{base_url}}/messaging/v1/sms/push' \
  --header 'X-EMESSAGE-Auth: {{api_token}}' \
  --header 'Content-Type: application/json' \
  --data '{
    "number": "+639090000000",
    "message": "Test message"
  }'
```

EXAMPLE RESPONSES

201 201 - Created 400 400 - Bad Request 422 422 - Unprocessable Entity

Response body · 201 Created

```
{
  "data": {
    "message": "SMS was successfully created."
  }
}
```

► Response headers (18)

