

[← Back to dashboard](#)

API DOCUMENTATION



Let citizens file and track complaints and reports: submit a complaint, verify by OTP, then list and view report status by case number.



Q Search requests...

▼ Datasets

- GET Report Type List
- GET **Region List**
- GET Province List by Params
- GET Municipality List by Params
- GET Barangay List by Params
- POST Generate Token
- POST Submit Complaint
- POST Verify - Request OTP
- POST Verify - Confirm OTP
- GET Reports List
- GET View Report by Case Number

Variables

Region List

Documentation

Test

GET `{{base}}/api/integration/datasets/regions`

Region List

Retrieves a list of available regions from the eReport dataset. This endpoint is intended for integration use and returns region data that can be used to populate dropdowns, filter reports, or map region identifiers across the system.

Endpoint

Property	Value
Method	GET
URL	<code>{{base}}/api/integration/datasets/regions</code>

Authentication

This endpoint requires **Bearer Token** authentication.

Property	Value
Type	Bearer Token
Token	<code>{{integration_token}}</code>

Ensure the `{{integration_token}}` variable is set in your active environment before sending the request.

Request

No request body, query parameters, or additional headers are required.

Responses

✓ Success

Returns a `200 OK` response with a list of region objects. Each object typically contains region identifiers and display names usable for filtering or mapping within the eReport system.

✗ Error

Returns an error response (e.g., `401 Unauthorized`, `403 Forbidden`, or `500 Internal Server Error`) when authentication fails, the token is missing or expired, or an unexpected server error occurs. Ensure `{{integration_token}}` is valid and has the appropriate permissions.

AUTHORIZATION

[🔗 Bearer token](#) Authorization: Bearer `{{integration_token}}`

EXAMPLE REQUEST

cURL



```
curl --request GET \  
  --url '{{base}}/api/integration/datasets/regions' \  
  --header 'Authorization: Bearer {{integration_token}}'
```

EXAMPLE RESPONSES

200 Region List - Success**401** Region List - Error

Response body · 200 OK



```
{  
  "jsonapi": {  
    "version": "1.0"  
  },  
  "data": [  
    {  
      "type": "regions",  
      "id": "010000000",  
      "attributes": {  
        "name": "REGION I (ILOCOS REGION)"  
      }  
    },  
    {  
      "type": "regions",  
      "id": "020000000",  
      "attributes": {  
        "name": "REGION II (CAGAYAN VALLEY)"  
      }  
    },  
  ],  
}
```

► Response headers (5)