

← Back to dashboard

API DOCUMENTATION



Let citizens file and track complaints and reports: submit a complaint, verify by OTP, then list and view report status by case number.



Q Search requests...

⌵ Datasets

- GET [Report Type List](#)
- GET [Region List](#)
- GET [Province List by Params](#)
- GET [Municipality List by Params](#)
- GET [Barangay List by Params](#)
- POST [Generate Token](#)
- POST [Submit Complaint](#)
- POST [Verify - Request OTP](#)
- POST [Verify - Confirm OTP](#)
- GET [Reports List](#)
- GET [View Report by Case Number](#)

Variables

Report Type List

Documentation

Test

GET {{base}}/api/integration/datasets/report_types

Report Type List

Retrieves a list of all available report types from the eReport integration datasets. This endpoint is used to fetch the supported report type definitions that can be referenced when working with integration datasets.

Method & URL

GET {{base}}/api/integration/datasets/report_types

Authentication

This request uses **Bearer Token** authentication. The token is sourced from the {{integration_token}} environment variable.

Type	Variable
Bearer Token	{{integration_token}}

Parameters

This endpoint does not require any query parameters, path parameters, or request headers.

Variable References

Variable	Description
{{base}}	The base URL of the eReport API (e.g., https://api.example.com)
{{integration_token}}	Bearer token used for authenticating integration API requests

Response Examples

✔ Report Type List - Success

A successful request returns an HTTP 200 OK response with a list of report type objects.

✖ Report Type List - Error

An error response is returned when authentication fails, the token is invalid or expired, or the server encounters an issue processing the request. Common error status codes include 401 Unauthorized and 500 Internal Server Error .

AUTHORIZATION

[🔗 Bearer token](#) Authorization: Bearer {{integration_token}}

EXAMPLE REQUEST

cURL



```
curl --request GET \  
  --url '{{base}}/api/integration/datasets/report_types' \  
  --header 'Authorization: Bearer {{integration_token}}'
```

EXAMPLE RESPONSES

200 Report Type List - Success**401** Report Type List - Error

Response body · 200 OK



```
{  
  "jsonapi": {  
    "version": "1.0"  
  },  
  "meta": {  
    "pagination": {  
      "total": 9,  
      "per_page": 25,  
      "current_page": 1,  
      "total_pages": 1  
    }  
  },  
  "data": [  
    {  
      "type": "report_types",  
      "id": "0ef6d51a-75be-4ff5-9259-e7f080504f48",  
      "attributes": {  
        "code": "crime",  
        "name": "Crime",
```

► Response headers (5)