

Creating Repository on Github.com

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1

General

Owner *

ImPriyanshPandey

Repository name *

my-project

my-project is available.

Great repository names are short and memorable. How about [reimagined-octo-adventure](#)?

Description

0 / 350 characters

2

Configuration

Choose visibility *

Choose who can see and commit to this repository

Public

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

Off

Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore

Add license

Licenses explain how others can use your code. [About licenses](#)

No license

Identification and installation and then Push to GitHub using terminal

```
priyansh@IDEAPAD-18UT:~$ git config --global user.name "ImPriyanshPandey"
git config --global user.email "priyanshpandey200318@gmail.com"
priyansh@IDEAPAD-18UT:~$ # Create a local repo
mkdir my-project && cd my-project
git init
echo "# My Project" > README.md
git add .
git commit -m "Initial commit"
```


NOTE: You'll need to enter your Username and then password (which will be a token we'll generate on github.com)

```
mkdir: cannot create directory 'my-project': File exists
Reinitialized existing Git repository in /home/priyansh/.git/
[main c92d839] Initial commit
2 files changed, 34 insertions(+), 1 deletion(-)
error: remote origin already exists.
Username for 'https://github.com': ImPriyanshPandey
Password for 'https://ImPriyanshPandey@github.com':
```

To Generate Token (for password) -

Go to Settings < Developer Settings < Personal Access Tokens < Tokens (classic)

Generate New Token < Token Classic < Enter the name 'my-project'




Enter the name - my-project

Select 'repo' checkbox only and then click generate at the bottom of the screen

NOTE: Make sure to save the key after generating as you won't be able to see it again.

This key will be used for password in our terminal connection.

[This is because GitHub removed direct terminal connection through passwords a while back.]



After entering the key as the password the Git will initialize and then push the request which we wanted to do earlier

```
Username for 'https://github.com': ImPriyanshPandey
Password for 'https://ImPriyanshPandey@github.com':
Enumerating objects: 1366, done.
Counting objects: 100% (1366/1366), done.
Delta compression using up to 4 threads
Compressing objects: 100% (1260/1260), done.
Writing objects: 100% (1366/1366), 73.48 MiB | 3.27 MiB/s, done.
Total 1366 (delta 680), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (680/680), done.
To https://github.com/ImPriyanshPandey/my-project.git
* [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
priyansh@IDEAPAD-18UT:~$
```

Clone the repository


```
priyansh@IDEAPAD-18UT:~$ git clone https://github.com/ImPriyanshPandey/my-pr
object.git cloned-project
cd cloned-project
Cloning into 'cloned-project'...
remote: Enumerating objects: 1366, done.
remote: Total 1366 (delta 0), reused 0 (delta 0), pack-reused 1366 (from 1)
Receiving objects: 100% (1366/1366), 73.48 MiB | 1.77 MiB/s, done.
Resolving deltas: 100% (680/680), done.
Updating files: 100% (1319/1319), done.
priyansh@IDEAPAD-18UT:~/cloned-project$
```

Select a repository to fork (we're using this very simple one) -

<https://github.com/octocat/Hello-World>

The screenshot shows the GitHub interface for the repository 'octocat / Hello-World'. At the top, there are navigation tabs: Code, Issues (4.7k), Pull requests (997), Actions, Projects, Wiki, and More. Below these are buttons for Watch (1723), Fork, and Star. The repository description is 'My first repository on GitHub!'. It shows 3.5k stars, 6k forks, 1.7k watching, 3 branches, 0 tags, and an activity icon. The repository is marked as 'Public repository'. Below this, there's a section for the 'master' branch with a 'Go to file' button and a '+ Code' button. A recent commit by 'octocat' is shown, titled 'Merge pull request #6 from Spaceghost/patch-1', dated '7fd1a60 · 15 years ago'. Below the commit, there's a file named 'README' with a description 'New line at end of file. --Signed off by Spa...' and a date '15 years ago'. The README content is visible, showing 'Hello World!'.

Use Fork Button to fork this repo



Enter the details -

Name, description, etc...

Click Create Fork

Create a new fork

A *fork* is a copy of a repository. Forking a repository allows you to freely experiment with changes without affecting the original project. [View existing forks.](#)

Required fields are marked with an asterisk ().*

Owner * **Repository name ***

 **ImPriyanshPandey** /

✔ forked-repo is available.

By default, forks are named the same as their upstream repository. You can customize the name to distinguish it further.

Description


10 / 350 characters

☒ **Copy the `master` branch only**


Contribute back to octocat/Hello-World by adding your own branch. [Learn more.](#)

 You are creating a fork in your personal account.

[Create fork](#)



Forked Repo will be visible in profile



Fork and Pull Request (Locally)

```
priyansh@IDEAPAD-18UT:~/cloned-project$ # After forking on GitHub, clone your fork
git clone https://github.com/ImPriyanshPandey/forked-repo.git
cd forked-repo

# Add original repo as upstream
git remote add upstream https://github.com/octocat/Hello-World.git

# Create a new branch for your changes
git checkout -b my-feature

# Make changes
echo "New feature" >> feature.txt
git add .
git commit -m "Add new feature"

# Push to your fork
git push origin my-feature
Cloning into 'forked-repo'...
remote: Enumerating objects: 7, done.
remote: Total 7 (delta 0), reused 0 (delta 0), pack-reused 7 (from 1)
Receiving objects: 100% (7/7), done.
Switched to a new branch 'my-feature'
[my-feature 9eb1534] Add new feature
1 file changed, 1 insertion(+)
create mode 100644 feature.txt
Username for 'https://github.com': ImPriyanshPandey
Password for 'https://ImPriyanshPandey@github.com':
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 302 bytes | 302.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'my-feature' on GitHub by visiting:
remote: https://github.com/ImPriyanshPandey/forked-repo/pull/new/my-feature
remote:
To https://github.com/ImPriyanshPandey/forked-repo.git
* [new branch] my-feature -> my-feature
priyansh@IDEAPAD-18UT:~/cloned-project/forked-repo$
```

Go to the given URL in the terminal.
Then just click 'create pull request'

Add a title *

my-feature

Add a description

Write Preview H B I

Added feature.txt with new feature content

Markdown is supported Paste, drop, or click to add files

☒ Allow edits by maintainers **Create pull request**

No Conflict = Success

octocat / Hello-World

Code Issues **4.7k** **Pull requests 998** Actions Projects Wiki More ▾

View status **Code ▾**

my-feature #9372

Open **ImPriyanshPandey** wants to merge 1 commit into **octocat:master** from **ImPriyanshPandey:my-feature**

Conversation **0** Commits **1** Checks **0** Files changed **1**

ImPriyanshPandey commented **now**

Added feature.txt with new feature content

Add new feature **9eb1534**

No conflicts with base branch
Changes can be cleanly merged.

Check status and pull the latest changed from Terminal

```
priyansh@IDEAPAD-18UT:~/cloned-project/forked-repo/forked-repo$ git pull origin master
# Sync your fork with upstream
git fetch upstream
git merge upstream/master
From https://github.com/ImPriyanshPandey/forked-repo
* branch      master      -> FETCH_HEAD
Already up to date.
Already up to date.
priyansh@IDEAPAD-18UT:~/cloned-project/forked-repo/forked-repo$
```