



To create 'vim sample.txt' –

A terminal window titled 'Ubuntu' with a dark purple background. The prompt is 'priyansh@IDEAPAD-18UT: \$'. The user enters '#!/bin/bash', followed by a series of '#' characters to create a file. Then, they enter 'vim sample.txt' and the prompt returns to '\$'.


```
priyansh@IDEAPAD-18UT: $ #!/bin/bash
# =====
# VIM PRACTICAL FILE
# =====
vim sample.txt
priyansh@IDEAPAD-18UT: $
```

VIM File Script – use esc key for command mode when complete

A terminal window titled 'Ubuntu' with a dark purple background. The prompt is 'priyansh@IDEAPAD-18UT: \$'. The user enters 'cat sample.txt', and the terminal displays the contents of the file.


```
priyansh@IDEAPAD-18UT: $ cat sample.txt
This is a sample file being used for VIM Editor Practical.
The VIM Editor will be used for insert, delete, undo and redo in thsi file.
This practical is done by B.A. Programme students
The File will be saved in VIM.
Have a Nice Day!
```

u – for undo

A terminal window titled 'Ubuntu' with a dark purple background. The prompt is 'priyansh@IDEAPAD-18UT: \$'. The user enters 'cat sample.txt'. The terminal displays the contents of the file, which are identical to the previous screenshot.


```
priyansh@IDEAPAD-18UT: $ cat sample.txt
This is a sample file being used for VIM Editor Practical.
The VIM Editor will be used for insert, delete, undo and redo in thsi file.
This practical is done by B.A. Programme students
The File will be saved in VIM.
Have a Nice Day!
```

dd – delete

A terminal window titled 'Ubuntu' with a dark purple background. The prompt is 'priyansh@IDEAPAD-18UT: \$'. The user enters 'cat sample.txt'. The terminal displays the contents of the file, which are identical to the previous screenshots.

```
priyansh@IDEAPAD-18UT: $ cat sample.txt
This is a sample file being used for VIM Editor Practical.
The VIM Editor will be used for insert, delete, undo and redo in thsi file.
Have a Nice Day!
```

Ctrl + r – redo


A terminal window titled 'Ubuntu' with a dark purple background. The prompt is 'priyansh@IDEAPAD-18UT: \$'. The user enters 'cat sample.txt'. The terminal displays the contents of the file, which are identical to the previous screenshots.

```
priyansh@IDEAPAD-18UT: $ cat sample.txt
This is a sample file being used for VIM Editor Practical.
The VIM Editor will be used for insert, delete, undo and redo in thsi file.
The File will be saved in VIM.
Have a Nice Day!
```

```


This is a sample file being used for VIM Editor Practical.
The VIM Editor will be used for insert, delete, undo and redo in thsi file.
This practical is done by B.A. Programme students
The File will be saved in VIM.
Have a Nice Day!

```



The screenshot shows a terminal window with a dark background. The title bar at the top indicates the window is titled 'Ubuntu'. The terminal content displays the text from the 'vim.txt' file, which was shown in the previous screenshot. The text is as follows:


```
This is a sample file being used for VIM Editor Practical.
The VIM Editor will be used for insert, delete, undo and redo in thsi file.
This practical is done by B.A. Programme students
The File will be saved in VIM.
Have a Nice Day!
```



The screenshot shows a terminal window with a dark background. The title bar at the top reads "Ubuntu" and has standard window control buttons (close, maximize, and a dropdown arrow). The terminal content is as follows:

```
This is a sample file being used for VI Editor Editor Practical.
The VI Editor Editor will be used for insert, delete, undo and redo in thsi file.
This practical is done by B.A. Programme students
The File will be saved in VI Editor.
Have a Nice Day!
```

:w – save file




The screenshot shows a terminal window titled 'Ubuntu' with a dark purple background. The text content is as follows:

```
This is a sample file being used for VI Editor Editor Practical.  
The VI Editor Editor will be used for insert, delete, undo and redo in thsi file.  
This practical is done by B.A. Programme students  
The File will be saved in VI Editor.  
Have a Nice Day!
```

At the bottom left of the terminal, the command `:w` is entered, followed by a cursor. The terminal window has a standard Ubuntu window header with a close button, a maximize button, and a dropdown menu.

:q – quit the VIM Editor Mode



The screenshot shows the same terminal window as above, but with the command `:q` entered at the bottom left, followed by a cursor. The text content remains the same:

```
This is a sample file being used for VI Editor Editor Practical.  
The VI Editor Editor will be used for insert, delete, undo and redo in thsi file.  
This practical is done by B.A. Programme students  
The File will be saved in VI Editor.  
Have a Nice Day!
```

The terminal window has the same Ubuntu window header as the previous image.