1.Which option will allow users to create single version of field value for all languages?

Shared

2. The names of fields in the standard template begins with:

Two underscores

3.Where the Home page or start item for your site is defined in the Sitecore.config?

Rootpath and Startitem

4. Sitecore publishes items from:

Master to Web database

5.As a recommended practice, where would you apply the insert option settings?

On the Template Standard Value

6.If you are looking for information about a standard feature of Sitecore, which website would you visit to find the Sitecore specific information?

C) doc.sitecore.com

7.An author adds a component to a page in the Experience Editor and the Select the Associated Content dialog box automatically appears. What triggers this behaviour?

- C) The component's Datasource Location field is filled in.
- 8.Where are logs stored?
- B) <ContentFolder>\Data\logs
- 9. Which of the two Visual Studio projects has the Startup.cs class?
- C) RenderingHost
- 10.From which template should items eventually inherit in Sitecore?
- C. Standard template
- 11.What's the recommendation practice to add Sitecore libraries to your project?
- B) Nuget
- 12.What option will publish everything in Sitecore?

- C) Republish
- 13.Config changes get added alphabetically by default. How can I change it?
- A) Use <loadOrder>
- 14. How would you render the content of a Image field on the website?
- A) @Html.Sitecore().Field() or FieldRenderer.Render()
- 15. Why would you set insert options?
- A. To allow authors to create items in the content tree
- 16.What are the advantages of using dynamic binding in Sitecore?
- A) New page types can be assembled from existing components
- B) Changes to a page structure do not require a developer
- C) Supports content reuse
- D) Supports Sitecore's personalization and testing features
- E) All of the above
- 17.What binding should be used when adding Header and Footer to the layout?
- A) Static
- B) Dynamic
- C) Both a and b
- 18. Where do you configure the xConnect end points?
- A) \App_Config\ConnectionStrings.config
- 19.What are workflows made of?
- A) States, Commands, Actions
- 20.What role does a user need to be able to log in to the Sitecore back end?
- D) Sitecore Client Users
- 21.What template do all templates inherit from?
- D)Standard Template
- 22.The xConnect service must have a JSON representation of any model that a client application wishes to use.
- A) True

23. What items are managed by the editors on the website?

A) Content Items

24.Which standard field is a shared field where you specify the common layout for all languages and versions of the item?

A) _Renderings

25. Why is Engagement Value so important?

It is a better metric than simply measuring traffic to evaluate the success of the site. Most Sitecore reporting provides engagement value/visit information.

26.True or False: Custom view components are intended for use anywhere you have reusable rendering logic such as navigation menus and login panels.

A) True

<u>27.What server roles are supported in the <AppSettings> attribute of the Web.config file?</u>

- A) Content Delivery
- **B) Content Management**
- C) Processing
- D) Reporting
- E) Standalone
- F) All of the above

28. Where are default field values defined?

C) On the Template Standard Values item.

29.Where do you setup the Data Source location for a component?

- A) Component Tool bar> More>Edit Experience Editor Option
- 30.What do you need to do to support the use of personalization?

Componentize the page, and use data sources whenever possible.

31.Where do you create a model in Sitecore for structured data to be consumed by MVC view?

A) Layout>Model

32. The search interface operations allow you to:

B) Run bulk operations over all the search results

33.Which one of the following creates a version of an item in the same language?

A) Numbered Versions

34.Which one of the following can help you connect to Sitecore using a Console application?

A) xConnect Client API

35. What is the recommended practices for data Architecture?

- A) Making good use of Template Inheritance
- B) Using Icons and user-friendly names for templates
- C) Using a template's lays to define default values and settings for items
- D) All of the above

36. When creating custom Sitecore images for your solution, you should?

- A) Layer built outputs from your solution and other assets onto the base Sitecore runtime images.
- B) Include a Sitecore runtime Dockerfile for each container that makes up your Sitecore topology.
- C) Both answers are correct.

37.What item setting needs to be specified for authors to be able to add content?

B) Insert Options

38.Where can Presentation Details be set?

A) Experience Editor (Design Mode), Content Editor, Template Manager, Sitecore Rocks

39.What template must be used as a base template for your Parameters Template?

A) The Standard Rendering Parameters template.

40.Templates defines:

- A) Type of item
- B) Determine the field sections
- C) Determine the field names
- D) Determine the field types

E) All of the above...

41.Would you choose a Multilist instead of the Droplink field?

- D) .. authors are able to select multiple options in the field
- 42.What is the default cache size in Sitecore?
- B) 25 MB
- 43.When should you use a Computed field?

When you need to use field data to calculate a different value to be stored in the index itself.

- 44.What is stored in the Master database?
- B) All the versions of all the content of your solutions, including versioning Content
- 45.All fields must be versioned in Sitecore
- B) False
- 46. How many parameters template are allowed on a component?
- A) One
- 47. How do you display the contents of a field in code?
- D) @Html.Sitecore().Field("<Field name>")
- 48. How can you control the dependencies between modules in Sitecore?
- A) Use Explicit dependencies
- 49.What are the benefits of using the Docker Tools development ENTRYPOINT and watch script?
- A) Faster development feedback loops
- B) Overcoming limitations of mounted folders in Windows containers
- C) Clean separation of your solution output from Sitecore-provided files
- D) All of the answers are correct
- 50. How can you get Sitecore to produce translated URLs?
- A. By setting the LinkManager to use the item's DisplayName
- 1.Which scenario describes who can create content if there are no insert options set for an item?
- D. Only admins or privileged users can create content under that item
- 2.On a multisite implementation, what is the recommended practice for creating the tree structure for each site?
- C. Create a folder for each site under the Content item with each site folder containing its own Home item

- 3.You are setting up a Sitecore instance to accommodate three public facing websites. Where will you map which home item corresponds to each hostname?
- A. In a Config Include file patching the web.config
- 4.Which of the following best describes the purpose of the Field Source in Sitecore?
- A. The field Source allows the configuration of extra properties in a template's field definition
- 5. When would you render the raw value of a field to the website?
- A. When it contains HTML encoded content
- <u>6.When you create a field, what is the main consideration for choosing its type?</u>
- A. Which control will be shown in the authoring tools
- 7.You have two templates with a Rich Text field called Description. Users should be able to change the font size in one but not the other. Would you define the Description field in a common parent template?
- B. No, because they require different field sources
- 8.In a view, what do you need to do so the Field() extension method retrieves the content from the data source?
- B. Nothing, that is its default behaviour
- 9.An author cannot select the Main Navigation component in Designing mode of the Experience Editor. What is a possible reason?
- C. The component is dynamically bound to other components
- 10.What does the syntax ph_<placeholdername>__propertyname>_ do?
- 11. How can you configure a component to be replaced with another component in the Experience Editor?
- D. Add the replacement component in the original component's Compatible Renderings field
- 12. How can you limit which components an author can put into a placeholder to two specific components only?
- B. Create a Placeholder Settings item and add the components to the Allowed Controls list
- 13. You have just written a query against the Solr index using Sitecore's select News Article items as the data source. How can you accomplish this? but you get a compile error. What could be the cause?

- C. Your project is missing references to ContentSearch DLLs
- 14.Which property of the SearchResultItem class can you use to narrow a search to all the descendants of a particular item?
- B. Descendants
- 15.Why would an item show in the content tree even though it is a child of a bucketed item?
- D. It is not bucketable
- 16.When you patch in changes to the Sitecore.config through include files, in Which order are your changes applied?
- A. In the Custom layer. folders and files load alphabetically
- 17.What the purpose of a field editor button?
- A. To open a popup where fields are edited
- 18.After creating template A With fields named Title and description, you realize those same fields were defined in template B. How can you improve your template design?
- A. Make template A inherit from template B and delete and Description from template A
- 19.Which property of the RenderingContext returns a component's specific Rendering parameter?
- A. Current.Rendering.Parameters["ParameterName"]
- 20.The Select the Associated Content Dialog box allows the user to choose a featured news article. You want to ensure authors can only select News Article Items as the data source. How can you accomplish this?
- A. On the component definition, set the Datasource Template field to News Article
- 21.The select the Associated Content Dialog Box appears when a component is added to a page in the Experience Editor.What Field on the Component definition item triggers this behavior?
- D. The Datasource Location field
- 22.How can you tell the field helper to retrieve the field value from a specific item that is not the context item?
- D. Set the ContextItem to the specific item
- 23. What problem does using dynamic placeholders solve?
- A. It allows users to create and name as many placeholders as they need dynamically
- 24.What is the difference between RenderingContext.Current.ContextItem and RenderingContext.Current. Rendering.Item?
- C. Current.ContextItem returns the item mapped to the URL while .Current.Rendering returns the data source item if there is one, falling back to the Context item if not

- 25. You are deploying Sitecore on the Microsoft Azure platform. What is one advantage of the Azure Search provider?
- C . High Availability
- 26. Your organization has decided to install the Sitecore Content Management tools. Which of the following tools is a Sitecore .. Management tool?
- **C. Experience Management**
- 27. How can Sitecore de scaled horizontally?
- C. By using load balanced services for one server role
- 28. What happens if you modify an item in the Web database?
- D. The item will be overwritten during the next publish
- 29. How can developers restrict the type of content that users can create in the Content Editor?
- D. By using the Insert Options setting
- 30. Why would you set insert options?
- A. To allow authors to create items in the content tree
- 31. What is the name of the main Sitecore dll that contains methods for item access?
- C. Sitecore.Kernel
- 32. Which of the following is a recommended practice when you want to modify a setting defined in the APP_Config/Sitecore.Config?
- D. Create .config file containing the setting and place in the App_Config/Include folder
- 33. You need to programmatically retrieve the current site's start item which is configured in Sitecore .. the location of that item?
- D. string startItemLocation = Sitecore.Context.Site.StartPath
- 34. What do you need to do after you modify a file in an out of webroot visual studio solution Sitecore installation?
- B. Copy the file to the webroot using Visual Studio s publish command
- 35.You are setting up a Sitecore instant to accommodate three public facing website.Where will you ... corresponds to each hostname?
- B. In a config Include file patching the web.config
- 36.Why dose Sitecore have both a Master and Web database?
- B. To allow editing content in a sandbox without affecting the content on the live site
- 37.What is stored in the Core database?
- A. The Sitecore user interface and membership tables Or Environment settings and Membership details

38.A template defines	?
A. The fields of an item	
39.Sitecore stores contents in	
D. Items	
40.What is the Launchpad?	
D. The main page that shows available ap	plications

- 1. When would you render the raw value of afield to the website?
- B. When it contains HTML encodes content
- 2.What is the raw value of a field?
- B. The value of the field as stored in the Sitecore database
- 3.When you create a field, what is the main consideration for choosing it's type?
- A. Which control will be shown in the authoring tools
- 4. What is the purpose of a Field Editor button?
- C. To open a popup where field are edited
- 5.How can you populate the property of a ViewModel and still support inline editing in he Editor..?
- A. By using the Render() method in the FieldRenderer class
- 6.When you use the field helper, how do you ensure that a field cannot be edited inline?
- C. Use the DisableWebEdit option
- 7. You should store media in the Sitecore database because:
- C. Media items and media are published together
- 8. From which template should items eventually inherit in Sitecore?
- C. Standard template
- 9.AS a recommended practice, where should you apply the insert option setting?
- C. On the Template Standard Values
- 10.Which of the following is used for setting default settings and default field values?
- **B. Standard Values**
- 11.Which of the following define an item type in Sitecore?
- B. Template
- 12.You have added a \$name token as the default value of a field. One of your existing content. Why is this?

- C. Tokens will only be converted when items are created
- 13.Why do you use a General Link field?
- B. When the field contents will be used in an anchor tag
- 14.Why are icons on templates important?
- C. Icons makes it much easier to identify the different item types
- 15.When would you make a field shared?
- C. When it should store the same data in all languages and versions
- 16.The Select the Associated Content dialog box appears when a component is added to a the component definition item triggers this behavior?
- B. The Datasource Location field
- 17.An author cannot select the Mai placeholder on a page in Designing mode of the Experience ... placeholder so it can be selected?
- A. Create a Placeholder Settings item
- 18.What fields can you use in a Rendering Parameters Template?
- B. Any Sitecore field
- 19.The Allowed Controls field on a Placeholder Setting item is empty. What does this mean?
- A. Designers can add any component they like to the placeholder
- 20.How can you limit which components an author can put into a placeholder to two specific ...
- B. Create a Placeholder Settings item and add the components to the Allowed Controls
- 21. How would you add a component to a page using static binding?
- B. @Html.Sitecore().Rendering("/sitecore/layout/Renderings/MyComponent")
- 22. How can you get Sitecore to produce translated URLs?
- A. By setting the LinkManager to use the item's DisplayName
- 23.When you are working with a Sitecore.Data.Items.Item object, how do you get a parent item
- B. .Parent
- 24.When you are working with a Sitecore.Data.Items.Item object, how do you get a list of all children (first-level descendants)?
- D. By using .GetChildren()
- 25. Why would you define a Sitecore package?
- B. You need to copy certain item/files from one Sitecore installation to another
- 26.What is the advantage of setting StorageType=Yes in an index field?
- B. There is no need to access the Sitecore database to guery it's value

- 27. You are deploying Sitecore on the Microsoft Azure platform. Wht is one advantage of the ...
- C. High availability
- 28. You have just written a query against the Solr index using Sitecore's ContentSearch API, but getting compiling error what is the cause?
- B. Your project is missing references to ContentSearch DLLs
- 29.You have written a search query using LINQ GroupBy expression. Your result
- B. GroupBy is not supported by Sitecore Search
- 30. Why would you make an item into a bucket?
- B. To ensure it can accommodate a large number of descendants
- 31.Why would an item show in the content tree even though it is child of a bucketed item..
- A. It is not bucketable
- 32. When would you make the field Shared
- C) When it should store the same data in all the language and versions
- 33.As a recommended practice, where would you apply the insert option settings?
- A) On the Template Standard Value
- 34. How can the developer restrict the type of the content that users can create in the Content Editor and the Exp Editor
- D) By using the Insert option Setting
- 35.Do you need to do after you modify a file in an out of Webroot, Visual studio solution to see the affects of the change in your .. Installation
- D) copy the file to the Webroot using Visual Studio's Publish command
- 36. When can you edit a field inline
- A) When Sitecore can render it with the Field() helper method
- 37.What needs to be attached before submitting the ticket to Sitecore Support?
- A) Relevant Configuration Files
- B) Recent Log files, Screenshots of UI, errors, and related files
- C) Exceptions as plan text documents
- D) All of the above...
- 38. Would you choose a Multilist instead of the Droplink field?
- D) .. authors are able to select multiple options in the field
- 39.What is the Launch pad

A) The main page that shows available applications OR First screen which we see when we login to Sitecore

40.Why Sitecore Experience Management foundation feature allow services to collect and search for xDB data?

- D) xConnect
- 1. What is stored in the Master database?
- B) All the versions of all the content of your solutions, including versioning Content
- 2.Templates define
- B) The fields of an item / Field Type Fields Field Section
- 3. What is the purpose of Standard Template?
- C) Define fields that Sitecore uses internally but are not shown to the user
- 4.Which of the following describes Sitecore template
- C) Present schemas for Sitecore content upon which new items are based
- 5. What does it mean for an item to be bucketable?
- A) It will be hidden when it is created as a descendant of a bucket
- 6.the Sitecore ContentSearch API, what extension method would you call to return your search results including additional about those results?
- C) GetResults()
- 7...Performance reasons it is best to
- B) Add only what is required to the index
- 8.Where you are working with a Sitecore.Data.Items.Item objec, how do you get a reference to it's parent item?
- D) .Parent
- 9.What part of Sitecore is in charge of generating URLs?
- C) LinkManager
- 10.Can you configure the default settings using by Sitecore to produce URLs?
- D) attaching Sitecore Configuration through an include file
- 11.What happens if allowed controls filed of a placeholder setting is empty
- A) designers can add any component they like to add placeholder
- 12. You want to ensure header and footer are always visible on your Main layout. Will you statically or dynamically bind it?
- A) Statically bind it when you need it to always appear on a layout or rendering.
- 13.Where does Sitecore stores the Rendering parameters
- A) In the presentation details
- B) In the definition item of the rendering

- 14.Rendering parameter
- B) Add fields to a rendering parameter template
- 15.Sitecore be Scaled vertically?

Yes

- 16.Developer restrict the type of content that users can create in the Content Editor and the Experience Editor?
- D) Using the Insert Options setting
- 17.A template defines_
- B) The fields of an item
- 18.When you allow users to modify content that is stored in a TreeList field in the Experience Editor?
- D) .. an Edit Frame and adding a Field Editor button to it
- 19.When you use the field helper, how do you ensure that a field can not edited inline?
- B) Use the DisableWebEdit option
- 20. You have added a \$name token as the default value field. Once of your existing content items show the .. why is this?
- B) Tokens will only be converted when items are created
- 21. Which fields will template A have if it inherits from template B?
- C) All the fields from B plus all the fields from A
- 22. The Select the Associated Content dialog that allows the user to choose a features news article. you ... select News Article items as the data source. How can you accomplish this?
- D) On the component definition, set the Datasource Template field to News Article
- 23.What happens if the Allowed Controls field of a placeholder settings item is empty?
- A) Any components can be added to that placeholder
- 24.Which three options below are Developer-focused features added to the Sitecore development tool options with the release of Sitecore 10?
- A) Sitecore with containers
- C) Sitecore Content Serialization
- D) Sitecore ASP.NET Core Rendering SDK
- 25.True or False: Any Sitecore Developer working with Sitecore 10 will have to use the Sitecore Content Serialization Command Line Interface (CLI).
- B) False

26.Which three of the following are considered benefits of using the new Sitecore development tools introduced with Sitecore 10?

- A) Increased Developer productivity
- D) Lower cost of ownership
- E) Faster onboarding for new Developers
- 27.If you are looking for information about a standard feature of Sitecore, which website would you visit to find the Sitecore specific information?
- C) doc.sitecore.com
- 28.Which two of the following are requirements for running Sitecore with containers?
- A) Windows 10 Version 1809 or greater
- C) Docker Desktop for Windows
- 29.True or False: The Sitecore Content Serialization tool allows you to choose the option you are most comfortable with: a command line interface (CLI) or graphical user interface (GUI).
- A) True
- 30.Which of the options is a feature of the ASP.NET Core Rendering SDK?
- C) Integration with Sitecore XP to support Experience Editor, analytics, and personalization.
- 31.When would you most likely use the ASP.NET Core Rendering SDK over the other Sitecore rendering tools available?
- C) The customer requires a heavily customized front end and has some complicated business logic
- 32.Which of the following is not a necessary workstation prerequisite for using the Getting Started template?
- C) Command Prompt Version 10.0
- 33.Where can you find the walkthrough for downloading, installing, and using the Getting Started template?
- D) Sitecore documentation
- 34.What arguments are absolute requirements to provide to the int.ps1 script upon execution before running the Getting Started up.ps1 script for the first time?
- D) -InitEnv-LicenseXmlPath "C:\license.xml" -AdminPassword "password"
- 35.What is the purpose of the clean.ps1 script in the docker folder of the MyProject files?
- B) To clear the environment of all persistent data.

- 36.True or False: Sitecore Command Line Interface (CLI) and Sitecore for Visual Studio provide the same serialization functionality but with different interfaces.
- A) True
- 37. Serialization helps to support the development experience by:
- A) Allowing Developers to easily move and share serialized items across different environments.
- 38.True or False: In order for serialization to function properly between Developers, they must unanimously decide to use either the Sitecore CLI or the Sitecore for Visual Studio plugin.
- B) False
- 39. Why would a Developer create an include within a module?
- A) Includes help to specify which section(s) of the content tree you want to serialize.
- 40.If a Developer created an include that serialized all items starting at an item called "Sample Items," and wanted to specify that this include should serialize all items and descendants of the item, which include property would they use to indicate this?
- B) Scope
- 1.True or False: You cannot view the results of component creation without accessing the Experience Editor.
- B) False. Finished components can also be viewed directly from the rendering host URL.
- 2.Why were no data-binding attributes needed in the tutorial and examples?
- C) All the properties are inherited from IField.
- 3.Why would you use a custom Rendering Contents Resolver with a JSON rendering?
- B) You need access to more complex data from within Sitecore for the component you are creating.
- 4.How does the Sitecore.LayoutService NuGet package support the development of more advanced components?
- C)The package provides access to assemblies and types necessary for extending the Layout Service output.
- 5.Which of the following would be a good reason for using a custom view component rather than a model-bound view component?
- C) The site needs a component that will integrate with a third-party source for content.
- 6.True or false: Because a partial view is used within another view's rendered output, you do not need to register it with the Startup.cs class.

- B) FALSE
- 7.Why would you want to use a contents resolver to display values from the Sitecore search indexes?
- C) Because contents resolvers allow you write custom C# code to affect the Layout Service output.
- 8.Which of the following do you use to register a non-default partial view in the Startup.cs class?
- D) .AddPartialView()
- <u>9.True or false: Standard ASP.NET Core view components use model binding.</u>
- B) False. Model binding is not standard for view components but is possible with the Sitecore ASP.NET Core Rendering SDK.
- 10.Which three of the following are the advantages Sitecore brings to your organization?
- B) Build more intimate relationships.
- C) Create compelling digital experiences
- E) Cultivate loyal customers through creating human connections.
- 11.You just discovered that with Sitecore, you can improve performance in your role by using which three of the following?
- A) Experience and Content Editors
- D) Workflows and Workbox
- E) Personalization
- 12.If you want to store every customer profile, interaction, and behavior on your site, which Sitecore product will you want to use?
- C) Sitecore Experience Database
- 13.In which section of the Sitecore XP Control Panel can you change the language used for the interface in your Sitecore application?
- D) My settings
- 14.A Content Author informs you that some content is not appearing on the published site. What section of the Sitecore XP Control Panel are you most likely to use in your troubleshooting process?
- D) Indexing
- 15. You are no longer happy with the customized application options you selected for the Content Editor. Which section of the Sitecore XP Control Panel enables you to reset your application to its default settings?
- B) My settings
- 16.For what reasons could you need to rebuild an index in Sitecore? (Check all that apply.)

- B) You need to deploy to a production environment
- C) Your Indexes are out of date
- D) Your indexes are corrupted

17. You need to install a Sitecore update package. How can you perform this task? (Check all that apply.)

- A) Use the Install an update functionality in the Administration section.
- C) Use the Update Installation Wizard in Administration tools.

18.Which section of the Sitecore XP Control Panel enables you to deploy marketing definitions?

- D) Analytics
- 19. You need to report an issue to Sitecore support and need to provide information about your Sitecore version. Where in the Control Panel can you find this information?
- A) License details in the Administration section
- 20.Where does the home item for your site is defined?
- B) Sitecore.config
- 21. How do you retrieve your site's start item location?
- A) Sitecore.Context.Site.StartPath;
- 22. How do you install a Sitecore package?
- A) Control Panel>Administration>Install a Package
- 23.What's the default base template for all templates?
- A) Standard Template
- 24. How can you extend the Sitecore Framework?
- A) Packages
- B) Module
- C) Update Package
- 25.Sitecore Rocks plugin for visual studio can be used to perform which tasks
- A) Manage Packages
- B) Create Anti-Package for undo functionality
- C) Create Items
- D) Create Templates
- E) All of the above

26. What is an Anti-Package?

- A) Helps you create a package with an option to roll back the changes
- 27. The Sitecore Package Designer helps you to

- A) Add Items statically or dynamically
- B) Sets installation options

28. How can you install a package in Sitecore?

- A) Installation Wizard
- **B) Sitecore Rocks**
- C) Control Panel

29. Where is the default site configuration located?

- A) /app_config/Sitecore.config under site
- 30.What static class contains the information about the current HTTP request and your site installation?
- A) Sitecore.Context
- 31.Where the Home page or start item for your site is defined in the Sitecore.config?
- C) Rootpath and Startitem

32. How can you retrieve your site's start item location programmatically?

- A) String startPath = Sitecore.Context.Site.StartPath Item Homepage = Sitecore.Context.Database.GetItem(startPath)
- 33. What's the path of the Single website and Home Item?
- A) /Sitecore/Content/Home
- 34. What's the recommended practices for a multisite implementation?
- A) Creating a folder for each site
- B) Ensuring that each site folder has its own Home item
- C) Storing shared content outside of each site folder
- D) All of the above

35. What version of visual studio works with the Sitecore project?

- C) Visual Studio 2015 or higher
- 36. Visual Studio is the main tool to:
- A) Configure and manage Sitecore project
- B) Code Layouts and renderings
- C) Manage configuration files
- D) All of the above

37. Sitecore Rocks allows you to:

- A) Create and manage site content from the Visual Studio
- B) Create Presentation component items and code files
- C) Integrate with your visual studio project
- D) Use site management tools

- E) Create and Install Sitecore packages
- F) All of the above
- 38.Everything in sitecore is an item
- A) True
- 39.An item consists of:
- A) Fields
- **B) Field Sections**
- C) Data
- 40. The item is an addressable unit of data
- A) True
- 1.The Definition items are managed and created in Production environment and moved as part of versioned deployments from development to test to production.
- B) False
- 2.The Sitecore groups the files in layers and maps each layer to a folder in
- A) App_Config
- 3.On a multisite implementation, what is the recommended practice for creating the tree structure for each site?
- C. Create a folder for each site under the Content item with each site folder containing its own Home item
- 4.True or False: Sitecore Command Line Interface (CLI) and Sitecore for Visual Studio provide the same serialization functionality but with different interfaces.
- A) True
- 5. Which one of the tools you will use to analyse the log files?
- C) Log Analyzer
- 6. You have a component that you want cached on every Event Details page. Where would you define its cache settings?
- C) On the component on the Event Details Template Standard Values item.
- 7.Who should you contact when encountering issues with Sitecore Support?
- A) Regional sales office
- 8. How do you retrieve your site's start item location?
- A) Sitecore.Context.Site.StartPath;
- 9. What's the second pillar of Experience Manager?
- D) Content

10.Running Sitecore with containers also requires specific hardware capabilities. If you are running a full XP Server instance, what amount of RAM do you need to run it successfully?

- B) 32GB
- 11.The layer concept in Helix provides a structure that is extremely suitable for"
- D)All of the above
- 12.You have just written a query against the Solr index using Sitecore's ContentSearch API but you get a compile error. What could be the cause?
- C. Your project is missing references to ContentSearch DLLs
- 13.Why do you register the view?
- D) To provide the Sitecore placeholder with a component to be rendered when combined with output from the Layout Service
- 14. What is a Sitecore item?
- C) The construct Sitecore uses to store data
- 15.You have a component that you want to cache but its datasource differs between instances. What do you do to fix this?
- B)Set the appropriate Vary by option. In this case you would set Vary by Data to true.
- 16.What is stored in the Core database?
- A. The Sitecore user interface and membership tables Or Environment settings and Membership details
- 17.True or False: A Docker ENTRYPOINT provides the command to execute when the container is first run.
- A) True
- 18.What is the default cache size in Sitecore?
- B) 25 MB
- 19.What functionality lets you preview all your items on your website without publishing them first?
- A) Preview
- 20. Would you choose a Multilist instead of the Droplink field?
- D) .. authors are able to select multiple options in the field
- 21.What is the recommended practices for Content Structure?
- D) All of the above
- 22.Which on the following will help you to easily display contents from an item other than the context item?
- B) RenderingContext.Current.Rendering.item

- 23.Why would you create the Visual Studio outside the webroot?
- A) The solution becomes more portable.
- 24.Which of the following is not a necessary workstation prerequisite for using the Getting Started template?
- C) Command Prompt Version 10.0
- 25.When creating custom Sitecore images for your solution, you should?
- C) Both answers are correct.
- 26.Which one of the following language fallbacks is enabled by default on the templates that dictionary entries are based on?
- A) Item-level fallback
- 27.What layer of the Sitecore Architecture Conventions contains the concrete features of the solution?
- C) Feature
- 28.Which of the following options outlines the benefits of working with a headless Rendering Host for Sitecore development?
- B) You can run the Rendering Host application directly in Visual Studio.
- 29. How would you display the direct children of the Home item?
- A) Use Sitecore.Context.Site.StartPath and invoke GetChildren()
- 30. Where do you setup the Data Source location for a component?
- A) Component Tool bar> More>Edit Experience Editor Option
- 31.What item setting needs to be specified for authors to be able to add content?
- A) Insert options.
- 32.Item and Field fallback on the same items should not be used at the same time.
- A) True
- 33.What happens when an item inside a bucket is not bucketable?
- B) Item is not hidden.
- 34.Which two of the following are requirements for running Sitecore with containers?
- A) Windows 10 Version 1809 or greater
- C) Docker Desktop for Windows
- 35. Where is the start path to the home page of the site defined?
- A) The start path consists of a rootPath and a startItem. Both are defined in the <sites> node inside the Sitecore.config file

- 36.The select the Associated Content Dialog Box appears when a component is added to a page in the Experience Editor.What Field on the Component definition item triggers this behavior?
- D. The Datasource Location field
- 37.Why Sitecore Experience Management foundation feature allow services to collect and search for xDB data?
- D) xConnect
- 38.What do you need in addition to the Experience Management to take full advantage of the Sitecore Experience Platform?
- C) Experience Database
- 39.What is the view window that is associated with Sitecore for Visual Studio?
- C) Sitecore for Visual Studio
- 40.Where can developer find JavaScript libraries?
- A) \Sitecore\shell\client\Services\Assets\lib
- 41. You need to programmatically retrieve the current site's start item which is configured in Sitecore .. the location of that item?
- D. string startItemLocation = Sitecore.Context.Site.StartPath
- 42.Which one of the following will allow developer to access the parameters of the component programmatically?
- C) Both a and b
- 43.You have written a search query using LINQ GroupBy expression. Your result
- B. GroupBy is not supported by Sitecore Search
- 44. How developers can add multiple items at once?
- A) Sitecore Explorer > Right-click an item> Add New Item > Click Add on the Add new dialog box
- 45.When you are working with a Sitecore.Data.Items.Item object, which method should you use to get a list of all its children?
- A) .GetChildren()
- 46.What are the types of publishing?
- C) Delayed, Parallel, and Dedicated
- 47. How does the Sitecore handles an item without a Display Name?
- B) Name is used as a fallback
- 48. How can you get Sitecore to produce translated URLs?
- B) The site is not multilingual

50.What item setting needs to be specified for authors to be able to add content?

B) Insert Options

28.By default how are URL's resolved in sitecore?

A)Item names are used to build up the URL (jobs/developer would refer to the developer item under the jobs item)

50.Where are the sitecore databases stored?

A) <ContentFolder>\Databases

32.Which Docker Compose file has additional containers and specifications for a Docker container deployment of Sitecore with the Getting Started template?

C) docker-compose.override.yml

27.Why should you never cache a component that displays personal information?

A) Another visitor to your site can see that information.

21.Which of the following statement best describes the primary function of the Layout Service?

B) It provides structured data about a page in Sitecore, including its components and fields.

Environment variable files (.env files) store the configuration information for the environment you want to deploy.

A) True

6.True or False: The view should contain all the business logic.

B) False

12.Which statement below best describes the difference between the Sitecore Content Serialization options?

B) The CLI and Sitecore for Visual Studio offer the same features with a different interface. You can choose the serialization environment you're most comfortable with.

22. Why would a Developer create an include within a module? Choose one.

A) Includes help to specify which section(s) of the content tree you want to serialize.

25. Are all items pages in a Sitecore project?

B) False

27.What type of environment role is not included in an XP0 Docker container deployment of Sitecore?

B) Content Delivery

<u>36.The Getting Started template deploys what type of Sitecore architecture?</u>

- D) Sitecore Experience Platform XP0
- 42. What is the point of workflow state Write access right?
- D) To override the Write Permission for an item while it is in a particular workflow state
- 44.Name the core binary files of the Sitecore framework
- A) Sitecore.Mvc.Analytics
- B) Sitecore.Mvc
- C) Sitecore.Kernel
- D) All of the above

47. What are some of the features of Sitecore Rocks?

- A) Integration with Visual Studio
- B) Creating and editing items
- C) Viewing website file system
- D) All of the above