SYSTEM TESTING

TESTING METHODOLOGIES

The following are the Testing Methodologies:

- o Unit Testing.
- o Integration Testing.
- **Output** Output Output
- Output Testing.
- Validation Testing.

Unit Testing

Unit testing focuses verification effort on the smallest unit of Software design that is the module. Unit testing exercises specific paths in a module's control structure to ensure complete coverage and maximum error detection. This test focuses on each module individually, ensuring that it functions properly as a unit. Hence, the naming is Unit Testing.

During this testing, each module is tested individually and the module interfaces are verified for the consistency with design specification. All important processing path are tested for the expected results. All error handling paths are also tested.

Integration Testing

Integration testing addresses the issues associated with the dual problems of verification and program construction. After the software has been integrated a set of

high order tests are conducted. The main objective in this testing process is to take unit tested modules and builds a program structure that has been dictated by design.

The following are the types of Integration Testing:

1. Top Down Integration

This method is an incremental approach to the construction of program structure. Modules are integrated by moving downward through the control hierarchy, beginning with the main program module. The module subordinates to the main program module are incorporated into the structure in either a depth first or breadth first manner.

In this method, the software is tested from main module and individual stubs are replaced when the test proceeds downwards.

2. Bottom-up Integration

This method begins the construction and testing with the modules at the lowest level in the program structure. Since the modules are integrated from the bottom up, processing required for modules subordinate to a given level is always available and the need for stubs is eliminated. The bottom up integration strategy may be implemented with the following steps:

- The low-level modules are combined into clusters into clusters that perform a specific Software sub-function.
- A driver (i.e.) the control program for testing is written to coordinate test case input and output.
- The cluster is tested.
- Drivers are removed and clusters are combined moving upward in the program structure

The bottom up approaches tests each module individually and then each module is module is integrated with a main module and tested for functionality.

7.1.3 User Acceptance Testing

User Acceptance of a system is the key factor for the success of any system. The system under consideration is tested for user acceptance by constantly keeping in touch with the prospective system users at the time of developing and making changes wherever required. The system developed provides a friendly user interface that can easily be understood even by a person who is new to the system.

7.1.4 Output Testing

After performing the validation testing, the next step is output testing of the proposed system, since no system could be useful if it does not produce the required output in the specified format. Asking the users about the format required by them tests the outputs generated or displayed by the system under consideration. Hence the output format is considered in 2 ways – one is on screen and another in printed format.

7.1.5 Validation Checking

Validation checks are performed on the following fields.

Text Field:

The text field can contain only the number of characters lesser than or equal to its size. The text fields are alphanumeric in some tables and alphabetic in other tables. Incorrect entry always flashes and error message.

Numeric Field:

The numeric field can contain only numbers from 0 to 9. An entry of any character flashes an error messages. The individual modules are checked for accuracy and what it has to perform. Each module is subjected to test run along with sample data. The individually tested modules are integrated into a single system. Testing involves executing the real data information is used in the program the existence of any program defect is inferred from the output. The testing should be planned so that all the requirements are individually tested.

A successful test is one that gives out the defects for the inappropriate data and produces and output revealing the errors in the system.

Preparation of Test Data

Taking various kinds of test data does the above testing. Preparation of test data plays a vital role in the system testing. After preparing the test data the system under study is tested using that test data. While testing the system by using test data errors are again uncovered and corrected by using above testing steps and corrections are also noted for future use.

Using Live Test Data:

Live test data are those that are actually extracted from organization files. After a system is partially constructed, programmers or analysts often ask users to key in a set of data from their normal activities. Then, the systems person uses this data as a way to partially test the system. In other instances, programmers or analysts extract a set of live data from the files and have them entered themselves.

It is difficult to obtain live data in sufficient amounts to conduct extensive testing. And, although it is realistic data that will show how the system will perform for the typical processing requirement, assuming that the live data entered are in fact typical, such data generally will not test all combinations or formats that can enter the system. This bias toward typical values then does not provide a true systems test and in fact ignores the cases most likely to cause system failure.

Using Artificial Test Data:

Artificial test data are created solely for test purposes, since they can be generated to test all combinations of formats and values. In other words, the artificial data, which can quickly be prepared by a data generating utility program in the information systems department, make possible the testing of all login and control paths through the program.

The most effective test programs use artificial test data generated by persons other than those who wrote the programs. Often, an independent team of testers formulates a testing plan, using the systems specifications.

The package "Virtual Private Network" has satisfied all the requirements specified as per software requirement specification and was accepted.

7.2 USER TRAINING

Whenever a new system is developed, user training is required to educate them about the working of the system so that it can be put to efficient use by those for whom the system has been primarily designed. For this purpose the normal working of the project was demonstrated to the prospective users. Its working is easily understandable and since the expected users are people who have good knowledge of computers, the use of this system is very easy.

7.3 MAINTAINENCE

This covers a wide range of activities including correcting code and design errors. To reduce the need for maintenance in the long run, we have more accurately defined the user's requirements during the process of system development. Depending on the requirements, this system has been developed to satisfy the needs to the largest possible extent. With development in technology, it may be possible to add many more features based on the requirements in future. The coding and designing is simple and easy to understand which will make maintenance easier.

TESTING STRATEGY:

A strategy for system testing integrates system test cases and design techniques into a well planned series of steps that results in the successful construction of software. The testing strategy must co-operate test planning, test case design, test execution, and the resultant data collection and evaluation .A strategy for software testing must accommodate low-level tests that are necessary to verify that a small source code segment has been correctly implemented as well as high level tests that validate major system functions against user requirements.

Software testing is a critical element of software quality assurance and represents the ultimate review of specification design and coding. Testing represents an interesting anomaly for the software. Thus, a series of testing — are performed for the proposed system before the system is ready for user acceptance testing.

SYSTEM TESTING:

Software once validated must be combined with other system elements (e.g. Hardware, people, database). System testing verifies that all the elements are proper and that overall system function performance is achieved. It also tests to find discrepancies between the system and its original objective, current specifications and system documentation.

UNIT TESTING:

In unit testing different are modules are tested against the specifications produced during the design for the modules. Unit testing is essential for verification of the code produced during the coding phase, and hence the goals to test the internal logic of the modules. Using the detailed design description as a guide, important Conrail paths are tested to uncover errors within the boundary of the modules. This testing is carried out during the programming stage itself. In this type of testing step, each module was found to be working satisfactorily as regards to the expected output from the module.

In Due Course, latest technology advancements will be taken into consideration. As part of technical build-up many components of the networking system will be generic in nature so that future projects can either use or interact with this. The future holds a lot to offer to the development and refinement of this project.