

```

1 <?php
2 class db{
3     public $mysqli;
4     public $query;
5     function __construct(){
6         $this->mysqli = new mysqli("localhost","root","","project_1");
7         mysqli_query($this->mysqli,"SET NAMES utf8");
8         date_default_timezone_set("Asia/Bangkok");
9     }
10    function select($table,$row = "",$where = null){
11        $sql = $where != null ? "SELECT $row FROM $table $where" : "SELECT $row FROM $table";
12        $query = $this->mysqli->query($sql);
13        return $query;
14    }
15    function insert($table,$par = []){
16        $key = implode(", ",array_keys($par));
17        $val = implode("','",$par);
18        $sql = "INSERT INTO $table($key) VALUES ('$val')";
19        $this->query = $this->mysqli->query($sql);
20        return;
21    }
22    function insertwhere($table,$par = [],$where){
23        $key = implode(", ",array_keys($par));
24        $val = implode("','",$par);
25        $sql = "INSERT INTO $table($key) SELECT '$val' WHERE NOT EXISTS $where";
26        $this->query = $this->mysqli->query($sql);
27        $rowinsert = $this->mysqli->affected_rows;
28        return $rowinsert ;
29    }
30    function update($table,$par = [],$id){
31        $args = [];
32        foreach($par as $key => $val){
33            $args[] = "$key = '$val'";
34        }
35        $sql = "UPDATE $table SET " .implode(",",$args). " WHERE $id";
36        $this->query = $this->mysqli->query($sql);
37        return;

```

```

    function delete($table,$id){
        $sql = "DELETE FROM $table WHERE $id";
        $this->query = $this->mysqli->query($sql);
        return;
    }
    function uploadfile($file){
        $e = explode(".", $file['name']);
        $ex = strtolower(end($e));
        $fileN = rand() . "." . $ex;
        $fileP = "./img/" . $fileN;
        move_uploaded_file($file['tmp_name'],$fileP);
        return $fileN;
    }
    function uploadfile2($file){
        $e = explode(".", $file['name']);
        $ex = strtolower(end($e));
        $fileN = rand() . "." . $ex;
        $fileP = "../img/" . $fileN;
        move_uploaded_file($file['tmp_name'],$fileP);
        return $fileN;
    }
    function checklogin(){
        if(isset($_SESSION['userid'])){
            header('location:../index.php');
        }else{
        }
    }
    function checkshop(){
        if(isset($_SESSION['userid'])){
            header('location:../shop/login.php');
        }else{
        }
    }
}

```

```

function geterror(){
    return $this->mysqli->error;
}
function setalert($key,$val){
    $_SESSION[$key] = "$val";
    header('location:'.$_SERVER["REQUEST_URI"]);
}
function loadalert(){
    if(isset($_SESSION['success'])){ ?>
        <div class="alert alert-success alert-dismissible fade show">
            <?= $_SESSION['success']; unset($_SESSION['success']) ?>
            <button type="button" class = "btn btn-close" data-bs-dismiss = "alert"></button>
        </div>
    <?php }
    if(isset($_SESSION['error'])){ ?>
        <div class="alert alert-danger alert-dismissible fade show">
            <?= $_SESSION['error']; unset($_SESSION['error']) ?>
            <button type="button" class = "btn btn-close" data-bs-dismiss = "alert"></button>
        </div>
    <?php }
    if(isset($_SESSION['warning'])){ ?>
        <div class="alert alert-warning alert-dismissible fade show">
            <?= $_SESSION['warning']; unset($_SESSION['warning']) ?>
            <button type="button" class = "btn btn-close" data-bs-dismiss = "alert"></button>
        </div>
    <?php }
}

```

```

1  <?php
2  session_start();
3  include_once('./database.php');
4  $db = new db();
5  ?>
6  <!DOCTYPE html>
7  <html lang="en">
8  <head>
9      <meta charset="UTF-8">
10     <meta name="viewport" content="width=device-width, initial-scale=1.0">
11     <link rel="stylesheet" href="bootstrap/css/bootstrap.css">
12     <script src="bootstrap/js/bootstrap.js"></script>
13     <script src="bootstrap/js/bootstrap.bundle.js"></script>
14     <script src="bootstrap/js/bootstrap.bundle.min.js"></script>
15     <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
16     <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/animate.css@4.1.1/animate.min.css"/>
17     <script src="https://unpkg.com/sweetalert/dist/sweetalert.min.js"></script>
18     <title>Document</title>
19 </head>
20 <style>
21     body{
22         background-image:linear-gradient(to right,#0721FF,#0770FF,#079DFF);
23     }
24     .font-logo{
25         text-transform: uppercase;
26         color:#2C5FFF;
27     }
28     #login{
29         background-color:#0770FF;
30         color:white;
31         font-weight:bold;
32         text-transform: capitalize;
33     }
34     #login:hover{
35         background-color:#6388FB;
36         color:black;
37         font-weight:bold;

```

```

#sign{
    color:#00FF55;
    font-weight:bold;
    text-decoration:none;
}
#sign:hover{
    color:#9EFF00;
    font-weight:bold;
    text-decoration:none;
}
</style>
<body>
<div class="container text-center">
    <div class="" style = "height:100px;"></div>
    <div class="row">
        <div class="col-4"></div>
        <div class="col-4">
            <div class="card border border-3" style = "border-radius:10px;">
                <div class="card-body">
                    
                    <p class="fs-3 fw-bold font-logo">Login</p>
                    <form action="" method="post">
                        <input type="text" name="username" id="" class="form-control border border-1 mb-2" placeholder = "username" required>
                        <input type="password" name="password" id="" class="form-control border border-1 mb-3" placeholder = "password" required>
                        <div class="mb-1" align = "center">
                            <input type="submit" value="Login" name = "login" class = "btn btn" id = "login">
                        </div>
                    </form>
                    <hr>
                    <p align = "left">Create your account <label id = "sign" onclick = "confirmsignup()">Sign Up</label></p>
                </div>
            </div>
        </div>
        <div class="col-4"></div>
    </div>


```

```
</div>
</body>
</html>
<script>
    // Function to open SweetAlert2 modal
    function confirmsignup() {
        Swal.fire({
            title: 'Sign Up',
            text: 'You want to create your account?',
            icon: 'question',
            confirmButtonText: "Go",
            showClass: {
                popup: [
                    'animate__animated',
                    'animate__fadeInUp',
                    'animate__faster'
                ],
            },
            hideClass: {
                popup: [
                    'animate__animated',
                    'animate__fadeOutDown',
                    'animate__faster'
                ],
            },
            showCloseButton: true,
            showCancelButton: true,
        }).then((result) => {
            if (result.isConfirmed) {
                window.location.href="register.php";
            }
        })
    }
};
</script>
```

```

111     </script>
112 <?php
113 if(isset($_POST['login'])){
114     $username = $_POST['username'];
115     $password = $_POST['password'];
116     $result = $db->select("user", "", "WHERE username_user = '$username' AND password_user = '$password'");
117     if($result->num_rows > 0){
118         $fetch = $result->fetch_object();
119         if($fetch->type_user == 1){
120             $_SESSION['userid'] = $fetch->id_user;
121             $_SESSION['usertype'] = 'admin';
122             header('location:./admin/index.php');
123         }else{
124             $_SESSION['userid'] = $fetch->id_user;
125             $_SESSION['usertype'] = 'customer';
126             header('location:./customer/index.php');
127         }
128     }else{
129         echo '<script type="text/javascript">sweetAlert("ERROR !","Username OR Password was wrong","error")</script>';
130     }
131 }
132 if(isset($_GET['logout']) == 'true'){
133     echo '<script type="text/javascript">sweetAlert("Logout !","Logout Successfully!","error")</script>';
134 }else{
135     return;
136 }
137
138 ?>

```

 logout.php

```

1  <?php
2  session_start();
3  session_destroy();
4  unset($_SESSION['userid']);
5  header('location:./index.php?logout=true');

```

```
register.php
1  <?php
2  session_start();
3  include_once('./database.php');
4  $db = new db();
5
6  ?>
7  <!DOCTYPE html>
8  <html lang="en">
9
10 <head>
11     <meta charset="UTF-8">
12     <meta name="viewport" content="width=device-width, initial-scale=1.0">
13     <link rel="stylesheet" href="bootstrap/css/bootstrap.css">
14     <script src="bootstrap/js/bootstrap.js"></script>
15     <script src="bootstrap/js/bootstrap.bundle.js"></script>
16     <script src="bootstrap/js/bootstrap.bundle.min.js"></script>
17     <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
18     <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/animate.css@4.1.1/animate.min.css" />
19     <script src="https://unpkg.com/sweetalert/dist/sweetalert.min.js"></script>
20     <title>Document</title>
21 </head>
22 <style>
23 body {
24     background-image: linear-gradient(to right, #0721FF, #0770FF, #079DFF);
25 }
26
27 .font-logo {
28     text-transform: uppercase;
29     color: #2C5FFF;
30 }
31
32 #login {
33     background-color: #00FF55;
34     color: white;
35     font-weight: bold;
36     text-transform: capitalize;
37 }
```

```

#login:hover {
  background-color: #9EFF00;
  color: black;
  font-weight: bold;
  text-transform: capitalize;
}

#sign {
  color: #0770FF;
  font-weight: bold;
  text-decoration: none;
}

#sign:hover {
  color: #6388FB;
  font-weight: bold;
  text-decoration: none;
}
</style>

<body>
  <div class="container text-center">
    <div class="" style="height:50px;"></div>
    <div class="row">
      <div class="col-4"></div>
      <div class="col-4">
        <div class="card border border-3" style="border-radius:10px;">
          <div class="card-body">
            <p class="fs-3 fw-bold font-logo">Sign Up</p>
            <form action="" method="post" enctype="multipart/form-data">
              <input type="text" name="username" id="" class="form-control border border-1 mb-2"
                placeholder="Username" required>
              <input type="password" name="password1" id="" class="form-control border border-1 mb-2"
                placeholder="Password" required>
              <input type="password" name="password2" id="" class="form-control border border-1 mb-2"
                placeholder="Confrim password" required>
77              <input type="text" name="lname" id="" class="form-control border border-1 mb-2"
78                placeholder="Last Name" required>
79              <input type="email" name="email" id="" class="form-control border border-1 mb-2"
80                placeholder="Email@Email.com" required>
81              <input type="file" name="img" id="" class="form-control border border-1 mb-3">
82              <div class="mb-1" align="center">
83                <input type="submit" value="Sign Up" name="login" class="btn btn" id="login">
84              </div>
85            </form>
86            <hr>
87            <p align="left">If You has account <label id="sign" onclick="confirmsignup()">Login</label></p>
88          </div>
89        </div>
90      </div>
91    <div class="col-4"></div>
92  </div>
93 </div>
94 </body>
95
96 </html>
97 <script>
98 // Function to open SweetAlert2 modal
99 function confirmsignup() {
100   Swal.fire({
101     title: 'Login',
102     text: 'You have your own account?',
103     icon: 'question',
104     showClass: {
105       popup: `
106         animate__animated
107         animate__fadeInUp
108         animate__faster

```

```

117     },
118     confirmButtonText: "Go",
119     showCloseButton: true,
120     showCancelButton: true,
121
122     }).then((result) => {
123         if (result.isConfirmed) {
124             window.location.href = "index.php";
125         }
126     });
127 }
128
129 function wrongpassword() {
130     Swal.fire({
131         title: 'Password',
132         text: 'Pless Confirm your password Again !',
133         icon: 'error',
134         showClass: {
135             popup: `
136                 animate__animated
137                 animate__fadeInUp
138                 animate__faster
139             `,
140             },
141         hideClass: {
142             popup: `
143                 animate__animated
144                 animate__fadeOutDown
145                 animate__faster
146             `,
147         },
148         confirmButtonText: "Go",
149         showCloseButton: true,
150         showCancelButton: true,
151

```

```

1
</script>
<?php
if(isset($_POST['login'])){
    $username = $_POST['username'];
    $password1 = $_POST['password1'];
    $password2 = $_POST['password2'];
    $fname = $_POST['fname'];
    $lname = $_POST['lname'];
    $email = $_POST['email'];
    $file = $_FILES['img'];
    if($file['name'] != ''){
        $fileN = $db->uploadfile($file);
    }else{
        $fileN = "default.png";
    }
    if($password1 != $password2){
        echo '<script type="text/javascript">sweetAlert("Warning !","Please Confirm Your Password again","warning")</script>';
    }else{
        $list = [
            'username_user' => $username,
            'password_user' => $password1,
            'fname_user' => $fname,
            'lname_user' => $lname,
            'email_user' => $email,
            'img_user' => $fileN,
            'type_user' => 2
        ];
        $rowinsert = $db->insertwhere("user",$list,"(SELECT * FROM user WHERE username_user = '$username')");
        if($rowinsert > 0){
            echo '<script type="text/javascript">sweetAlert("Successfully !","Sign Up successfully","success")</script>';
        }else{
            echo '<script type="text/javascript">sweetAlert("ERROR !","This username already used Please try again","error")</script>';
        }
    }
}
?>

```


customer > index.php

```
1  <?php
2  session_start();
3  include('../database.php');
4  $db = new db();
5  $db->checklogin();
6  $userid = $_SESSION['userid'];
7  $user = new db();
8  $resultuser = $user->select("user","*", "WHERE id_user = $userid");
9  $fetuser = $resultuser->fetch_object();
10 if(isset($_GET['menu'])){
11     $menu = $_GET['menu'];
12 }else{
13     $menu = '0';
14 }
15 ?>
16 <!DOCTYPE html>
17 <html lang="en">
18 <head>
19     <meta charset="UTF-8">
20     <meta name="viewport" content="width=device-width, initial-scale=1.0">
21     <link rel="stylesheet" href="../bootstrap/css/bootstrap.css">
22     <script src="../bootstrap/js/bootstrap.js"></script>
23     <script src="../bootstrap/js/bootstrap.bundle.js"></script>
24     <script src="../bootstrap/js/bootstrap.esm.js"></script>
25     <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
26     <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/animate.css/4.1.1/animate.min.css"/>
27     <script src="https://unpkg.com/sweetalert/dist/sweetalert.min.js"></script>
28     <title>Document</title>
29 </head>
30 <style>
31     #logout{
32         background-color:tomato;
33         border-radius:10px;
34         font-weight:bold;
35         color:white;
36     }
37     #logout:hover{
38         color:white;
39         font-weight:bolder;
40     }
41     #com:hover{
42         background-color:yellowgreen;
43         color:black;
44         font-weight:bolder;
45     }
46     #nav{
47         background-image:linear-gradient(to right,#E6F0B8,#E5F0AF);
48         border-radius:6px;
49     }
50     #body{
51         background-image:linear-gradient(to right,#E5F0AF,#F0FFA3,#E5F886);
52     }
53 </style>
54 <body>
55     <div class="container-fluid" >
56         <div class="row flex-nowrap" style = "height:100%;">
57             <div class="d-none d-md-block text-dark col-1 col-md-3 col-lg-2 d-flex d-column justify-content-between border border-1 border-dark" id =
58                 <?php include_once('../layout/navbar.php') ?>
59             </div>
60             <div class="col-11 col-md-9 col-lg-10" id = "body">
61                 <?php include_once('../layout/menu.php') ?>
62             </div>
63         </div>
64     </div>
65 </body>
66 </html>
```

```

1  <?php
2  if(isset($_POST['post'])){
3      $post = $_POST['textpost'];
4      $file = $_FILES['img'];
5      if($file['name'] != ''){
6          $fileN = $db->uploadfile2($file);
7      }else{
8          $fileN = "";
9      }
10     $list = [
11         'post' => $post,
12         'img_p' => $fileN,
13         'id_user' => $userid
14     ];
15     $db->insert("post",$list);
16     if($db->query){
17         echo '<script type="text/javascript">sweetAlert("Successfully !","Completed Posting","success")</script>';
18     }else{
19         echo '<script type="text/javascript">sweetAlert("ERROR !","This username already used Please try again","error")</script>';
20     }
21 }
22 if(isset($_POST['com'])){
23     $comment = $_POST['comment'];
24     $id = $_POST['id'];
25     $list = [
26         'comment' => $comment,
27         'id_post' => $id,
28         'id_user' => $userid
29     ];
30     $db->insert("comment",$list);
31 }
32 ?>
33 <div class="container">
34     <div class="" style = "height:30px;"></div>
35     <div class="card border bordered mb-4" style = "border-radius:10px; width:1090px;">
36         <div class="card-body">
37             <div class="row justify-content-between">
38                 <div class="col-12">
39                     <?php include_once('./component/post.php') ?>
40                 </div>
41             </div>
42         </div>
43     </div>
44     <?php
45     $post = new db();
46     $resultpost = $post->select("post,user","*", "WHERE user.id_user = post.id_user");
47     while($fetchpost = $resultpost->fetch_object()){
48         <div class="card border bordered mb-4" style = "border-radius:10px;">
49             <div class = "row justify-content-between">
50                 <div class="col-1">
51                     <img src = "../img/<?=$fetchpost->img_user ?>" style = "width:70px; height:70px; object-fit:cover;" class = "img-fluid rounded">
52                 </div>
53                 <div class="col-11 text-start">
54                     <div class="mt-4">
55                         <label for="" class = " fw-bold fs-6"><?=$fetchpost->fname_user ?> <?=$fetchpost->lname_user ?></label><br>
56                         <label for="" class = " text-muted"><?=$fetchpost->time ?></label>
57                     </div>
58                 </div>
59             </div>
60             <div class = "card-title ms-5"><?=$fetchpost->post ?></div>
61             <?php if($fetchpost->img_p != ''){ ?>
62                 <div class="card-body" style = "background-color:#f0f0f0;">
63                     <div class="text-center">
64                         
65                     </div>
66                 </div>
67             <?php } ?>
68             <div class = "card-footer text-center fs-2">
69                 <?php include('./component/comment.php') ?>

```

```
59     </div>
60     <div class = "card-title ms-5"><?= $fetchpost->post ?></div>
61     <?php if($fetchpost->img_p != ''){ ?>
62         <div class="card-body" style = "background-color:#f0f0f0;">
63             <div class="text-center">
64                 
65             </div>
66         </div>
67     <?php } ?>
68     <div class = "card-footer text-center fs-2">
69         <?php include('./component/comment.php') ?>
70     </div>
71 </div>
72 <?php } ?>
73 </div>
```

```

1  <?php
2  switch($menu){
3      case '0' : include_once('./pages/homepage.php'); break;
4      case '1' : include_once('./../gen/setting.php'); break;
5      default : include_once('./pages/homepage.php'); break;
6  }

```

```

<div class=" text-dark p-2" id = "nav">
<div class="text-center text-dark mt-4">
    <h4 style = "font-weight:bold; color:gold;" ><del style = "color:blue; ">Face</del>FootBook</h4>
</div>
<div class="text-center mb-2 mt-2">
    
</div>
<ul class="nav nav-pills flex-column mt-4 mt-sm-0">
    <li class="nav-item py-2 py-sm-0"><a href="index.php?menu=0" class="nav-link <? $menu == '0' ? 'active' : '' ?>">หน้าแรก</a></li>
    <li class="nav-item py-2 py-sm-0"><a class="btn btn mt-4" id = "logout" onclick = "return logout()">ออกจากระบบ</a></li>
</ul>
</div>
<script>
function logout() {
    Swal.fire({
        title: 'Logout',
        text: 'You wanna logout?',
        icon: 'error',
        confirmButtonText: "Go",
        showClass: {
            popup: `
                animate__animated
                animate__fadeInUp
                animate__faster
            `,
        },
        hideClass: {
            popup: `
                animate__animated
                animate__fadeOutDown
                animate__faster
            `,
        },
        showCloseButton: true,
        showCancelButton: true,
    }).then((result) => {

```

```

32
33         },
34         showCloseButton: true,
35         showCancelButton: true,
36
37     }).then((result) => {
38         if (result.isConfirmed) {
39             window.location.href = "../logout.php";
40         }
41     })
42     ;
43 }
44 </script>

```

```

her > component > 📁 post.php
<button type="button" class = "btn btn-outline-success rounded-pill form-control" data-bs-toggle = "modal" data-bs-target = "#m">What do you think <
<div class="modal fade" id = "m" data-bs-backdrop = "static" tabindex = "-1">
  <form action="" method="post" enctype = "multipart/form-data">
    <div class="modal-dialog modal-lg">
      <div class="modal-content">
        <div class="modal-header" align = "center">
          <p class="fw-bold fs-5">POST</p>
        </div>
        <div class="modal-body">
          <textarea class="form-control mb-2" required placeholder = "Post what you think" rows="3" name = "textpost"></textarea>
          <input type="file" name="img" id="" class="form-control mb-2">
        </div>
        <div class="modal-footer">
          <button type="button" class = "btn btn-secondary" data-bs-dismiss = "modal">Close</button>
          <button type="submit" class = "btn btn-success" name = "post">Post</button>
        </div>
      </div>
    </div>
  </form>
</div>

```

```

1 <button type="button" class = "btn btn rounded-pill form-control" id = "com" data-bs-toggle = "modal" data-bs-target = "#m<?=> $fetchpost->id_p ?">com
2 <div class="modal fade" id = "m<?=> $fetchpost->id_p ?" data-bs-backdrop = "static" tabindex = "-1">
3   <form action="" method="post">
4     <div class="modal-dialog modal-lg">
5       <div class="modal-content">
6         <div class="modal-header" align = "center">
7           <p class="fw-bold fs-5">Comment</p>
8           <button type="button" class = "btn btn-close" data-bs-dismiss = "modal"></button>
9         </div>
10        <div class="modal-body">
11          <div class="card mb-2">
12            <?php
13              $id_post = $fetchpost->id_p;
14              $com = new db();
15              $resultcom = $com->select("comment,user","*", "WHERE comment.id_post = $id_post AND user.id_user = comment.id_user");
16              if($resultcom->num_rows > 0){
17                while($fetchcom = $resultcom->fetch_object()){
18                  ?>
19                  <div class="card-body">
20                    <div class="row justify-content-between">
21                      <div class="col-2">
22                        
24                      <div class="col-10 text-start">
25                        <label for="" class = "fw-bold fs-4"><?=> $fetchcom->comment ?></label>
26                      </div>
27                    </div>
28                  </div>
29                  <hr>
30                  <?php } > }else{ ?>
31                    Not have any comment
32                  <?php } ?>
33                </div>
34              </div>
35              <div class="modal-footer input-group">
36                <input type="text" name="comment" class = "form-control" placeholder = "comment" required>
37                <input type="hidden" name="id" value = "<?=> $fetchpost->id_p ?">
38                <button type="submit" class = "btn btn rounded-pill form-control" id = "com" data-bs-toggle = "modal" data-bs-target = "#m<?=> $fetchpost->id_p ?">com
39
40
41 <button type="button" class = "btn btn rounded-pill form-control" id = "com" data-bs-toggle = "modal" data-bs-target = "#m<?=> $fetchpost->id_p ?">com
42 <div class="modal fade" id = "m<?=> $fetchpost->id_p ?" data-bs-backdrop = "static" tabindex = "-1">
43   <form action="" method="post">
44     <div class="modal-dialog modal-lg">
45       <div class="modal-content">
46         <div class="modal-header" align = "center">
47           <p class="fw-bold fs-5">Comment</p>
48           <button type="button" class = "btn btn-close" data-bs-dismiss = "modal"></button>
49         </div>
50        <div class="modal-body">
51          <div class="card mb-2">
52            <?php
53              $id_post = $fetchpost->id_p;
54              $com = new db();
55              $resultcom = $com->select("comment,user","*", "WHERE comment.id_post = $id_post AND user.id_user = comment.id_user");
56              if($resultcom->num_rows > 0){
57                while($fetchcom = $resultcom->fetch_object()){
58                  ?>
59                  <div class="card-body">
60                    <div class="row justify-content-between">
61                      <div class="col-2">
62                        
64                      <div class="col-10 text-start">
65                        <label for="" class = "fw-bold fs-4"><?=> $fetchcom->comment ?></label>
66                      </div>
67                    </div>
68                  </div>
69                  <hr>
70                  <?php } > }else{ ?>
71                    Not have any comment
72                  <?php } ?>
73                </div>
74              </div>
75              <div class="modal-footer input-group">
76                <input type="text" name="comment" class = "form-control" placeholder = "comment" required>
77                <input type="hidden" name="id" value = "<?=> $fetchpost->id_p ?">
78                <button type="submit" class = "btn btn rounded-pill form-control" id = "com" data-bs-toggle = "modal" data-bs-target = "#m<?=> $fetchpost->id_p ?">com
79
80

```

customer / pages / <? homepage.php

```
1 <?php
2 if(isset($_POST['post'])){
3     $post = $_POST['textpost'];
4     $file = $_FILES['img'];
5     if($file['name'] != ''){
6         $fileN = $db->uploadfile2($file);
7     }else{
8         $fileN = "";
9     }
10    $list = [
11        'post' => $post,
12        'img_p' => $fileN,
13        'id_user' => $userid
14    ];
15    $db->insert("post",$list);
16    if($db->query){
17        echo '<script type="text/javascript">sweetAlert("Successfully !","Completed Posting","success")</script>';
18    }else{
19        echo '<script type="text/javascript">sweetAlert("ERROR !","This username already used Please try again","error")</script>';
20    }
21 }
22 if(isset($_POST['com'])){
23     $comment = $_POST['comment'];
24     $id = $_POST['id'];
25     $list = [
26         'comment' => $comment,
27         'id_post' => $id,
28         'id_user' => $userid
29     ];
30     $db->insert("comment",$list);
31 }
32 ?>
33 <div class="container">
34     <div class="" style = "height:30px;"></div>
35     <div class="card border bordered mb-4" style = "border-radius:10px; width:1000px;">
36         <div class="card-body">
37             <div class="row justify-content-between">
```

customer / pages / <? homepage.php

```
1 <?php
2 if(isset($_POST['post'])){
3     $post = $_POST['textpost'];
4     $file = $_FILES['img'];
5     if($file['name'] != ''){
6         $fileN = $db->uploadfile2($file);
7     }else{
8         $fileN = "";
9     }
10    $list = [
11        'post' => $post,
12        'img_p' => $fileN,
13        'id_user' => $userid
14    ];
15    $db->insert("post",$list);
16    if($db->query){
17        echo '<script type="text/javascript">sweetAlert("Successfully !","Completed Posting","success")</script>';
18    }else{
19        echo '<script type="text/javascript">sweetAlert("ERROR !","This username already used Please try again","error")</script>';
20    }
21 }
22 if(isset($_POST['com'])){
23     $comment = $_POST['comment'];
24     $id = $_POST['id'];
25     $list = [
26         'comment' => $comment,
27         'id_post' => $id,
28         'id_user' => $userid
29     ];
30     $db->insert("comment",$list);
31 }
32 ?>
33 <div class="container">
34     <div class="" style = "height:30px;"></div>
35     <div class="card border bordered mb-4" style = "border-radius:10px; width:1000px;">
36         <div class="card-body">
37             <div class="row justify-content-between">
```