

Pavel Marius Florian Adrian
Grupa 22

Lobaretor 7

1. a)

Nod	1	2	3	4	5	6	7	8	9	10	11	12
Fiu	0	0	9	11	9	0	3	6	0	0	0	1
Exate	0	0	10	0	0	5	0	12	0	4	2	0

b)

Nod	1	2	3	4	5	6	7	8	9	10	11	12
Copil	0	0	1	3	5	0	6	9	0	0	0	11
Tatō	12	4	7	7	8	8	0	3	5	7	4	3

Nod	1	2	3	4	5	6	7	8	9	10	11	12
L1	8	12	11	2	9	3	10	4	6	5	1	7
L2	2	0	4	0	0	7	8	0	10	0	0	7

c)

Nod	8	4
Pörinte	3	7
Copii	6,5	11,2
Strămosi	3,7	7
Descendenți	6,5,4	11,2
Adormiome	2	1
Imăltime	2	1

d) A-proadime: 7, 3, 8, 6, 5, 9, 12, 1, 10, 4, 11, 2

A-postorolime: 6, 9, 5, 8, 1, 12, 3, 10, 11, 2, 4, 7

Pavel Marius Florian Adrian
Grupa 22

2)

Mod	1	2	3	4	5	6	7
Visit	1	0	0	0	0	0	0
d	6	7	4	7	3	5	3
Total	0	1	1	1	1	1	1

Mod	1	2	3	4	5	6	7
Visit	1	1	0	0	0	0	0
d	0	2	4	6	3	5	8
Total	0	1	1	2	2	1	2

Mod	1	2	3	4	5	6	7
Visit	1	1	0	0	1	0	0
d	0	2	4	6	3	5	7
Total	6	1	1	2	2	1	5

Mod	1	2	3	4	5	6	7
Visit	1	1	0	1	1	0	0
d	0	2	4	6	3	5	6
Total	0	1	1	2	2	1	4

Mod	1	2	3	4	5	6	7
Visit	1	1	1	0	1	0	0
d	0	2	4	6	3	5	7
Total	0	1	1	2	2	1	5

Mod	1	2	3	4	5	6	7
Visit	1	1	1	0	1	1	0
d	0	2	4	6	3	5	6
Total	0	1	1	2	2	1	6


Pavel Morius Florian Adrian
 Grupa 22

L. Mod	1	2	3	4	5	6	7
Visit	1	1	1	1	1	1	1
d	0	2	4	6	3	5	6
Tata	0	1	1	2	2	1	0




3e	1	2	3	4	5	6	7	8
total	1	1	3	3	5	6	7	8

[1,2] [3,4]



1	2	3	4	5	6	7	8
1	1	3	3	5	6	7	8

[1,3] [7,8]





Pavel Moris Florin Adrian

Grupa 22


	1	2	3	4	5	6	7	8
3 total	1	1	1	3	5	5	7	7

1
[5, 7]




	1	2	3	4	5	6	7	8	9	10
4 total	1	2	3	4	5	6	7	8	9	10

4 9 10
[4, 3] [9, 4] [10, 6]





	1	2	3	4	5	6	7	8	9	10
total	1	2	4	5	6	6	7	10	9	10

9
[3, 2] [6, 5]



	1	2	3	4	5	6	7	8	9	10
	1	9	4	9	6	8	7	10	9	10




Paul Marius Florian Adrian

Grupa 22

	1	2	3	4	5	6	7	8	9	10
y_{total}	1	9	4	9	6	9	9	10	10	10

[1,6]



$$5. (5 \times ((10 - x \cdot 2) + (4 \cdot y)) / (z + y)) + (x / y)$$