1. Introduction

In 1968, the first virtual reality headset was created by inventor Ivan Sutherland. The headset, equipped with a screen, could display simple shapes but remained confined to laboratory testing. In 1991, the video game company Sega developed the "Sega VR," aimed at gaming, but the project was canceled due to the failure of Nintendo's Virtual Boy. Between 2010 and 2012, a revolutionary prototype headset emerged: the Oculus Rift. Its groundbreaking design led to its acquisition by Facebook.In this context I would like to present to you Immersive dream the internet users' headset, a non-invasive headset that uses several advanced technologies such as trans-cranial stimulation, respectful of its users, which will be born from the contribution of internet users.

2. Objectives

- 1. The headset must enable full immersion of three senses (sight, hearing, touch).
- 2. The headset must support a wide variety of applications tailored to diverse audiences.
- 3. Reduce production costs.
- 4. Obtain legal certifications.
- 5. Target the general public.
- 6. Simplify application development and porting by creating an open-source SDK to easily adapt 3D games for the headset.
- 7. Launch between 2030 (earliest) and 2040 (latest).
- 8. Advance VR technology.
- 9. Encourage users to reduce their headset usage and reward them with gifts as upgrades to their personal virtual room

3. Theoretical Connection Process

The user must wear the headset,put on the haptic gloves, lie on a bed, and say the keyword: "Connection." The system activates EEG sensors to analyze brain activity, enabling adaptive stimulation. Targeted low-intensity tACS (transcranial alternating current stimulation) is applied to specific brain regions: the dorsolateral prefrontal cortex, somatosensory cortex, and visual/auditory cortex. A light-field display and real-time spatial audio system, adjusted via EEG neurofeedback, induce an altered state of consciousness. Simultaneously, inhibitory stimulation of the motor cortex prevents physical movement without disrupting vital functions in the real world.

4. Theoretical Disconnection Process

To disconnect, the user presses a button in the application's interface. The headset verifies the user's readiness for a safe disconnection. Physiological stability and motor functions are

restored gradually, with sensory stimuli fading gently to allow a gradual awakening. If the system detects danger (e.g., unconsciousness), it immediately terminates stimuli and stimulates the brain stem for rapid awakening. An emergency disconnect feature is accessible at all times via the mobile app.

5. Technologies Used

- | **EEG** | OpenBCI Ganglion/Cyton | 256 channels (or reduced), 1000 Hz, 24-bit, 10-20 montage, Bluetooth communication |
- | tACS Stimulation | Custom integrated circuit | 10 Hz, 1 mA, 20 ms pulses, clinically validated safety |
- | **VR Display** | Dual OLED 4K per eye | 7680 x 2160 total resolution, 120 Hz refresh rate, optional light-field compatibility |
- | Immersive Display | Light Field (preconfigured, disabled by default) | Realistic depth rendering without additional hardware; future activation possible |
- | **Haptic Gloves** | Proprietary design, Bluetooth 5.2 | Precise tactile feedback (texture, pressure), integrated battery, dedicated API |
- | **Biometric Sensors** | PPG, oximeter, temperature, GSR | Full monitoring, stress/fatigue detection, local processing, no cloud data storage |
- | **Data Security** | AES-256 + HSM | Local encryption, auto-deletion after 24h, GDPR compliance |
- | **Emergency Disconnect**| Physical button + EEG fail-safe | Full shutdown upon cognitive overload or unconsciousness detection |
- | **Developer SDK** | Open Source, Python/Unity/Unreal | Clear API, video tutorials, quick-start guide, structured Git repository |

6. **EEG Comparison Table**

| EEG Model | Accuracy | Frequenc y | Price (Est.) | Channels | Pros | Cons |
|----------------------|----------|---------------|-----------------|----------|---|--------------------------------------|
| OpenBCI Ganglion | High | 256 Hz | 300€ | 4 | Open-sour ce, well-docu mented | Fewer channels |
| NeuroSky MindWave | Medium | 512 Hz | 100€ | 1 | Highly accessible | Low precision |
| Emotiv EPOC | High | 128 Hz | 800€ | 14 | Multi-chan nel, rich SDK | High cost, not open-sour ce |

7. Collaborative SDK (by Internet Users)

Parental Controls

Available via the mobile app, allowing parents to block/allow content and monitor minors' activities.

8. Activity Log (by Internet Users)

Tracks user status and records instances of danger via the mobile app.

9. Headset Design (by Internet Users)

10. Brain Regions Stimulated by Immersive Dream

| Dorsolateral Prefrontal Cortex | tACS (10 Hz, 2 mA) | | Somatosensory Cortex | tACS (5–20 Hz, 1 mA) | | Visual/Auditory Cortex | EEG neurofeedback + 4K OLED display |

11. Safety

| **Brain Data** | Encrypted via AES-256 and GDPR-compliant to prevent hacking; no sale of data. |

| Pain | Physical impacts are minimized; users feel reduced sensory feedback. |

| **Health Advice** | The headset provides health tips to users. |

| Content | Blocks dangerous content. |

| Medical Standards | Complies with medical norms. |

| **User Consent** | Explicit consent required for major actions; renewed monthly (optional opt-out). |

13. Advantages Over Competing Headsets

| Current Headsets | The Internet users' helmet | | |
|---------------------------------------|---|--|--|
| Limited to sight/sound immersion | Advanced sight, sound, and touch immersion | | |
| Often uncomfortable | Lightweight materials | | |
| Injury risks from real-world movement | Reduced real-world injury risks | | |
| Expensive multi-sensory setups | Affordable headset + haptic gloves suffice for 3 senses | | |

14. Prototypes (by Internet Users)

User Interface

```
| Home Screen | A virtual room with a touchscreen similar to a computer. |
| App Menu | All applications include a mandatory disconnect button. |
| Customization | Fully customizable interfaces. |
| Parametric Filters| Content filtering based on user data (with consent). |
```

Pricing (by Internet Users)

The headset should be priced lower than current models, potentially sold at a loss with later monetization.

Ethics Committee (by Internet Users)

Jurists and neuroscientists from the online community will oversee ethical compliance.

15. Future Innovations (by Internet Users)

- Olfactory Stimulation
- Bidirectional BCI
- Hybrid Reality
- Emotional Al

16. Needs

```
| Personal Need | Personalized virtual space for users. |
| Social Need | Global communication capabilities. |
| Safety Need | Secure, instant disconnection. |
| Medical Need | At-home medical experimentation via apps. |
| Educational Need | New learning perspectives (e.g., virtual art or weapon training). |
| Work Need | Virtual offices for remote collaboration. |
```

17. Usage Scenarios

```
| First Use | Calibration requires user input (e.g., religion for content filtering, session duration). Users can disconnect during setup. |
| Gaming | Full sensory immersion: touch weapon weight, hear environments, see vivid game worlds. |
| Work | Companies create private virtual offices for remote employees. |
| Medicine | Virtual therapy and medical training apps. |
| Sports | Multi-user fitness applications. |
| Education | Visit historical sites or extinct ecosystems. |
```

| Real-world Tours | Virtual travel for those unable to visit physically. |

| Skill Learning | Interactive tutorials via apps. |

18. Virtual Worlds

User-created 3D worlds, installable online (games, apps, etc.).

19. Unchangeable Elements

- **Key Features**: Stimulation of sight, sound, and touch via visual, auditory, and somatosensory cortices.
- **Security**: AES-256 encryption, emergency auto-disconnect, 24h data deletion.
- **Ethics**: Configurable censorship filters (based on user data). No dopamine overstimulation. Five-hour usage limit.
- Applications: Open-source SDK for all.

20. Document Terms

- Commercialized versions must align closely with this document.
- Credit the original document.

21. Contribution Policy

- Users may create improved versions, dev kits, websites, or translations.
- Users may commercialize their versions.
- You can do anything to improve the concept create prototypes even the helmet as long as you do nothing harmful and inappropriate

22. Terms of Use for the Internet users helmet

General Use

Avoid using the headset when fatigued or unwell. And users should not lie about their personal information to deceive others

Age Requirement

Minimum age: 14 years. Parental controls enforce session time limits.

Privacy

Sensitive data requires consent and is stored securely. Users may delete data at any time.

Mental/Physical Health

Overuse may cause brain fatigue. Users must recognize virtuality.

Censorship Filters

Blocks content conflicting with user beliefs (configurable).

Content Warnings

Users are warned before accessing inappropriate experiences.

Consent

Explicit consent required for updates; users may revoke consent.

Misconduct

Repeated violations trigger warnings, forced educational videos, or temporary bans.

Updates

Regular updates to improve the system.

Sales Rights

Sold as a one-time purchase with a 3-year warranty. Resale permitted.

Emergency Disconnect

Activates if the user cannot disconnect manually.

Manufacturer Liability

Liable only with proof of headset-related harm.

Legal Compliance

Adheres to international laws; users must follow local regulations.

Testing

Testers follow rules set by the manufacturer.

Developers

Dev kits provided; apps must include a disconnect button.

23. Sources

- 1. Antal et al. (2017): Transcranial alternating current stimulation (tACS) modulates cortical excitability and enhances cognitive performance.
- 2. Hill et al. (2020): *Long-term effects of tDCS on working memory.*
- 3. Bikson et al. (2016): Safety of transcranial direct current stimulation: Evidence from over a decade of research.
- 4. Zander et al. (2016): *User-centered design for non-invasive EEG applications.*
- 5. Someya et al. (2020): Biocompatible materials for wearable neurotechnology.
- 6. Daemen & Rijmen (2020): Advanced Encryption Standard (AES) for secure data transmission.
- 7. lenca et al. (2018): GDPR compliance in neurotechnology.
- 8. Maslen et al. (2014): Ethical issues in neuroenhancement.
- 9. Felsen et al. (2019): Informed consent in neuroengineering.
- 10. Laver et al. (2017): Virtual reality for stroke rehabilitation.
- 11. Lefaucheur et al. (2020): *Non-invasive neurostimulation for chronic pain.*
- 12. Miranda et al. (2019): Personalized brain stimulation using EEG biomarkers.
- 13. Lotte et al. (2018): *Machine learning for real-time EEG classification.*
- 14. Slater & Sanchez-Vives (2016): The future of immersive technology.
- 15. Wolpaw et al. (2002): *Brain-computer interfaces for communication and control.*

24. Conclusion

This headset must be developed collaboratively by Internet users. Virtual reality is the future, and this project allows citizens around the world to immerse themselves in imaginary worlds, acquire practical skills and much more. For my part, I will stop working on it after the

publication of this document, I think I will be there to answer your questions. I really encourage global collaboration.

Contact: <u>imamoru231@gmail.com</u>

Credit: This document was assisted by ChatGPT and DeepSeek