

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Responsive Navbar</title>
<style>
* {
margin: 0;
padding: 0;
box-sizing: border-box;
font-family: Arial, sans-serif;
}
```

```
body {
background: #f4f4f4;
}
```

```
header {
background-color: #3498db;
padding: 15px 10%;
display: flex;
justify-content: space-between;
align-items: center;
color: white;
position: relative;
}
```

```
header .logo {
font-size: 24px;
font-weight: bold;
```

```
}
```

```
nav ul {  
    display: flex;  
    list-style: none;  
    gap: 20px;  
}
```

```
nav ul li {  
    position: relative;  
}
```

```
nav ul li a {  
    color: white;  
    text-decoration: none;  
    padding: 8px 12px;  
    display: block;  
}
```

```
nav ul li a:hover {  
    background-color: #2980b9;  
    border-radius: 5px;  
}
```

```
nav ul li ul {  
    display: none;  
    position: absolute;  
    top: 40px;  
    left: 0;  
    background-color: #3498db;  
    list-style: none;
```

```
min-width: 150px;  
border-radius: 5px;  
}
```

```
nav ul li:hover ul {  
display: block;  
}
```

```
nav ul li ul li a {  
padding: 10px;  
}
```

```
header .btn {  
background-color: #ffdd59;  
color: #333;  
border: none;  
padding: 8px 20px;  
border-radius: 25px;  
font-weight: bold;  
cursor: pointer;  
transition: background 0.3s;  
}
```

```
header .btn:hover {  
background-color: #ffc107;  
}
```

```
.menu-toggle {  
display: none;  
font-size: 24px;  
cursor: pointer;
```

```
}
```

```
/* Media Queries for Mobile */
```

```
@media (max-width: 768px) {
```

```
nav ul {
```

```
flex-direction: column;
```

```
position: absolute;
```

```
top: 60px;
```

```
left: -100%;
```

```
width: 100%;
```

```
background-color: #3498db;
```

```
transition: left 0.3s;
```

```
}
```

```
nav ul.active {
```

```
left: 0;
```

```
}
```

```
nav ul li {
```

```
text-align: center;
```

```
}
```

```
nav ul li ul {
```

```
position: static;
```

```
display: none;
```

```
}
```

```
nav ul li.active ul {
```

```
display: block;
```

```
}
```

```
.menu-toggle {  
    display: block;  
}  
  
header .btn {  
    margin-top: 10px;  
}  
}  
}  
</style>  
</head>  
<body>  
  
<header>  
    <div class="logo">MyBrand</div>  
    <div class="menu-toggle">☰</div>  
    <nav>  
        <ul>  
            <li><a href="#">Home</a></li>  
            <li>  
                <a href="#">Services &#9662;</a>  
                <ul>  
                    <li><a href="#">Web Design</a></li>  
                    <li><a href="#">App Development</a></li>  
                    <li><a href="#">SEO</a></li>  
                </ul>  
            </li>  
            <li><a href="#">About</a></li>  
            <li><a href="#">Contact</a></li>  
            <li><button class="btn">Sign Up</button></li>  
        </ul>  
    </nav>
```

```
</header>

<script>
const toggle = document.querySelector('.menu-toggle');
const menu = document.querySelector('nav ul');
const menuItems = document.querySelectorAll('nav ul li');

toggle.addEventListener('click', () => {
  menu.classList.toggle('active');
});

menuItems.forEach(item => {
  item.addEventListener('click', () => {
    if(window.innerWidth <= 768){
      item.classList.toggle('active');
    }
  });
});
</script>

</body>
</html>
```