

Step 1: Instance Configuration & Naming

EC2 > Instances > Launch an instance

Launch an instance

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags

Name

MYAPACHELAB

Add additional tags

Summary

Number of instances

1

Software Image (AMI)

Amazon Linux 2023 AMI 2023.12.....read more

ami-06cfeaaa22092f09d

Virtual server type (instance type)

Step 2: Selecting Application & OS Image

Application and OS Images (Amazon Machine Image)

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose **Browse more AMIs**.

Search our full catalog including 1000s of application and OS images

Recents

Quick Start

Amazon Linux

aws

macOS

Mac

Ubuntu

Canonical Ubuntu

Windows

Microsoft

Red Hat

Red Hat

SUSE Linux

SUSE

Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

Summary

Number of instances

1

ami-06cfeaaa22092f09d

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Step 3: Reviewing Instance Architecture

Amazon Machine Image (AMI)

Amazon Linux 2023 kernel-6.18 AMI

ami-06cfeaaa22092f09d (64-bit (x86), uefi-preferred) / ami-0ae1e9354ffa1eae6 (64-bit (Arm), uefi)

Virtualization: hvm ENA enabled: true Root device type: ebs

Description

Amazon Linux 2023 (kernel-6.18) is a modern, general purpose Linux-based OS that will be supported until June 2029. It is optimized for AWS and designed to provide a secure, stable and high-performance execution environment to develop and run your cloud applications.

Amazon Linux 2023 AMI 2023.12.20260918.0 x86_64 HVM kernel-6.18

Architecture

64-bit (...)

Boot mode

uefi-preferred

AMI ID

ami-06cfeaaa22092f09d

Creation Date

2026-09-18

Username

ec2-user

Verified provider

Summary

Number of instances

1

Software Image (AMI)

Amazon Linux 2023 AMI 2023.12.....read more

ami-06cfeaaa22092f09d

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Cancel

Launch instance

Preview code

Step 4: Choosing Instance Type & Key Pair

▼ Instance type [Info](#) | [Get advice](#)

Instance type

t3.micro

Family: t3 2 vCPU 1 GiB Memory Current generation: true

On-Demand Linux base pricing: 0.0108 USD per Hour

On-Demand Windows base pricing: 0.02 USD per Hour

On-Demand Ubuntu Pro base pricing: 0.0143 USD per Hour

On-Demand RHEL base pricing: 0.0396 USD per Hour

On-Demand SUSE base pricing: 0.0108 USD per Hour

Free tier eligible

☒ All generations

[Compare instance types](#)

Additional costs apply for AMIs with pre-installed software

▼ Key pair (login) [Info](#)

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - *required*

APA

[Create new key pair](#)

▼ Summary

Number of instances [Info](#)

1

Software Image (AMI)

Amazon Linux 2023 AMI 2023.12.....[read more](#)

ami-06cfeaaa22092f09d

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Cancel

Launch instance

Activate Windows

Step 5: Network & Security Group Settings

EC2 > [Instances](#) > Launch an Instance

▼ Network settings [Info](#)

Network [Info](#)

vpc-0142653f051c4c11a

Subnet [Info](#)

No preference (Default subnet in any availability zone)

Auto-assign public IP [Info](#)

Enable

Firewall (security groups) [Info](#)

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

☒ Create security group

☐ Select existing security group

We'll create a new security group called 'launch-wizard-3' with the following rules:

☒ Allow SSH traffic from

Helps you connect to your instance

Anywhere

0.0.0.0/0

☐ Allow HTTPS traffic from the internet

To set up an endpoint, for example when creating a web server

▼ Summary

Number of instances [Info](#)

1

Software Image (AMI)

Amazon Linux 2023 AMI 2023.12.....[read more](#)

ami-06cfeaaa22092f09d

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Cancel

Launch instance

Activate Windows

Step 6: Instance Summary & Public IP

Instance summary for i-080aece89203bed4 (MYAPACHELAB) [Info](#)

[Connect](#)

Instance state ▼

Actions ▼

Updated 2 minutes ago

Instance ID

i-080aece89203bed4

Public IPv4 address

16.171.42.44 | [open address](#)

Private IPv4 addresses

172.31.40.146

IPv6 address

-

Instance state

Running

Public DNS

ec2-16-171-42-44.eu-north-1.compute.amazonaws.com | [open address](#)


Hostname type

IP name: ip-172-31-40-146.eu-north-1.compute.internal


Private IP DNS name (IPv4 only)

ip-172-31-40-146.eu-north-1.compute.internal


Step 7: Remote Terminal Access (SSH)



Step 8: Package Updates & Apache Installation



Step 9: Service Activation & Custom HTML Output





A terminal window titled "3.237.92.213 (ec2-user)" with a menu bar (Terminal, Sessions, View, X server, Tools, Games, Settings, Macros, Help) and a toolbar. The left sidebar shows a "Quick connect..." section with "SSH browser (SCP)" and a file tree for "/home/ec2-user/" containing files like ".ssh", ".bash_logout", ".bash_profile", and ".bashrc". The main terminal area shows the following commands and output:

```
Installed:
apr-1.7.5-1.amzn2023.0.4.x86_64
apr-util-1.6.5-1.amzn2023.0.1.x86_64
apr-util-ldap-1.6.5-1.amzn2023.0.1.x86_64
apr-util-openssl-1.6.5-1.amzn2023.0.1.x86_64
generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch
httpd-2.4.68-1.amzn2023.0.1.x86_64
httpd-core-2.4.68-1.amzn2023.0.1.x86_64
httpdfilesystem-2.4.68-1.amzn2023.0.1.noarch
httpd-tools-2.4.68-1.amzn2023.0.1.x86_64
libbrotli-1.0.9-4.amzn2023.0.2.x86_64
mailcap-2.1.49-3.amzn2023.0.3.noarch
mod_http2-2.0.42-1.amzn2023.0.1.x86_64
mod_lua-2.4.68-1.amzn2023.0.1.x86_64

Complete!
[root@ip-172-31-14-72 ec2-user]# systemctl start httpd.service
[root@ip-172-31-14-72 ec2-user]# systemctl enable httpd.service
Created symlink /etc/systemd/system/multi-user.target.wants/httpd.service → /usr/lib/systemd/system/httpd.service.
[root@ip-172-31-14-72 ec2-user]# echo "Hello World FROM CYBERSECURITY ANALYST" > /var/www/html/index.html
[root@ip-172-31-14-72 ec2-user]#
```

Step 10: Web Browser Verification



Step 11: Creating Custom Image (AMI)

Instances (1/1) Info

Connect

Instance state

Actions

Launch instances

Filter actions

Instance diagnostics

Instance settings

Networking

Security

Image and templates

Storage

Monitor and troubleshoot

Filter Instance by attribute or tag (case-sensitive)

Name	Instance ID	Instance state	Instance type
APACHELAB	i-07156fb7b55bd040f	Running	t3.micro

Create image

Create template from instance

Launch more like this

i-07156fb7b55bd040f (APACHELAB)

Details

Status and alarms

Monitoring

Security

Networking

Storage

Tags

Instance summary

Instance ID

Public IPv4 address

Private IPv4 addresses

i-07156fb7b55bd040f

3.237.92.213 | open address

172.31.14.72

Step 12: Verifying AMI Status

Currently creating AMI ami-0ff522e6e2077f4 from instance i-07156fb7b55bd040f. Check that the AMI status is 'Available' before deleting the instance or carrying out other actions related to this AMI.

Instances (1) Info

Connect

Instance state

Actions

Launch instances

Filter Instance by attribute or tag (case-sensitive)

Name	Instance ID	Instance state	Instance type	Status check	Availability Zone
APACHELAB	i-07156fb7b55bd040f	Running	t3.micro	Initializing	us-east-1a

Amazon Machine Images (AMIs) (1) Info

Recycle Bin

EC2 Image Builder

Actions

Launch instance from AMI

Owned by me

Filter AMI by attribute or tag

AMI ID = ami-0ff522e6e2077f4

Clear filters

Source	Owner	Visibility	Status	Creation date
917320177100/APACHE	917320177100	Private	Available	2026/09/27 12:06 GMT

Select an AMI

Step 13: Deploying from Custom AMI

Name and tags

Name

AMI-APACHE

Add additional tags

▼ Application and OS Images (Amazon Machine Image)

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose **Browse more AMIs**.

Q Search our full catalog including 1000s of application and OS images

Recents

My AMIs

Quick Start

Owned by me

Shared with me

Browse more AMIs

▼ Summary

Number of instances

1

Software Image (AMI)

APACHE

ami-0ff522e6e2077f4

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Cancel

Launch instance

Preview code

Amazon Machine Image (AMI)

APACHE

ami-0ff522e6e2077f4

2026-09-27T07:06:10.000Z

Virtualization: hvm

ENA enabled: true

Root device type: ebs

Boot mode: uefi-preferred

Description

-

Architecture

x86_64

AMI ID

ami-0ff522e6e2077f4

▼ Instance type

Instance type

t3.micro

Family: t3

2 vCPU

1 GiB Memory

Current generation: true

On-Demand Linux base pricing: 0.0104 USD per Hour

Free tier eligible

All generations

▼ Summary

Number of instances

1

Software Image (AMI)

APACHE

ami-0ff522e6e2077f4

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Cancel

Launch instance

Preview code

▼ Key pair (login)

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - required

Proceed without a key pair (Not recommended)

Default value

Create new key pair

▼ Network settings

Network

vpc-089c16752b1d6fa55

Subnet

No preference (Default subnet in any availability zone)

Auto-assign public IP

Enable

▼ Summary

Number of instances

1

Software Image (AMI)

APACHE

ami-0ff522e6e2077f4

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Cancel

Launch instance

Preview code

No preference (Default subnet in any availability zone)

Auto-assign public IP [Info](#)

Enable

Firewall (security groups) [Info](#)

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

Create security group

Select existing security group

We'll create a new security group called 'launch-wizard-3' with the following rules:

☒ Allow SSH traffic from

Helps you connect to your instance

Anywhere
0.0.0.0/0

☐ Allow HTTPS traffic from the internet

To set up an endpoint, for example when creating a web server

☒ Allow HTTP traffic from the internet

To set up an endpoint, for example when creating a web server

Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

▼ Summary

Number of instances [Info](#)

1

Software Image (AMI)

APACHE
ami-0ff522e6e2077f4

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Cancel

Launch instance

Activate Windows

Preview code

Instances (2) [Info](#)

Last updated less than a minute ago

Connect

Instance state

Actions

Launch instances

Saved filter sets

Choose filter set

Filter Instance by attribute or tag (case-sensitive)

< 1 >

☐	Name	Instance ID	Instance state	Instance type	Status check	Availability Zone
☐	APACHELAB	i-07156fb7b55bd040f	Terminated	t3.micro	-	us-east-1a
☐	AMI-APACHE	i-0ce5cb390965bf809	Running	t3.micro	Initializing	us-east-1a

Step 14: Final Deployment Test

← → ↺

Not secure 3.236.194.200

☆

📄

⬇️

🟢

⋮

Hello World FROM CYBERSECURITY ANALYST