
Lab: Build Static Webpage via User Data


- Write a **User Data script** for an Amazon Linux 2 EC2 instance.
- Installs a web server and serves this page on **port 80**.
- Must reproduce the design shown on the right — **exactly**.
- Runs automatically at **first boot** — no manual steps after launch.


DESIGN REQUIREMENTS


- ✓ Full-page gradient background (gold → orange)
- ✓ Centered dark card with rounded corners
- ✓ Bold white heading: "Welcome To This Course"
- ✓ Subtitle: "Time to master Generic Cloud Skills and Rock the World"

TARGET DESIGN













```
#!/bin/bash
yum update -y
yum install -y httpd
systemctl start httpd
systemctl enable httpd

cat << 'EOF' > /var/www/html/index.html
<!DOCTYPE html>
<html>
<head>
  <style>
    body {
      margin: 0;
      height: 100vh;
      display: flex;
      justify-content: center;
      align-items: center;
      background: linear-gradient(135deg, #ffd700, #ff8c00);
      font-family: Arial, sans-serif;
    }
    .card {
      background-color: #1a1a1a;
      padding: 40px 60px;
      border-radius: 12px;
      text-align: center;
      box-shadow: 0 8px 16px rgba(0,0,0,0.3);
    }
    h1 {
      color: #ffffff;
      margin-bottom: 10px;
      font-size: 28px;
    }
    p {
      color: #cccccc;
      font-size: 14px;
```

```
        margin: 0;
      }
    </style>
</head>
<body>
    <div class="card">
      <h1>Welcome To This Course</h1>
      <p>Time to master Generic Cloud Skills and Rock the World</p>
    </div>
</body>
</html>
EOF
```







Associate Elastic IP address Info

Choose the instance or network interface to associate to this Elastic IP address (100.61.200.129)

Elastic IP address: 100.61.200.129

Resource type

Choose the type of resource with which to associate the Elastic IP address.

- (•) Instance
- ( ) Network interface

⚠ If you associate an Elastic IP address with an instance that already has an Elastic IP address associated, the previously associated Elastic address will still be allocated to your account. Learn more

If no private IP address is specified, the Elastic IP address will be associated with the primary private IP address.

Instance

i-0bdbd781eaddd58b2

Private IP address

Instance summary for i-0bdbd781eaddd58b2 (Static-WebPage-Server) Info

Connect | Instance state | Actions

Updated less than a minute ago

Instance ID i-0bdbd781eaddd58b2	**Public IPv4 address** 100.61.200.129 | open address	**Private IPv4 addresses** 172.31.24.195
IPv6 address –	**Instance state** Running	**Public DNS** ec2-100-61-200-129.compute-1.amazonaws.com | open address
Hostname type IP name: ip-172-31-24-195.ec2.internal	**Private IP DNS name (IPv4 only)** ip-172-31-24-195.ec2.internal	
Answer private resource DNS name IPv4 (A)	**Instance type** t3.micro	**Elastic IP addresses** 100.61.200.129 [Public IP]

```
[ec2-user@ip-172-31-24-195 ~]$ sudo cloud-init clean
[ec2-user@ip-172-31-24-195 ~]$ sudo reboot

Broadcast message from root@ip-172-31-24-195.ec2.internal on pts/1 (Sat 2026-10-03 06:53:08 UTC):

The system will reboot now!
```

Verification & Testing

