Bandit Level 0

```
C:\Users\USER PC>ssh -p 2220 bandit0@bandit.labs.overthewire.org
                         _                     _ _ _
                        | |__   __ _ _ __   __| (_) |_
                        | '_ \ / _` | '_ \ / _` | | __|
                        | |_) | (_| | | | | (_| | | |_
                        |_.__/ \__,_|_| |_|\__,_|_|\__|


                      This is an OverTheWire game server.
            More information on http://www.overthewire.org/wargames

backend: gibson-1
bandit0@bandit.labs.overthewire.org's password:

      ,----..            ,----,          .---.
     /   /   \         ,/   .`|         /. ./|
    /   .     :      ,`   .'  :     .--'.  ' ;
   .   /   ;.  \   ;    ;     /    /__./ \ : |
  .   ;   /  ` ; .'___,/    ,' .--'.   '   \' .
  ;   |  ; \ ; | |    :    | /___/ \ |    ' '
  |   :  | ; | ' ;    |.';  ; ;   \  \;      :
  .   |  ' ' ' : `____'  |  | \   ;  `      |
  '   ;  \; /  |     '   :  ;   .   \    .\  ;
   \   \  ',  /      |   |  '    \   \   ' \ |
    ;   :    /       '   :  |     :   '  |--"
     \   \ .'        ;   |.'       \   \ ;
  www. `---` ver     '---' he       '---" ire.org


Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.

--[ Playing the games ]--

  This machine might hold several wargames.
  If you are playing "somegame", then:
```

Bandit Level 0 → Level 1

Goal: Login to the Bandit server using SSH.

Command :ssh bandit0@bandit.labs.overthewire.org -p 2220

Skills learned:

- SSH connection
- Remote server access

```
  Enjoy your stay!

bandit0@bandit:~$ ls
readme
bandit0@bandit:~$ cat readme
Congratulations on your first steps into the bandit game!!
Please make sure you have read the rules at https://overthewire.org/rules/
If you are following a course, workshop, walkthrough or other educational activity,
please inform the instructor about the rules as well and encourage them to
contribute to the OverTheWire community so we can keep these games free!

The password you are looking for is: ZjLjTmM6FvvyRnrb2rfNWOZOTa6ip5If

bandit0@bandit:~$
```

Bandit Level 1 → Level 2

Goal: Read a file named "-" (special filename).

Command: cat ./-

Skills learned: Handling special filenames

```
bandit1@bandit:~$ ls
-
bandit1@bandit:~$ cat ./-
263JGJPfgU6LtdEvgfWU1XP5yac29mFx
bandit1@bandit:~$
```

Bandit Level 2 → Level 3

Goal: Read a file with spaces in its name.

Command: cat "spaces in this filename"

Skills learned: Escaping spaces in filenames

```
bandit2@bandit:~$ ls
--spaces in this filename--
bandit2@bandit:~$ cat ./"--spaces in this filename--"
MNk8KNH3Usiio41PRUEoDFPqfxLPlSmx
bandit2@bandit:~$
```

Bandit Level 3 → Level 4

Goal: Find a hidden file.

Command:

- ls -a
- cat .hidden

Skills learned: Hidden files in Linux

```
bandit3@bandit:~$ ls -la
total 24
drwxr-xr-x   3 root root 4096 Oct 14 09:26 .
drwxr-xr-x 150 root root 4096 Oct 14 09:29 ..
-rw-r--r--   1 root root  220 Mar 31  2024 .bash_logout
-rw-r--r--   1 root root 3851 Oct 14 09:19 .bashrc
drwxr-xr-x   2 root root 4096 Oct 14 09:26 inhere
-rw-r--r--   1 root root  807 Mar 31  2024 .profile
bandit3@bandit:~$ cd inhere
bandit3@bandit:~/inhere$ ls
bandit3@bandit:~/inhere$ ls -la
total 12
drwxr-xr-x 2 root    root    4096 Oct 14 09:26 .
drwxr-xr-x 3 root    root    4096 Oct 14 09:26 ..
-rw-r----- 1 bandit4 bandit3   33 Oct 14 09:26 ...Hiding-From-You
bandit3@bandit:~/inhere$ cat Hiding-From-You
cat: Hiding-From-You: No such file or directory
bandit3@bandit:~/inhere$ cat ...Hiding-From-You
2WmrDFRmJIq3IPxneAaMGhap0pFhF3NJ
bandit3@bandit:~/inhere$
```

Bandit Level 4 → Level 5

Goal: Find the human readable file.

Command: file ./*

Skills learned: Identifying file types

```
44        .
bandit4@bandit:~/inhere$ cat -file04
cat: invalid option -- 'f'
Try 'cat --help' for more information.
bandit4@bandit:~/inhere$ cat ./-file04
◆◆us◆◆◆*◆◆w◆◆Z ◆◆Ï|◆◆@◆Sq-bandit4@bandit:~/inhere$ cat ./-file000
cat: ./-file000: No such file or directory
bandit4@bandit:~/inhere$ cat ./-file00
◆=
I◆◆ ◆◆V`n◆5◆◆◆⊖◆◆*◆G^7eO◆bandit4@bandit:~/inhere$ cat ./-file01
◆◆◆0◆w◆8◆◆◆q◆◆◆◆Y◆◆◆d◆◆ZCF◆◆+bandit4@bandit:~/inhere$ cat ./-file02
◆◆◆     L◆◆◆◆Q◆.◆◆`/ʕ◆◆r
◆P{bandit4@bandit:~/inhere$ cat ./-file03
◆◆◆?◆ʕ◆◆1'◆JV◆◆◆◆,◆◆2◆◆
                        f◆=◆◆◆◆bandit4@bandit:~/inhere$ cat ./-file04
◆◆us◆◆◆*◆◆w◆◆Z ◆◆Ï|◆◆@◆Sq-bandit4@bandit:~/inhere$ cat ./-file05
W◆cF◆◆◆[Q
◆
 ◆◆a~◆◆\0◆ed(◆◆ڤWbandit4@bandit:~/inhere$ cat ./-file06
?z=J"◆◆oyvbandit4@bandit:~/inhere$ cat ./-file07
4oQYVPkxZOOEOO5pTW81FB8j8lxXGUQw
bandit4@bandit:~/inhere$
```

Bandit Level 5 → Level 6

Goal: Find a file with specific size and permissions.

Command: find . -type f -size 1033c ! -executable

Skills learned: Using the find command

```
bandit5@bandit:~$ ls
inhere
bandit5@bandit:~$ cd inhere
bandit5@bandit:~/inhere$ ls | du -b -a
3065    ./maybehere07/.file1
1033    ./maybehere07/.file2
1997    ./maybehere07/.file3
3663    ./maybehere07/-file1
1022    ./maybehere07/spaces file3
9064    ./maybehere07/spaces file2
2488    ./maybehere07/-file2
```

```
bandit5@bandit:~/inhere$ cat "./maybehere07/.file2"
HWasnPhtq9AVKe0dmk45nxy20cvUa6EG
```

Bandit Level 6 → Level 7

Goal: Find a file owned by specific user and group.

Command: find / -user bandit7 -group bandit6 2>/dev/null

Skills learned:Searching system-wide files

```
bandit6@bandit:/home$ find / -user bandit7 -group bandit6 -size 33c 2>/dev/null
/var/lib/dpkg/info/bandit7.password
bandit6@bandit:/home$ cat /var/lib/dpkg/info/bandit7.password
morbNTDkSW6jIlUc0ymOdMaLnOlFVAaj
bandit6@bandit:/home$
```

Bandit Level 7 → Level 8

Goal: Find the line containing the word "millionth".

Command: grep millionth data.txt

Skills learned: Text searching with grep

```
bandit7@bandit:~$ cat data.txt | grep millionth
millionth       dfwvzFQi4mU0wfNbFOe9RoWskMLg7eEc
bandit7@bandit:~$
```

Bandit Level 8 → Level 9

Goal: Find the unique line.

Command: sort data.txt | uniq -u

Skills learned: Sorting and filtering text

```
bandit8@bandit:~$ ls
data.txt
bandit8@bandit:~$ cat data.txt | sort | uniq -u
4CKMh1JI91bUIZZPXDqGanal4xvAg0JM
bandit8@bandit:~$
```

Bandit Level 9 → Level 10

Goal:Extract readable strings.

Command: strings data.txt | grep ===

Skills learned: Extracting readable strings

```
bandit9@bandit:~$ ls
data.txt
bandit9@bandit:~$ strings data.txt | grep "="
========== the
9=H`
[!#=Z
========== password
xWf=
f\Z'========== is
e=i{\#
/1=s
nS=F
M=Sl
=LGT
y =1
========== FGUW5ilLVJrxX9kMYMmlN4MgbpfMiqey
'+Y=+
bandit9@bandit:~$
```

Bandit Level 10 → Level 11

Goal: Decode base64 data.
Command: base64 -d data.txt
Skills learned: Base64 decoding

```
bandit10@bandit:~$ ls
data.txt
bandit10@bandit:~$ cat data.txt | base64 -d
The password is dtR173fZKb0RRsDFSGsg2RWnpNVj3qRr
bandit10@bandit:~$
```

Bandit Level 11 → Level 12

Goal: Decode ROT13 text.
command: tr
Skills learned: Simple cipher decoding

```
bandit11@bandit: ~

bandit11@bandit:~$ ls
data.txt
bandit11@bandit:~$ cat data.txt | tr 'A-Za-z' 'N-ZA-Mn-za-m'
The password is 7x16WNeHIi5YkIhWsfFIqoognUTyj9Q4
bandit11@bandit:~$
```

Bandit Level 12 → Level 13

Goal:Extract data from multiple compressed files.

Commands:

- xxd
- gzip
- bzip2
- tar

Skills learned:

- File extraction
- Compression formats

```
bandit12@bandit:/tmp/Iman44$ xxd -r data.hex > data.bin
bandit12@bandit:/tmp/Iman44$ file data.bin
data.bin: gzip compressed data, was "data2.bin", last modified: Tue Oct 14 09:26:06 2025, max compression, from Unix, original size modulo 2^32 564
bandit12@bandit:/tmp/Iman44$ ls
data.bin  data.hex
bandit12@bandit:/tmp/Iman44$ mv data.bin data.gz
bandit12@bandit:/tmp/Iman44$ ls
data.gz  data.hex
bandit12@bandit:/tmp/Iman44$ gunzip data.gz
bandit12@bandit:/tmp/Iman44$ ls
data  data.hex
```

```
-q`!]◆◆◆G◆<[◆◆◆◆◆◆)◆◆◆Xban
dit12@bandit:/tmp/Iman44$ file data
data: bzip2 compressed data, block size = 900k
bandit12@bandit:/tmp/Iman44$ bzip data
Command 'bzip' not found, but there are 21 similar ones.
bandit12@bandit:/tmp/Iman44$ mv data data.bz2
bandit12@bandit:/tmp/Iman44$ ls
data.bz2  data.hex
bandit12@bandit:/tmp/Iman44$ bunzip2 data.bz2
bandit12@bandit:/tmp/Iman44$ ls
data  data.hex
bandit12@bandit:/tmp/Iman44$ file data
data: gzip compressed data, was "data4.bin", last modified: Tue Oct 14 09:26:06 2025, max compression, from Unix, original size modulo 2^32 20480
bandit12@bandit:/tmp/Iman44$ mv data data.gz
bandit12@bandit:/tmp/Iman44$ ls
data.gz  data.hex
bandit12@bandit:/tmp/Iman44$ gunzip data.gz
bandit12@bandit:/tmp/Iman44$ ls
data  data.hex
bandit12@bandit:/tmp/Iman44$ file data
data: POSIX tar archive (GNU)
```

```
bandit12@bandit:/tmp/Iman44$ mv data data.tar
bandit12@bandit:/tmp/Iman44$ ls
data.hex  data.tar
bandit12@bandit:/tmp/Iman44$ tar -xf data.tar
bandit12@bandit:/tmp/Iman44$ ls
data5.bin  data.hex  data.tar
bandit12@bandit:/tmp/Iman44$ file data5.bin
data5.bin: POSIX tar archive (GNU)
```

```
-rw-rw-r-- 1 bandit12 bandit12    20480 Feb 28 09:55 data.tar
bandit12@bandit:/tmp/Iman44$ mv data5.bin data.tar
bandit12@bandit:/tmp/Iman44$ ls
data.hex  data.tar
bandit12@bandit:/tmp/Iman44$ tar -xf data.tar
bandit12@bandit:/tmp/Iman44$ ls
data6.bin  data.hex  data.tar
bandit12@bandit:/tmp/Iman44$ file data6.bin
data6.bin: bzip2 compressed data, block size = 900k
bandit12@bandit:/tmp/Iman44$ mv data6.bin data.bz2
bandit12@bandit:/tmp/Iman44$ ls
data.bz2  data.hex  data.tar
bandit12@bandit:/tmp/Iman44$ bunzip2 data.bz2
bandit12@bandit:/tmp/Iman44$ ls
data  data.hex  data.tar
bandit12@bandit:/tmp/Iman44$ tar -xf data.tar
bandit12@bandit:/tmp/Iman44$ ls
data  data6.bin  data.hex  data.tar
bandit12@bandit:/tmp/Iman44$ file data
data: POSIX tar archive (GNU)
bandit12@bandit:/tmp/Iman44$ tar -xf data
bandit12@bandit:/tmp/Iman44$ ls
data  data6.bin  data8.bin  data.hex  data.tar
bandit12@bandit:/tmp/Iman44$ file data8.bin
data8.bin: gzip compressed data, was "data9.bin", last modified: Tue Oct 14 09:26:06 2025, max compression, from Unix, original size modulo 2^32 49
bandit12@bandit:/tmp/Iman44$ mv data8.bin data.gz
bandit12@bandit:/tmp/Iman44$ gunzip data.gz
gzip: data already exists; do you wish to overwrite (y or n)? y
bandit12@bandit:/tmp/Iman44$ ls
data  data6.bin  data.hex  data.tar
bandit12@bandit:/tmp/Iman44$ cat data
The password is FO5dwFsc0cbaIiH0h8J2eUks2vdTDwAn
bandit12@bandit:/tmp/Iman44$
```

Bandit Level 13 → Level 14

Goal: Use private SSH key to login.
Command: ssh -i sshkey.private bandit14@localhost -p 2220
Skills learned: SSH key authentication

```
bandit13@bandit:~$ ls
sshkey.private
bandit13@bandit:~$
```

```
C:\Users\USER PC\Desktop\key>scp -P 2220 bandit13@bandit.labs.overthewire.org:sshkey.private .
                      _
                     | |__   __ _ _ __   __| (_) |_
                     | '_ \ / _` | '_ \ / _` | | __|
                     | |_) | (_| | | | | (_| | | |_
                     |_.__/ \__,_|_| |_|\__,_|_|\__|

                    This is an OverTheWire game server.
            More information on http://www.overthewire.org/wargames

backend: gibson-1
bandit13@bandit.labs.overthewire.org's password:
sshkey.private                                                    100% 1679     3.6KB/s   00:00
```

```
C:\Users\USER PC\Desktop\key>ssh -i sshkey.private -p 2220 bandit14@bandit.labs.overthewire.org
```

```
bandit14@bandit:~$ cat /etc/bandit_pass/bandit14
MU4VWeTyJk8ROof1qqmcBPaLh7lDCPvS
bandit14@bandit:~$
```

Bandit Level 14 → Level 15

Goal: Send password to a port.
Command: nc localhost 30000
Skills learned: Using netcat

```
bandit14@bandit: ~

bandit14@bandit:~$ cat /etc/bandit_pass/bandit14
MU4VWeTyJk8ROof1qqmcBPaLh7lDCPvS
bandit14@bandit:~$ nc localhost 30000
MU4VWeTyJk8ROof1qqmcBPaLh7lDCPvS
Correct!
8xCjnmgoKbGLhHFAZlGE5Tmu4M2tKJQo
```

Bandit Level 15 → Level 16

Goal: Connect using SSL.
Command: openssl s_client -connect localhost:30001
Skills learned: SSL connections

```
bandit15@bandit:~$ cat /etc/bandit_pass/bandit15
8xCjnmgoKbGLhHFAZlGE5Tmu4M2tKJQo
bandit15@bandit:~$ openssl s_client -connect localhost:30001
CONNECTED(00000003)
Can't use SSL_get_servername
depth=0 CN = SnakeOil
verify error:num=18:self-signed certificate
verify return:1
depth=0 CN = SnakeOil
verify return:1
---
Certificate chain
 0 s:CN = SnakeOil
   i:CN = SnakeOil
   a:PKEY: rsaEncryption, 4096 (bit); sigalg: RSA-SHA256
   v:NotBefore: Jun 10 03:59:50 2024 GMT; NotAfter: Jun  8 03:59:50 2034 GMT
---
Server certificate
-----BEGIN CERTIFICATE-----
MIIFBzCCAu+gAwIBAgIUBLz7DBxA0IfojaL/WaJzE6Sbz7cwDQYJKoZIhvcNAQEL
BQAwEzERMA8GA1UEAwwIU25ha2VPaWwwHhcNMjQwNjEwMDM1OTUwWhcNMzQwNjA4
MDM1OTUwWjATMREwDwYDVQQDDAhTbmFrZU9pbDCCAiIwDQYJKoZIhvcNAQEBBQAD
ggIPADCCAgoCggIBANI+P5QXm9Bj21FIPsQqbqZRb5XmSZZJYaam7EIJ16Fxedf+
jXAv4d/FVqiEM4BuSNsNMeBMx2Gq0lAfN33h+RMTjRoMb8yBsZsC063MLfXCk4p+
09gtGP7BS6Iy5XdmfY/fPHvA3JDESCdlDDmd6Lsbdwhv93Q8M6POVO9sv4HuS4t/
jEjr+NhE+Bjr/wDbyg7GL71BP1WPZpQnRE4OzoSrt5+bZVLvODWUFwinB0fLaGRk
GmI0r5EUOUd7HpYyoIQbiNlePGfPpHRKnmdXTTEZEoxeWWAaM1VhPGqfrB/Pnca+
vAJX7iBOb3kHinmfVOScsG/YAUR94wSELeY+UlEWJaELVUntrJ5HeRDiTChiVQ++
wnnjNbepaW6shopybUF3XXfhIb4NvwLWpvoKFXVtcVjlOujF0snVvpE+MRT0wacy
tHtjZs7Ao7GYxDz6H8AdBLKJW67uQon37a4MI260ADFMS+2vEAbNSFP+f6ii5mrB
18cY64ZaF6oU8bjGK7BArDx56bRc3WFyuBIGWAFHEuB948BcshXY7baf5jjzPmgz
mq1zdRthQB31MOM2ii6vuTkheAvKfFf+llH4M9SnES4NSF2hj9NnHga9V08wfhYc
x0W6qu+S8HUdVF+V23yTvUNgz4Q+UoGs4sHSDEsIBFqNvInnpUmtNgcR2L5PAgMB
AAGjUzBRMB0GA1UdDgQWBBTPo8kfze4P9EgxNuyk7+xDGFtAYzAfBgNVHSMEGDAW
gBTPo8kfze4P9EgxNuyk7+xDGFtAYzAPBgNVHRMBAf8EBTADAQH/MA0GCSqGSIb3
DQEBCwUAA4ICAQAKHomtmcGqyiLnhziLe97Mq2+Sul5QgYVwfx/KYOXxv2T8ZmcR
Ae9XFhZT4jsAOUDK1OXx9aZgDGJHJLNEVTe9zWv1ONFfNxEBxQgP7hhmDBWdtj6d
taqEW/Jp06X+08BtnYK9NZsvDg2YRcvOHConeMjwvEL7tQK0m+GVyQfLYg6jnrhx
egH+abucTKxabFcWSE+Vk0uJYMqcbXvB4WNKz9vj4V5Hn7/DN4xIjFko+nREw6Oa
/AUFjNnO/FPjap+d68H1LdzMH3PSs+yjGid+6Zx9FCnt9qZydW13Miqg3nDnODXw
+Z682mQFjVlGPCA5ZOQbyMKY4tNazG2n8qy2famQT3+jF8Lb6a4NGbnpeWnLMkIu
jWLWIkA9MlbdNXuajiPNVyYIK9gdoBzbfaKwoOfSsLxEqlf8rio1GGcEV5Hlz5S2
txwI0xdW9MWeGWoiLbZSbRJH4TIBFFtoBG0LoEJi0C+UPwS8CDngJB4TyrZqEld3
rH87W+Et1t/Nepoc/Eoaux9PFp5VPXP+qwQGmhir/hv7OsgBhrkYuhkjxZ8+1uk7
tUWC/XM0mpLoxsq6vVl3AJaJe1ivdA9xLytsuG4iv02Juc593HXYR8yOpow0Eq2T
U5EyeuFg5RXYwAPi7ykw1PW7zAPL4MlonEVz+QXOSx6eyhimp1VZC11SCg==
-----END CERTIFICATE-----
```

```
    Extended master secret: no
    Max Early Data: 0
---
read R BLOCK
---
Post-Handshake New Session Ticket arrived:
SSL-Session:
    Protocol  : TLSv1.3
    Cipher    : TLS_AES_256_GCM_SHA384
    Session-ID: C29AE29D88422ED39D0B62160ECC1B8DED36B8F451E63776B1584FDAF6E1F291
    Session-ID-ctx:
    Resumption PSK: 0A0CB8E46222E4059E450872852906CC140CDD03CBE2AFA09E03BB341EB2420D42E51DCE1708C6B2B65
    PSK identity: None
    PSK identity hint: None
    SRP username: None
    TLS session ticket lifetime hint: 300 (seconds)
    TLS session ticket:
    0000 - 59 18 5f 35 33 8f 4a e0-a9 7c 7b 75 09 a3 92 1e   Y._53.J..|{u....
    0010 - 2d 7a 3a cc 6f f2 fd b0-a8 25 03 35 d5 e5 a2 45   -z:.o....%.5...E
    0020 - e3 d4 05 38 89 1e 79 74-4b a8 1d d0 17 5e 4c 2c   ...8..ytK....^L,
    0030 - 2e 68 66 7c 25 a0 65 74-ef 40 35 96 ef 0f 63 b7   .hf|%.et.@5...c.
    0040 - ba da f7 e2 3a db 2a 57-cc 14 92 4e b6 ee 00 d9   ....:.*W...N....
    0050 - ec cc 37 db 51 06 ee ec-94 44 aa 21 2e 2c f5 e3   ..7.Q....D.!.,..
    0060 - 61 46 4d 5f bb d1 10 e7-0b 72 32 4a 97 f0 19 8d   aFM_.....r2J....
    0070 - 93 5a 2d 4a 67 b0 f1 e1-75 16 e6 92 f5 bc 8d eb   .Z-Jg...u.......
    0080 - 0e 21 eb 6b a4 65 4b 15-7a ad d4 d2 a0 5f d6 80   .!.k.eK.z...._..
    0090 - a6 d6 95 82 e8 dd 60 37-1a db 99 33 2b bb b9 55   ......`7...3+..U
    00a0 - 2d e6 7f 4e 76 cc b3 85-66 8e 83 6f 14 e2 f7 31   -..Nv...f..o...1
    00b0 - cf 2c 5f aa 96 a4 50 2f-1b 2c a6 1f 25 f1 0c e8   .,_...P/.,..%...
    00c0 - b2 8a ca a8 0b 47 80 12-84 14 73 b9 c1 3d 2a 16   .....G....s..=*.
    00d0 - 77 9f 1c 9c c5 08 e1 11-9f 9d 97 ea 45 d5 62 db   w...........E.b.

    Start Time: 1772995701
    Timeout   : 7200 (sec)
    Verify return code: 18 (self-signed certificate)
    Extended master secret: no
    Max Early Data: 0
---
read R BLOCK
8xCjnmgoKbGLhHFAZlGE5Tmu4M2tKJQo
Correct!
kSkvUpMQ7lBYyCM4GBPvCvT1BfWRy0Dx

closed
```

Bandit Level 16 → Level 17

Goal: Scan open ports.
Command: nmap -p 31000-32000 localhost
Skills learned: Port scanning

```
bandit16@bandit:~$ nmap -sV localhost -p 31000-32000
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-03-08 19:00 UTC
Nmap scan report for localhost (127.0.0.1)
Host is up (0.00011s latency).
Not shown: 996 closed tcp ports (conn-refused)
PORT      STATE SERVICE     VERSION
31046/tcp open  echo
31518/tcp open  ssl/echo
31691/tcp open  echo
31790/tcp open  ssl/unknown
31960/tcp open  echo
1 service unrecognized despite returning data. If you know the service/version, please submit the following fingerprint at https:
gi?new-service :
SF-Port31790-TCP:V=7.94SVN%T=SSL%I=7%D=3/8%Time=69ADC743%P=x86_64-pc-linux
SF:-gnu%r(GenericLines,32,"Wrong!\x20Please\x20enter\x20the\x20correct\x20
SF:current\x20password\.\n")%r(GetRequest,32,"Wrong!\x20Please\x20enter\x2
SF:0the\x20correct\x20current\x20password\.\n")%r(HTTPOptions,32,"Wrong!\x
SF:20Please\x20enter\x20the\x20correct\x20current\x20password\.\n")%r(RTSP
SF:Request,32,"Wrong!\x20Please\x20enter\x20the\x20correct\x20current\x20p
SF:assword\.\n")%r(Help,32,"Wrong!\x20Please\x20enter\x20the\x20correct\x2
SF:0current\x20password\.\n")%r(FourOhFourRequest,32,"Wrong!\x20Please\x20
SF:enter\x20the\x20correct\x20current\x20password\.\n")%r(LPDString,32,"Wr
SF:ong!\x20Please\x20enter\x20the\x20correct\x20current\x20password\.\n")%
SF:r(SIPOptions,32,"Wrong!\x20Please\x20enter\x20the\x20correct\x20current
SF:\x20password\.\n");

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 145.24 seconds
```

```
    Session-ID-ctx:
    Resumption PSK: EE4F47B02E4C21D0FFCAFC026D3289B32A9F6F5DBD347FC654F30C157F9E
    PSK identity: None
    PSK identity hint: None
    SRP username: None
    TLS session ticket lifetime hint: 300 (seconds)
    TLS session ticket:
    0000 - ed 13 42 b9 d4 19 e6 43-e8 ad 95 62 0b 39 a3 34   ..B....C...b.9.4
    0010 - fc f5 f6 1e 65 c6 45 85-20 d9 f3 49 53 ea 2a fa   ....e.E. ..IS.*.
    0020 - 93 51 3f 87 af 48 39 fb-48 61 c2 91 42 94 7b ef   .Q?..H9.Ha..B.{.
    0030 - e8 5f 20 61 61 ea b1 f7-12 1e 86 f9 00 5e 6f 3e   ._ aa........^o>
    0040 - 59 ba 38 a6 1e 2e 9e 96-8c ef f6 14 2b 7c 4d 89   Y.8.........+|M.
    0050 - e0 c9 0e cd 74 63 de 21-3a c0 8f af fc 6c 1d 7d   ....tc.!:....l.}
    0060 - 5d 38 0b 2c ff 3b 17 9b-8d 8c fe e4 4d 60 22 dc   ]8.,.;......M`".
    0070 - 69 da 8c 37 bb 03 01 38-78 42 8b 6e 63 85 ad 8e   i..7...8xB.nc...
    0080 - 96 eb 71 a3 3c 83 ac 4c-aa 3d 87 2d 26 ff 52 2c   ..q.<..L.=.-&.R,
    0090 - cb 1b a3 24 11 c3 db 56-c7 b7 98 a5 f6 88 cb 1f   ...$...V........
    00a0 - f2 84 a6 10 2a b9 23 00-73 49 b5 73 84 b0 f4 ad   ....*.#.sI.s....
    00b0 - 0b 6d b3 97 71 f8 95 e2-9a f6 11 38 32 68 e8 3b   .m..q......82h.;
    00c0 - b2 d2 4a 3d 9c 56 72 1e-57 3f 82 eb 03 91 0d 5f   ..J=.Vr.W?.....
    00d0 - 29 1a 1c 50 12 08 6f 39-f8 2c 65 98 bb 32 70 85   )..P..o9.,e..2p.

    Start Time: 1772996760
    Timeout   : 7200 (sec)
    Verify return code: 18 (self-signed certificate)
    Extended master secret: no
    Max Early Data: 0
---
read R BLOCK
kSkvUpMQ7lBYyCM4GBPvCvT1BfWRy0Dx
KEYUPDATE
```

```
---
read R BLOCK
kSkvUpMQ7lBYyCM4GBPvCvT1BfWRy0Dx
Correct!
-----BEGIN RSA PRIVATE KEY-----
MIIEogIBAAKCAQEAvmOkuifmMg6HL2YPIOjon6iWfbp7c3jx34YkYWqUH57SUdyJ
imZzeyGC0gtZPGujUSxiJSWI/oTqexh+cAMTSMlOJf7+BrJObArnxd9Y7YT2bRPQ
Ja6Lzb558YW3FZl87ORiO+rW4LCDCNd2lUvLE/GL2GWyuKN0K5iCd5TbtJzEkQTu
DSt2mcNn4rhAL+JFr56o4T6z8WWAW18BR6yGrMq7Q/kALHYW3OekePQAzL0VUYbW
JGTi65CxbCnzc/w4+mqQyvmzpWtMAzJTzAzQxNbkR2MBGySxDLrjg0LWN6sK7wNX
x0YVztz/zbIkPjfkU1jHS+9EbVNj+D1XFOJuaQIDAQABAoIBABagpxpM1aoLWfvD
KHcj10nqcoBc4oE11aFYQwik7xfW+24pRNuDE6SFthOar69jp5RlLwD1NhPx3iBl
J9nOM8OJ0VToum43UOS8YxF8WwhXriYGnc1sskbwpXOUDc9uX4+UESzH22P29ovd
d8WErY0gPxun8pbJLmxkAtWNhpMvfe0050vk9TL5wqbu9AlbssgTcCXkMQnPw9nC
YNN6DDP2lbcBrvgT9YCNL6C+ZKufD52yOQ9qOkwFTEQpjtF4uNtJom+asvlpmS8A
vLY9r60wYSvmZhNqBUrj7lyCtXMIu1kkd4w7F77k+DjHoAXyxcUp1DGL51sOmama
+TOWWgECgYEA8JtPxP0GRJ+IQkX262jM3dEIkza8ky5moIwUqYdsx0NxHgRRhORT
8c8hAuRBb2G82so8vUHk/fur85OEfc9TncnCY2crpoqsghifKLxrLgtT+qDpfZnx
SatLdt8GfQ85yA7hnWWJ2MxF3NaeSDm75Lsm+tBbAiyc9P2jGRNtMSkCgYEAypHd
HCctNi/FwjulhttFx/rHYKhLidZDFYeiE/v45bN4yFm8x7R/b0iE7KaszX+Exdvt
SghaTdcG0Knyw1bpJVyusavPzpaJMjdJ6tcFhVAbAjm7enCIvGCSx+X3l5SiWg0A
R57hJglezIiVjv3aGwHwvlZvtszK6zV6oXFAu0ECgYAbjo46T4hyP5tJi93V5HDi
Ttiek7xRVxUl+iU7rWkGAXFpMLFteQEsRr7PJ/lemmEY5eTDAFMLy9FL2m9oQWCg
R8VdwSk8r9FGLS+9aKcV5PI/WEKlwgXinB3OhYimtiG2Cg5JCqIZFHxD6MjEGOiu
L8ktHMPvodBwNsSBULpG0QKBgBAplTfC1HOnWiMGOU3KPwYWt0O6CdTkmJOmL8Ni
blh9elyZ9FsGxsgtRBXRsqXuz7wtsQAgLHxbdLq/ZJQ7YfzOKU4ZxEnabvXnvWkU
YOdjHdSOoKvDQNWu6ucyLRAWFuISeXw9a/9p7ftpxm0TSgyvmfLF2MIAEwyzRqaM
77pBAoGAMmjmIJdjp+Ez8duyn3ieo36yrttF5NSsJLAbxFpdlc1gvtGCWW+9Cq0b
dxviW8+TFVEBl1O4f7HVm6EpTscdDxU+bCXWkfjuRb7Dy9GOtt9JPsX8MBTakzh3
vBgsyi/sN3RqRBcGU40fOoZyfAMT8s1m/uYv52O6IgeuZ/ujbjY=
-----END RSA PRIVATE KEY-----
```

```
bandit16@bandit:/tmp/sshkey_random$ cat private.key
-----BEGIN RSA PRIVATE KEY-----
MIIEogIBAAKCAQEAvm0kuifmMg6HL2YPIOjon6iWfbp7c3jx34YkYWqUH57SUdyJ
imZzeyGC0gtZPGujUSxiJSWI/oTqexh+cAMTSMLOJF7+BrJObArnxd9Y7YT2bRPQ
Ja6Lzb558YW3FZL870Ri0+rw4LCDCNd2lUvLE/GL2GWyukNOK5iCd5TbtJzeKQTu
DSt2mcN4rhAL+JFr56o4T6z8WWAWl8BR6yGrMq7Q/kALHYW30ekePQAzLOVVYbW
JGTi65CxbCnzc/w4+mqQyvmzpWtMAzJTZAzQxNbkR2MBGySxDLrjg0LWN6sK7wNX
x0YVzttz/zblKPjFkUijHS+9EbVnj+D1XFOJuaQIDAQABAoIBABagpxpM1aoLWfVD
KHcjl0ngc0BcL0E11aFYQwIk7xfW+24pRNuDe6SFtHoar69ip5RLLWD1NhPx3iBL
J9n0M80J0VToum43U0S8YxF8WwhXriYGNclsskebwpXOUDc9ux4+UESzH22P29ovd
d8WErYOgPxun8pbJLMxkAtWNhpMvfe0050vk9TL5wqbu9AlbssgTcCXkMQnPw9nC
YNN6DDP2lbcBrVgT9YCNL6C+ZkufD52y0Q9q0kwFTEQpjfF4uNtJom+asvLpmS8A
vLY9r60wYSvmZnNgBurj7LyCxtMIL1kkd4w7F77k+Djh0AXvxcUp1DGL51s0mama
+TOWwgEGcYEA8JtPxP0GRJ+IQKX262jM3dEIkza8ky5moIWUqYdsx0NxHgRRhORT
8c8hAuRBb2G82so8vUHK/fur85OEfc9TncnCY2crpoqsghifKLxrLgtT+qDpFZnx
SatLdt8GfQ85yA7hnWWJ2MxF3NaeSDn75Lsmt+BbAiyc9P2jGRNtMSKcgYEAYpHd
HCctNi/FwjuIhttFx/rHYKhLidZDFyeiE/v45bN4yFm8x7R/bOiE7KaszX+Exdvt
SghaTdcGOKnyw1bpJVyuasavPzpaJMjJdJ6tFcHvAbAjm7enCIVGCSx+X3L5SiWgOA
R57hJglezIiVjv3aGwHvvLZvtszK6zV6oXFau0EcgyAbjo46T4hyP5tJi93V5HDi
Ttiek7xRVxUt+IU7lwKGAXFpMLFteQEsRn7PJ/lemmEYSeTDAFMLy9FL2m9oQWCg
R8VdwSk8r9FGLS+9AkcV5P1/WeklwgXjnB3OhYimtiG2Cg5JCqIZFHxD6MjEG0iu
L8ktHMPvodbWNsSBULpGQQKBgBaPtlFC1H0nWimG0U3KPvYWtO006CdTkmJomL8Ni
blh9elyZ9FsGxsgtRBXRsqXuz7wtsQAgLHxbdLq/ZJQ7Yfz0KU4ZxEnabvXnvWkU
YodjHdSOoKvDQNwu6ucyLRAWFUTSeXw9a/9p7fpxm0TSgyvnfLF2MIAEwyzRqaM
77pBAoGAMmjmJdjp+Ez8duyn3ieo36yrtF5NSsJLAbxFpdLc1gvtGCWW+9CqOb
dxvIW8+TFVEBL104f7HVm6EpTscdDxU+bcXWkfjuRb7Dy9G0tt9JPsX8MBTakzh3
vBgsyi/sN3RqRBcGU40f0oZyFAMT8slm/uYv5206IgeuZ/ujbjY=
-----END RSA PRIVATE KEY-----
bandit16@bandit:/tmp/sshkey_random$ chmod 400 private.key
```

```
C:\Users\USER PC\Desktop\key>scp -P 2220 bandit16@bandit.labs.overthewire.org:/tmp/private.key .
                      _                     _ _ _
                     | |__   __ _ _ __   __| (_) |_
                     | '_ \ / _` | '_ \ / _` | | __|
                     | |_) | (_| | | | | (_| | | |_
                     |_.__/ \__,_|_| |_|\__,_|_|\__|


                    This is an OverTheWire game server.
            More information on http://www.overthewire.org/wargames

backend: gibson-1
bandit16@bandit.labs.overthewire.org's password:
private.key                                                   100% 1675     4.1KB/s   00:00
```

Bandit Level 17 → Level 18

Goal: Find difference between files.
Command: diff passwords.old passwords.new
Skills learned: Comparing files

```
C:\Users\USER PC\Desktop\key>ssh -i private.key -p 2220 bandit17@bandit.labs.overthewire.org
                      _                     _ _ _
                     | |__   __ _ _ __   __| (_) |_
```

```
bandit17@bandit: ~
bandit17@bandit:~$ ls
passwords.new  passwords.old
bandit17@bandit:~$ diff passwords.old passwords.new
42c42
< pGozC8kOHLkBMOaL0ICPvLV1IjQ5F1VA
---
> x2gLTTjFwMOhQ8oWNbMN362QKxfRqGlO
bandit17@bandit:~$
```

Bandit Level 18 → Level 19

Goal: Execute command despite restricted shell.
Command: ssh bandit18@bandit.labs.overthewire.org -p 2220 cat readme
Skills learned: Running remote commands

```
C:\Users\USER PC\Desktop\key>ssh -p 2220 bandit18@bandit.labs.overthewire.org cat readme
                      _                     _ _ _
                     | |__   __ _ _ __   __| (_) |_
                     | '_ \ / _` | '_ \ / _` | | __|
                     | |_) | (_| | | | | (_| | | |_
                     |_.__/ \__,_|_| |_|\__,_|_|\__|


                    This is an OverTheWire game server.
            More information on http://www.overthewire.org/wargames

backend: gibson-1
bandit18@bandit.labs.overthewire.org's password:
cGWpMaKXVwDUNgPAVJbWYuGHVn9zl3j8
```

Bandit Level 19 → Level 20

Goal: Use setuid program.
Command: ./bandit20-do cat /etc/bandit_pass/bandit20
Skills learned: Privilege escalation basics

```
bandit19@bandit:~$ whoami
bandit19
bandit19@bandit:~$ ls -la
total 36
drwxr-xr-x   2 root     root      4096 Oct 14 09:26 .
drwxr-xr-x 150 root     root      4096 Oct 14 09:29 ..
-rwsr-x---   1 bandit20 bandit19 14884 Oct 14 09:26 bandit20-do
-rw-r--r--   1 root     root       220 Mar 31  2024 .bash_logout
-rw-r--r--   1 root     root      3851 Oct 14 09:19 .bashrc
-rw-r--r--   1 root     root       807 Mar 31  2024 .profile
bandit19@bandit:~$ ./bandit20-do cat /etc/bandit_pass20
cat: /etc/bandit_pass20: No such file or directory
bandit19@bandit:~$ ./bandit20-do cat /etc/bandit_pass/bandit20
0qXahG8ZjOVMN9Ghs7iOWsCfZyXOUbYO
bandit19@bandit:~$
```

Bandit Level 20 → Level 21

Goal: Use netcat listener.
Commands: nc -lvp port
Skills learned: Network communication

```
bandit20@bandit: ~
bandit20@bandit:~$ ls
suconnect
bandit20@bandit:~$ echo -n "0qXahG8ZjOVMN9Ghs7iOWsCfZyXOUbYO" | nc -l -p 5555
^Z
[1]+  Stopped                 echo -n "0qXahG8ZjOVMN9Ghs7iOWsCfZyXOUbYO" | nc -l -p 5555
bandit20@bandit:~$ bg
[1]+ echo -n "0qXahG8ZjOVMN9Ghs7iOWsCfZyXOUbYO" | nc -l -p 5555 &
bandit20@bandit:~$ ./suconnect 5555
Read: 0qXahG8ZjOVMN9Ghs7iOWsCfZyXOUbYO
Password matches, sending next password
EeoULMCra2q0dSkYj561DX7s1CpBuOBt
[1]+  Done                    echo -n "0qXahG8ZjOVMN9Ghs7iOWsCfZyXOUbYO" | nc -l -p 5555
bandit20@bandit:~$
```

Bandit Level 21 → Level 22

Goal: Read cron job script.
Command: cat /etc/cron.d/...
Skills learned: Cron jobs analysis

```
bandit21@bandit:~$ ls /etc/cron.d/
behemoth4_cleanup  cronjob_bandit22  cronjob_bandit24  leviathan5_cleanup    otw-tmp-dir
clean_tmp          cronjob_bandit23  e2scrub_all       manpage3_resetpw_job  sysstat
bandit21@bandit:~$ cat /etc/cron.d/*
cat: /etc/cron.d/behemoth4_cleanup: Permission denied
*/30 * * * * root find /tmp -amin 60 -type f -delete &> /dev/null && find /tmp -amin 5 -type d -empty -delete &> /dev/null
@reboot bandit22 /usr/bin/cronjob_bandit22.sh &> /dev/null
* * * * * bandit22 /usr/bin/cronjob_bandit22.sh &> /dev/null
@reboot bandit23 /usr/bin/cronjob_bandit23.sh  &> /dev/null
* * * * * bandit23 /usr/bin/cronjob_bandit23.sh  &> /dev/null
@reboot bandit24 /usr/bin/cronjob_bandit24.sh &> /dev/null
* * * * * bandit24 /usr/bin/cronjob_bandit24.sh &> /dev/null
30 3 * * 0 root test -e /run/systemd/system || SERVICE_MODE=1 /usr/lib/x86_64-linux-gnu/e2fsprogs/e2scrub_all_cron
10 3 * * * root test -e /run/systemd/system || SERVICE_MODE=1 /sbin/e2scrub_all -A -r
cat: /etc/cron.d/leviathan5_cleanup: Permission denied
cat: /etc/cron.d/manpage3_resetpw_job: Permission denied
cat: /etc/cron.d/otw-tmp-dir: Permission denied
# The first element of the path is a directory where the debian-sa1
# script is located
PATH=/usr/lib/sysstat:/usr/sbin:/usr/sbin:/usr/bin:/sbin:/bin

# Activity reports every 10 minutes everyday
5-55/10 * * * * root command -v debian-sa1 > /dev/null && debian-sa1 1 1

# Additional run at 23:59 to rotate the statistics file
59 23 * * * root command -v debian-sa1 > /dev/null && debian-sa1 60 2
bandit21@bandit:~$ cat /usr/bin/cronjob_bandit22.sh
#!/bin/bash
chmod 644 /tmp/t7O6lds9S0RqQh9aMcz6ShpAoZKF7fgv
cat /etc/bandit_pass/bandit22 > /tmp/t7O6lds9S0RqQh9aMcz6ShpAoZKF7fgv
bandit21@bandit:~$
```

```
bandit21@bandit:~$ cat /tmp/t7O6lds9S0RqQh9aMcz6ShpAoZKF7fgv
tRae0UfB9v0UzbCdn9cY0gQnds9GF58Q
```

Bandit Level 22 → Level 23

Goal: Read cron job script.
Command: cat /etc/cron.d/cronjob_bandit23
Skills learned: Cron jobs analysis

```
bandit22@bandit:~$ ls /etc/cron.d/*
/etc/cron.d/behemoth4_cleanup  /etc/cron.d/cronjob_bandit22  /etc/cron.d/cronjob_bandit24  /etc/cron.d/leviathan5_cleanup    /etc/cron.d/otw-tmp-dir
/etc/cron.d/clean_tmp          /etc/cron.d/cronjob_bandit23  /etc/cron.d/e2scrub_all       /etc/cron.d/manpage3_resetpw_job  /etc/cron.d/sysstat
bandit22@bandit:~$ cat /etc/cron.d/cronjob_bandit23
@reboot bandit23 /usr/bin/cronjob_bandit23.sh  &> /dev/null
* * * * * bandit23 /usr/bin/cronjob_bandit23.sh  &> /dev/null
bandit22@bandit:~$ cat /usr/bin/cronjob_bandit23.sh
#!/bin/bash

myname=$(whoami)
mytarget=$(echo I am user $myname | md5sum | cut -d ' ' -f 1)

echo "Copying passwordfile /etc/bandit_pass/$myname to /tmp/$mytarget"

cat /etc/bandit_pass/$myname > /tmp/$mytarget
bandit22@bandit:~$ echo I am user bandit23 | md5sum | cut -d ' ' -f 1
8ca319486bfbbc3663ea0fbe81326349
bandit22@bandit:~$ cat /tmp/8ca319486bfbbc3663ea0fbe81326349
0Zf11ioIjMVN551jX3CmStKLYqjk54Ga
bandit22@bandit:~$
```

Bandit Level 23 → Level 24

Goal: Read cron job script location.
Command: cat /usr/bin/cronjob_bandit23.sh
Skills learned: Script analysis

```
bandit23@bandit:~$ cat /etc/cron.d/*
cat: /etc/cron.d/behemoth4_cleanup: Permission denied
*/30 * * * * root find /tmp -amin 60 -type f -delete &> /dev/null && find /tmp -amin 5 -type d -empty -delete &> /dev/null
@reboot bandit22 /usr/bin/cronjob_bandit22.sh &> /dev/null
* * * * * bandit22 /usr/bin/cronjob_bandit22.sh &> /dev/null
@reboot bandit23 /usr/bin/cronjob_bandit23.sh  &> /dev/null
* * * * * bandit23 /usr/bin/cronjob_bandit23.sh  &> /dev/null
@reboot bandit24 /usr/bin/cronjob_bandit24.sh &> /dev/null
* * * * * bandit24 /usr/bin/cronjob_bandit24.sh &> /dev/null
30 3 * * 0 root test -e /run/systemd/system || SERVICE_MODE=1 /usr/lib/x86_64-linux-gnu/e2fsprogs/e2scrub_all_cron
10 3 * * * root test -e /run/systemd/system || SERVICE_MODE=1 /sbin/e2scrub_all -A -r
cat: /etc/cron.d/leviathan5_cleanup: Permission denied
cat: /etc/cron.d/manpage3_resetpw_job: Permission denied
cat: /etc/cron.d/otw-tmp-dir: Permission denied
# The first element of the path is a directory where the debian-sa1
# script is located
PATH=/usr/lib/sysstat:/usr/sbin:/usr/sbin:/usr/bin:/sbin:/bin

# Activity reports every 10 minutes everyday
5-55/10 * * * * root command -v debian-sa1 > /dev/null && debian-sa1 1 1

# Additional run at 23:59 to rotate the statistics file
59 23 * * * root command -v debian-sa1 > /dev/null && debian-sa1 60 2
bandit23@bandit:~$ cat /usr/bin/cronjob_bandit24.sh
#!/bin/bash

myname=$(whoami)

cd /var/spool/$myname/foo
echo "Executing and deleting all scripts in /var/spool/$myname/foo:"
for i in * .*;
do
    if [ "$i" != "." -a "$i" != ".." ];
    then
        echo "Handling $i"
        owner="$(stat --format "%U" ./$i)"
        if [ "${owner}" = "bandit23" ]; then
            timeout -s 9 60 ./$i
        fi
        rm -f ./$i
    fi
done
```

mkdir /tmp/iman99999

chmod 777 /tmp/iman99999

cd /tmp/iman99999

```
bandit23@bandit:~$ chmod 777 /tmp/iman99999
bandit23@bandit:~$ cd /tmp/iman99999
bandit23@bandit:/tmp/iman99999$ touch script.sh
bandit23@bandit:/tmp/iman99999$ chmod 777  script.sh
bandit23@bandit:/tmp/iman99999$ nano script.sh
Unable to create directory /home/bandit23/.local/share/nano/: No such file or directory
It is required for saving/loading search history or cursor positions.
```

#!/bin/bash
cat /etc/bandit_pass/bandit24 > /tmp/gameplan1/password

```
bandit23@bandit:/tmp/iman99999$ ls
password  script.sh
```

```
bandit23@bandit:/tmp/iman99999$ cat password
gb8KRRCsshuZXI0tUuR6ypOFjiZbf3G8
```

Bandit Level 24 → Level 25

Goal: Brute force the PIN code.
Command: nc localhost 30002
Skills learned: Brute force basics

Cd /tmp/iman99999

nano brute.sh

```
bandit24@bandit: /tmp/iman
  GNU nano 7.2
#!/bin/bash

for i in {0000..9999}
do
echo "gb8KRRCsshuZXI0tUuR6ypOFjiZbf3G8 $i"
done
```

chmod +x brute.sh

```
bandit24@bandit:/tmp/iman99999$ ./brute.sh | nc localhost 30002
I am the pincode checker for user bandit25. Please enter the password for user bandit24 and the secret pincode on a single line, separated by a space.
Wrong! Please enter the correct current password and pincode. Try again.
Wrong! Please enter the correct current password and pincode. Try again.
Wrong! Please enter the correct current password and pincode. Try again.
Wrong! Please enter the correct current password and pincode. Try again.
Wrong! Please enter the correct current password and pincode. Try again.
Wrong! Please enter the correct current password and pincode. Try again.
```

```
Wrong! Please enter the correct current password and pincode. Try again.
Wrong! Please enter the correct current password and pincode. Try again.
Wrong! Please enter the correct current password and pincode. Try again.
Wrong! Please enter the correct current password and pincode. Try again.
Wrong! Please enter the correct current password and pincode. Try again.
Correct!
The password of user bandit25 is iCi86ttT4KSNe1armKiwbQNmB3YJP3q4
```

Bandit Level 25 → Level 26

Goal: Escape restricted shell.
Command: v (inside more → opens vim)
Skills learned: Shell escape

```
bandit25@bandit:~$ cat /etc/passwd
root:x:0:0:root:/root:/bin/bash
```

```
bandit26:x:11026:11026:bandit level 26:/home/bandit26:/usr/bin/showtext
```

```
bandit25@bandit:~$ cat /usr/bin/showtext
#!/bin/sh

export TERM=linux

exec more ~/text.txt
exit 0
```

```
bandit25@bandit:~$ ls
bandit26.sshkey
```

```
C:\Users\USER PC\Desktop\key>scp -P 2220 bandit25@bandit.labs.overthewire.org:bandit26.sshkey .
```

Bandit Level 26 → Level 27

Goal: Spawn a shell from vim.
Command: :shell
Skills learned: Vim shell access





Press v to inters vim text editor mode



Enter



Password level 26:



Enter again

:set shell=/bin/bash



shell


kali@kali: ~/Desktop/iman
Session Actions Edit View Help
| '_ \ / _` | '_ \ / _` | | __| / / '_ \
:shell
bandit26@bandit:~$


kali@kali: ~/Desktop/iman
Session Actions Edit View Help
bandit26@bandit:~$ id
uid=11026(bandit26) gid=11026(bandit26) groups=11026(bandit26)
bandit26@bandit:~$

Ls -la


kali@kali: ~/Desktop/iman
Session Actions Edit View Help
-rwsr-x--- 1 bandit27 bandit26 14884 Oct 14 09:26 bandit27-do
-rw-r--r-- 1 root root 220 Mar 31 2024 .bash_logout
-rw-r--r-- 1 root root 3851 Oct 14 09:19 .bashrc
-rw-r--r-- 1 root root 807 Mar 31 2024 .profile
drwxr-xr-x 2 root root 4096 Oct 14 09:26 .ssh
-rw-r----- 1 bandit26 bandit26 258 Oct 14 09:26 text.txt


bandit26@bandit:~$ ./bandit27-do cat /etc/bandit_pass/bandit27
upsNCc7vzaRDx6oZC6GiR6ERwe1MowGB
bandit26@bandit:~$