Exercise: Markdown

Environmental Data Analytics | John Fay and Luana Lima

Contents

```
List of Tables
    Set up the coding environment
## -- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
## v dplyr
        1.1.4
               v readr
                      2.1.5
## v forcats
         1.0.0
                      1.5.1
               v stringr
## v ggplot2
         3.5.1
               v tibble
                      3.2.1
## v lubridate 1.9.3
               v tidyr
                      1.3.1
         1.0.2
## v purrr
## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()
            masks stats::lag()
## i Use the conflicted package (<a href="http://conflicted.r-lib.org/">http://conflicted.r-lib.org/</a>) to force all conflicts to become error
## here() starts at /home/guest/EDE_Fall2024
```

Wrangle the data

```
#Subset columns and rows
nutrient_data <- nutrient_data_raw %>%
    select(-c(lakeid,depth_id,comments)) %>%
    filter(depth == 0) %>%
    drop_na()

#Compute summary stats for total nitrogen
nutrient_data_tn <- nutrient_data %>%
    group_by(lakename) %>%
    summarize(
    mean_tn_ug = mean(tn_ug),
    min_tn_ug = min(tn_ug),
```

```
max_tn_ug = max(tn_ug),
sd_tn_ug = sd(tn_ug)
)
```

Report the summary

Table 1: Summary Stats for Total Nitrogen

lakename	mean_tn_ug	min_tn_ug	max_tn_ug	sd_tn_ug
Paul Lake	368.7564	45.67	628.625	106.3474
Peter Lake	561.8752	219.72	2048.151	305.6491