Cucumber Report

| Start : Sep 07, 7:09:43.473 pm	End : Sep 07, 7:10:28.253 pm	Duration : 44.780 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 9 FAILED - 3 SKIPPED - 15

Features: 2

Scenarios: 4

Steps: 27

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 33 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Customers	13.468 s	1	0	1	0	11	0	0	11
Login Page	31.266 s	3	0	3	0	16	9	3	4

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Regression	1	0	1	0	1	0	1	0
@Single	1	0	1	0	1	0	1	0
@Multiple	2	0	2	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Customers*	1	0	1	0	13.468 s
2	*Login Page*	3	0	3	0	31.266 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Customers	Add new Customer	11	0	0	11	13.463 s
2	Login Page	Successful Login with Valid Credentials	6	3	1	2	16.959 s
3	Login Page	Login Data Driven	5	3	1	1	7.706 s
4	Login Page	Login Data Driven	5	3	1	1	6.544 s

Customers

FAILED	DURATION - 13.468 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 11 Pass - 0 Fail - 0 Skip - 11	
/ 7:09:43.473 pm // 7:09:56.941 pm /			1		11

Add new Customer

FAILED	DURATION - 13.463 s		Steps Total - 11 Pass - 0 Fail - 0 Skip - 11	
/ 7:09:43.478 pm // 7:09:56.941 pm /				11
Customers				
@Regression				

#	Step / Hook Details	Status	Duration
	BEFORE - com.hook.Hooks.beforeScenario(io.cucumber.java.Scenario)	FAILED	13.405 s

	org.openqa.selenium.SessionNotCreatedException: session not created: Chrome failed to start: exited normally. (session not created: DevToolsActivePort file doesn't exist) (The process started from chrome location C:\Program Files\Google\Chrome\Application\chrome.exe is no longer running, so ChromeDriver is assuming that Chrome has crashed.) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAPTOP-1VFBJ3PQ', ip: '192.168.1.8', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: driver.version: ChromeDriver remote stacktrace: GetHandleVerifier [0x00007FF62308B5D2+29090] (No symbol) [0x00007FF622FFE689] (No symbol) [0x00007FF622EBB1CA] (No symbol) [0x00007FF622EF6321] (No symbol) [0x00007FF622EF1E0A] (No symbol) [0x00007FF622F4236D] (No symbol) [0x00007FF622F41A20] (No symbol) [0x00007FF622F36493] (No symbol) [0x00007FF622F009B1] (No symbol) [0x00007FF622F01B11] GetHandleVerifier [0x00007FF6233A8C5D+3295277] GetHandleVerifier [0x00007FF6233F4843+3605523] GetHandleVerifier [0x00007FF6233EA707+3564247] GetHandleVerifier [0x00007FF623146EB6+797318] (No symbol) [0x00007FF62300980F] (No symbol) [0x00007FF6230053F4] (No symbol) [0x00007FF623005580] (No symbol) [0x00007FF622FF4A1F] BaseThreadInitThunk [0x00007FFC6C59257D+29] RtlUserThreadStart [0x00007FFC6CF0AF28+40]
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
	   at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.base.BaseClass.launchDriver(BaseClass.java:33) at com.hook.Hooks.beforeScenario(Hooks.java:17)		
1	Given User launch application	SKIPPED	0.000 s
2	When User enters Email as "admin@yourstore.com" and Password as "admin"	SKIPPED	0.000 s
3	And Click on Login	SKIPPED	0.001 s
4	Then Page title should be "Dashboard / nopCommerce administration"	SKIPPED	0.001 s
5	When User click on customers menu	SKIPPED	0.001 s
6	And Click on customer menu item	SKIPPED	0.000 s
7	And Click on Add new button	SKIPPED	0.001 s
8	Then User can view Add new customer page	SKIPPED	0.000 s
9	When User enter customer info	SKIPPED	0.001 s
10	And Click on save button	SKIPPED	0.000 s
11	Then User can view confirmation message "The new customer has been added successfully."	SKIPPED	0.001 s
	AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "java.lang.ThreadLocal.get()" is null		

| #	Step / Hook Details	Status	Duration
	at com.utility.Util.takeScreenShot(Util.java:24) at com.hook.Hooks.afterScenario(Hooks.java:28)		

Login Page

| FAILED	DURATION - 31.266 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Steps Total - 16 Pass - 9 Fail - 3 Skip - 4	16
/ 7:09:56.987 pm // 7:10:28.253 pm /					

Successful Login with Valid Credentials

FAILED	DURATION - 16.959 s		Steps Total - 6 Pass - 3 Fail - 1 Skip - 2	6
/ 7:09:56.987 pm // 7:10:13.946 pm /				
Login Page				
@Single				

#	Step / Hook Details	Status	Duration
1	Given User launch application	PASSED	2.101 s
2	When User enters Email as "admin@yourstore.com" and Password as "admin"	PASSED	1.476 s
3	And Click on Login	PASSED	1.543 s
4	Then Page title should be "Dashboard / nopCommerce administration"	FAILED	0.016 s

	java.lang.AssertionError: expected [Dashboard / nopCommerce administration] but found [Just a moment...]
	    at org.testng.Assert.fail(Assert.java:99)
	    at org.testng.Assert.failNotEquals(Assert.java:1037)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:140)
	    at org.testng.Assert.assertEquals(Assert.java:122)
	    at org.testng.Assert.assertEquals(Assert.java:629)
	    at org.testng.Assert.assertEquals(Assert.java:639)
	    at com.stepDef.LoginStep.page_title_should_be(LoginStep.java:41)
	    at ?.Page title should be "Dashboard / nopCommerce administration"(file:///C:/Users/HP/git/TestNGWithBDDCucumberFramework/src/test/		

#	Step / Hook Details	Status	Duration
	resources/features/Login.feature:14) * Not displayable characters are replaced by '?'.		
5	When User click on Log out link	SKIPPED	0.001 s
6	Then Page title should be "Your store. Login"	SKIPPED	0.000 s
	AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	3.239 s
	Successful Login with Valid Credentials 		

Login Data Driven

FAILED	DURATION - 7.706 s		Steps
/ 7:10:13.980 pm // 7:10:21.686 pm /			Total - 5 Pass - 3 Fail - 1 Skip - 1
Login Page			
@Multiple			

#	Step / Hook Details	Status	Duration
1	Given User launch application	PASSED	1.560 s
2	When User enters Email as "admin@yourstore.com" and Password as "admin"	PASSED	0.918 s
3	And Click on Login	PASSED	1.040 s
4	Then Page title should be "Dashboard / nopCommerce administration"	FAILED	0.016 s

	java.lang.AssertionError: expected [Dashboard / nopCommerce administration] but found [Just a moment...]
	    at org.testng.Assert.fail(Assert.java:99)
	    at org.testng.Assert.failNotEquals(Assert.java:1037)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:140)
	    at org.testng.Assert.assertEquals(Assert.java:122)
	    at org.testng.Assert.assertEquals(Assert.java:629)
	    at org.testng.Assert.assertEquals(Assert.java:639)
	    at com.stepDef.LoginStep.page_title_should_be(LoginStep.java:41)
	    at ?.Page title should be "Dashboard / nopCommerce administration"(file:///C:/Users/HP/git/TestNGWithBDDCucumberFramework/src/test/		

#	Step / Hook Details	Status	Duration
	resources/features/Login.feature:28) * Not displayable characters are replaced by '?'.		
5	When User click on Log out link	SKIPPED	0.000 s
	AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	1.313 s
	Login Data Driven 		

Login Data Driven

FAILED	DURATION - 6.544 s		Steps
			Total - 5
/ 7:10:21.709 pm // 7:10:28.253 pm /			Pass - 3
			Fail - 1
Login Page			Skip - 1
@Multiple			

#	Step / Hook Details	Status	Duration
1	Given User launch application	PASSED	1.566 s
2	When User enters Email as "admin1@yourstore.com" and Password as "admin"	PASSED	1.046 s
3	And Click on Login	PASSED	0.208 s
4	Then Page title should be "Dashboard / nopCommerce administration"	FAILED	0.713 s

	java.lang.AssertionError: expected [Dashboard / nopCommerce administration] but found [Just a moment...]
	     at org.testng.Assert.fail(Assert.java:99)
	     at org.testng.Assert.failNotEquals(Assert.java:1037)
	     at org.testng.Assert.assertEqualsImpl(Assert.java:140)
	     at org.testng.Assert.assertEquals(Assert.java:122)
	     at org.testng.Assert.assertEquals(Assert.java:629)
	     at org.testng.Assert.assertEquals(Assert.java:639)
	     at com.stepDef.LoginStep.page_title_should_be(LoginStep.java:41)
	     at ?.Page title should be "Dashboard / nopCommerce administration"(file:///C:/Users/HP/git/TestNGWithBDDCucumberFramework/src/test/resources/features/Login.feature:28)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
5	When User click on Log out link	SKIPPED	0.000 s
	AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario) Login Data Driven 	PASSED	1.233 s