
A Collaborative Visual Database

by Imed Adel




Contents

I	Conceptual study						1	
	1.0.1	Sequence diagrams						I
A	ronyms							3
Gl	ossary							5
Bi	bliography							6





List of Figures





List of Tables





I Conceptual study

1.0.1 Sequence diagrams

Sign up

Figure 1.1 represents the sequence diagram for "sign up".






Figure 1.1: "Sign up" sequence diagram



Acronyms

CmRDT Commutative Replicated Data Type

CMS Content Management Software

CRDT Conflict-free Replicated Data Type

CvRDT Convergent Replicated Data Type

DOM Document Object Model

FDD Feature-Driven Development

JSON JavaScript Object Notation

MVC Model-View-Controller

MVVM Model-View-ViewModel

OT Operational Transformation

P2P Peer-To-Peer

RBAC Role-Based Access Control


RDMBS Relational Database Management System

SaaS Software as a Service

SDK Software Development Kit

SSPL Server Side Public License

UI User Interface





UX User Experience

WAI-ARIA Web Accessibility Initiative – Accessible Rich Internet Applications

WOOT WithOut Operational Transformation






Glossary

cacheable A cacheable response is an HTTP response that is stored to be retrieved and used later, saving a new request to the server [1].

polyfill A piece of code used to provide modern functionality on older browsers that do not natively support it [2].



Bibliography

- [I] Cacheable MDN Web Docs Glossary: Definitions of Web-related terms | MDN. en-US. URL: https://developer.mozilla.org/en-US/docs/Glossary/cacheable (visited on 06/07/2021).
- [2] Polyfill MDN Web Docs Glossary: Definitions of Web-related terms | MDN. en-US. url: https://developer.mozilla.org/en-US/docs/Glossary/Polyfill (visited on o6/07/2021).

