# Team Greedy Toads

Helena Williams, Anya Zorin, Arib Chowdhury, Benjamin Gallai



p0 Design Document

# Components

### Templates / Frontend

The HTML files that make up the front end and have the forms into which users input the data that will then be retrieved by the python program. The pages are specified in more detail in the site map.

### Flask

Flask is the python website framework that takes input from the templates and puts it in the database, as well as retrieves data from the database. It also redirects the pages as well as keeps a session of the user that is logged in.

### Database

The database stores the data for the website. It is explained in detail in Database Structure.

### Component Interaction

### Creating New Stories

Users can create new stories. To do so, they will be redirected to storypage.html with added set to false and created set to false. This will lead to the generation of the standard adding form, but with a title menu as well. They will fill out an HTML form with the title and the first entry to the story. The flask component will then add a table to the database and populate the first row with the entry information. Then, also through the flask component, the user will be redirected to the newly created story template page.

### Adding to Stories

Adding to stories is similar to creating a new one, and directs the user to storypage.html with added set to false and created set to true. The user gets a preview of the story (the most recent addition) retrieved from a table in a database using python and then displayed on the web page, and then submits a form to add their part of the story to the table.

### Viewing Your Stories

Once the user contributes to a story, they are allowed to see all contributions that have been/get made to it, giving them an understanding of how great (or not great) their writing was! They are sent to storypage.html with created = true and added = true, which means that all story entries are put on the screen for them to peruse.

#### Authentication

Authentication has four main parts: create an account, log in, maintaining a session, and log out. There are separate templates for logging in and creating an account, in which the user

submits a form that the framework uses to either create a new row in the user table and start a session, or just start a session for an existing user. The session is maintained by flask and is used to load the page with stories the user has contributed to, as well as when the user creates/ adds to stories. Logging out is a button that ends the session.

### storypage.html

	Added = true	Added = false
Created = true	DO NOT generate submission form DO NOT generate title form DO generate all previous entries	DO generate submission form DO NOT generate title form DO NOT generate all previous entries (except last entry)
Created = false	This state should never be reached by the user.	DO generate submission form DO generate title form DO NOT generate all previous entries (they don't exist)

# **Database Structure**

Story Tables (NAME: [story\_title])

Each story will have its own table within the database, with its title as the name of the table. The id can be used to track the latest entry as well as the order of entries. The schema of the table for stories will be:


id	user_id	story_contrib
INTEGER	INTEGER	TEXT (200 max)

User Table (NAME: user)


The User table stores the user information of users, like username, password and the list of story\_ids they have contributed to.

username	password	story_ids
TEXT	TEXT	TEXT (delimited by ,)

# Component Map



# Site Map



# **Tasks**

#### Timeline ish

- 0. Successfully host a blank template HTML page
- 1. Steal login code from previous HW, give it a new paint job, successfully integrate it with blank template homepage
- 2. Add create account section, integrate it with login code, confirm that the full loop works
- 3. Make the homepage nice and spicy, create explore and create buttons
- 4. Create button should take user to storypage.html with the created = false query string, allow them to write up story component and add it
- 5. Any story that the user creates with the create button will now be visible on their homepage, they can click on it and will be taken to storypage.html with created=true
- 6. Add explore button, takes them to explore.html page where all stories written by all users are displayed but cannot be clicked on
- Add "added" query string to storypage.html, if user added to the story they can view it when they click on it in Explore, but if they haven't added to it they will be taken to an add entry feature
- 8. Ensure that any story the user adds to will be visible from their homepage by adding in database features
- 9. Add monstrous CSS

### Frontend- Helena

- login.html
- signup.html
- home.html
- explore.html
- story.html

# Create/Add Story Function- Arib

- Create a create\_story function that accepts input from an html form to
   @app.route("/create") consisting of a string (story\_id) and another string (story\_contrib)
   and will create a table with the name story\_id in the database, passing the story\_id and
   story\_contrib to story\_add\_helper afterwards.
- Create a story\_add function that accepts input from an html form to @app.route("/add") in the form of story\_contrib, and story\_id and passes it to story\_add\_helper
- Create a story\_add\_helper function that will take the input story\_id and story\_contrib, grab user\_id from a different function. and insert story\_contrib and user\_id into a table titled story\_id in the database. Will also update the corresponding row in the user table to include the story\_id for the corresponding user\_id. Finally, will call a render\_story function with the input added=True

## Rendering story.html- Arib

- Create a render\_story function that will accept boolean inputs of create and add to @app.route("/render").
  - If create=False, just render\_template create.html that'll output to the create\_story function.
  - If create=True and add=False, also search for a string input of story\_title from form, grab story\_contrib from the last row of the corresponding table and send it as input to render template add.html which will output to the story add function.
  - If create=True and add=True, also search for a string input of story\_title from form, grab story\_contrib from all rows of the corresponding table and send it as a list as input to render\_template story.html

# Rendering home.html - Benjamin

- Simply retrieve the stories that the user has contributed to and display them
- Each user has a list of story ids that they have contributed, and each contribution has a user id assigned to it

### Explore page rendering - Benjamin

View titles of all stories

## Authentication (login/create user/logout functions) - Anya

- Re-use code to create a login system, as well as a create user which adds a row to the db
- Start/end sessions
- Also, create functions that others can use to retrieve the active user id or username
- Create functions that append the story id/ name to "story\_contrib"