

Parsing Lab

Questions in Lecture 6

Exercise 1

Given this grammar and lexicon

Lexicon
<i>Det</i> → <i>that</i> <i>this</i> <i>the</i> <i>a</i>
<i>Noun</i> → <i>book</i> <i>flight</i> <i>meal</i> <i>money</i>
<i>Verb</i> → <i>book</i> <i>include</i> <i>prefer</i>
<i>Pronoun</i> → <i>I</i> <i>she</i> <i>me</i>
<i>Proper-Noun</i> → <i>Houston</i> <i>NWA</i>
<i>Aux</i> → <i>does</i>
<i>Preposition</i> → <i>from</i> <i>to</i> <i>on</i> <i>near</i> <i>through</i>

\mathcal{L}_1 in CNF
<i>S</i> → <i>NP VP</i>
<i>S</i> → <i>X1 VP</i>
<i>X1</i> → <i>Aux NP</i>
<i>S</i> → <i>book</i> <i>include</i> <i>prefer</i>
<i>S</i> → <i>Verb NP</i>
<i>S</i> → <i>X2 PP</i>
<i>S</i> → <i>Verb PP</i>
<i>S</i> → <i>VP PP</i>
<i>NP</i> → <i>I</i> <i>she</i> <i>me</i>
<i>NP</i> → <i>TWA</i> <i>Houston</i>
<i>NP</i> → <i>Det Nominal</i>
<i>Nominal</i> → <i>book</i> <i>flight</i> <i>meal</i> <i>money</i>
<i>Nominal</i> → <i>Nominal Noun</i>
<i>Nominal</i> → <i>Nominal PP</i>
<i>VP</i> → <i>book</i> <i>include</i> <i>prefer</i>
<i>VP</i> → <i>Verb NP</i>
<i>VP</i> → <i>X2 PP</i>
<i>X2</i> → <i>Verb NP</i>
<i>VP</i> → <i>Verb PP</i>
<i>VP</i> → <i>VP PP</i>
<i>PP</i> → <i>Preposition NP</i>

Exercise 1

Parse the following sentence

Book	the	flight	through	Houston

Exercise 2

Retrieve all possible parse trees

[illegible]

Exercise 3

Given this corpus, show its complete PCFG:

```
( (S
  (NP-SBJ (DT The) (NN move))
  (VP (VBD followed)
    (NP
      (NP (DT a) (NN round))
      (PP (IN of)
        (NP
          (NP (JJ similar) (NNS increases))
          (PP (IN by)
            (NP (JJ other) (NNS lenders)))
          (PP (IN against)
            (NP (NNP Arizona) (JJ real) (NN estate) (NNS loans))))))
    (, ,)
    (S-ADV
      (NP-SBJ (-NONE- *))
      (VP (VBG reflecting)
        (NP
          (NP (DT a) (VBG continuing) (NN decline))
          (PP-LOC (IN in)
            (NP (DT that) (NN market))))))
    (. .)))
```

$T =$

$N =$

$S =$

$R =$

$q =$

Exercise 4 – The CKY algorithm for PCFG

Example by Michael Collins

Given the grammar:

S	⇒	NP	VP	1.0
VP	⇒	Vi		0.4
VP	⇒	Vt	NP	0.4
VP	⇒	VP	PP	0.2
NP	⇒	DT	NN	0.3
NP	⇒	NP	PP	0.7
PP	⇒	IN	NP	1.0

Vi	⇒	sleeps	1.0
Vt	⇒	saw	1.0
NN	⇒	man	0.7
NN	⇒	woman	0.2
NN	⇒	telescope	0.1
DT	⇒	the	1.0
IN	⇒	with	0.5
IN	⇒	in	0.5

Generate the best parse tree for the sentence:

The woman saw the man with the telescope

Exercise 4 – The CKY algorithm for PCFG


Example by Michael Collins

Generate the best parse tree for the sentence:

The woman saw the man with the telescope

Exercise 5

- Given the hyp and ref parse trees below, compute recall, precision and f-measure



Exercise 6 – Lexicalised CFG

Given the following CFG grammar, convert it into LCFG

$S \rightarrow NP VP$

$VP \rightarrow V NP$

$VP \rightarrow VP PP$

$PP \rightarrow P NP$

$P \rightarrow \text{with}$

$V \rightarrow \text{saw}$

$NP \rightarrow NP PP$

$NP \rightarrow \text{astronomers}$

$NP \rightarrow \text{ears}$

$NP \rightarrow \text{saw}$

$NP \rightarrow \text{stars}$

$NP \rightarrow \text{telescope}$