statistics of events in the last 30 days

user	count	avg_count	stdev_count
AAS3428	909	379.187	235.66890755782222
ACH0008	1338	379.187	235.66890755782222
ACJ0014	895	379.187	235.66890755782222
AJM2385	893	379.187	235.66890755782222
AKH0454	917	379.187	235.66890755782222
ARB0208	898	379.187	235.66890755782222
ASH1710	898	379.187	235.66890755782222
ATM1003	920	379.187	235.66890755782222
BBF2388	869	379.187	235.66890755782222
BCM3794	942	379.187	235.66890755782222
BMB0007	1345	379.187	235.66890755782222
BOR2387	1222	379.187	235.66890755782222
BUS1727	864	379.187	235.66890755782222
BVC0009	1267	379.187	235.66890755782222
BWK0172	935	379.187	235.66890755782222
CBA1023	903	379.187	235.66890755782222
CCW2381	897	379.187	235.66890755782222
	926		
CDC3413 CHB0996		379.187	235.66890755782222
	873	379.187	235.66890755782222
CMO2396	862	379.187	235.66890755782222
CMS0010	1432	379.187	235.66890755782222
CQS2883	856	379.187	235.66890755782222
DCW0174	892	379.187	235.66890755782222
DDL3007	910	379.187	235.66890755782222
DEF0998	944	379.187	235.66890755782222
DHG0962	854	379.187	235.66890755782222
DMH0011	1642	379.187	235.66890755782222
EVF1722	890	379.187	235.66890755782222
FKS0094	865	379.187	235.66890755782222
GGH1726	867	379.187	235.66890755782222
GJG0170	891	379.187	235.66890755782222
GKL0006	1613	379.187	235.66890755782222
GYH3476	856	379.187	235.66890755782222
HDB1666	957	379.187	235.66890755782222
ICH2378	956	379.187	235.66890755782222
IMN1730	879	379.187	235.66890755782222
JAF0209	894	379.187	235.66890755782222
JAY3851	890	379.187	235.66890755782222
JDM1042	874	379.187	235.66890755782222
JLC0216	855	379.187	235.66890755782222
KAM0005	1333	379.187	235.66890755782222
KLP0249	961	379.187	235.66890755782222
LAC0994	915	379.187	235.66890755782222
LIM1718	1224	379.187	235.66890755782222
LSL0001	1745	379.187	235.66890755782222
LSN1672	1067	379.187	235.66890755782222
MAR2386	907	379.187	235.66890755782222
MEB3004	903	379.187	235.66890755782222
MJA2380	1127	379.187	235.66890755782222
	927		
MKD1004	927	379.187	235.66890755782222



NM0173 925 379.187 235.66890755782222 NPK0369 930 379.187 235.66890755782222 NBS1016 945 379.187 235.66890755782222 OBD1308 925 379.187 235.66890755782222 OGD0015 913 379.187 235.66890755782222 OKH9377 931 379.187 235.66890755782222 QMP298 864 379.187 235.6689075578222 RAB112 862 379.187 235.6689075578222 RRC0283 93 379.187 235.6689075578222 RC03483 874 379.187 235.6689075578222 SC04384 379.187 235.6689075578222 SC03484 379.187 235.6689075578222 SC04394 108 379.187 235.6689075578222 SC0538 891 379.187 235.6689075578222 SC1588 981 379.187 235.6689075578222 SRS0129 102 379.187 235.6689075578222 SC75801 399.8 379.187	user	count	avg_count	stdev_count
NSB1016 945 379.187 235.66890755782222 OBH3008 325 379.187 235.66890755782222 OGD0015 913 379.187 235.66890755782222 OKW0251 869 379.187 235.66890755782222 OKH3777 931 379.187 235.66890755782222 OMP2998 884 379.187 235.66890755782222 RAB1712 862 379.187 235.66890755782222 RC0283 943 379.187 235.66890755782222 RC03483 874 379.187 235.66890755782222 SAB3860 864 379.187 235.66890755782222 SC017 854 379.187 235.66890755782222 SLC0017 854 379.187 235.66890755782222 SRS0129 1102 379.187 235.66890755782222 SRS0129 1102 379.187 235.66890755782222 SRS0129 1102 379.187 235.66890755782222 TGG0016 898 379.187 235.66890755782222 THE2879	NJM0173	925	379.187	235.66890755782222
OBH3008 925 379.187 235.66890755782222 OGD0015 913 379.187 235.66890755782222 OGW0251 868 379.187 235.66890755782222 OMP2989 884 379.187 235.66890755782222 RB1712 862 379.187 235.66890755782222 RBC0283 943 379.187 235.66890755782222 ROR3483 874 379.187 235.66890755782222 SDH2394 1098 379.187 235.66890755782222 SLC0017 854 379.187 235.66890755782222 SLC1588 891 379.187 235.66890755782222 SRS0129 1102 379.187 235.66890755782222 SYM2379 908 379.187 235.66890755782222 SYM2379 908 379.187 235.66890755782222 TGG0016 898 379.187 235.66890755782222 TGH331 859 379.187 235.66890755782222 TLK0003 1343 379.187 235.66890755782222 TSF347	NPK0369	930	379.187	235.66890755782222
OGD0015 913 379.187 235.68890755782222 OGW0251 869 379.187 235.68890755782222 OKH3777 931 379.187 235.68890755782222 QMP2998 884 379.187 235.68890755782222 RAB1712 862 379.187 235.68890755782222 REC0283 943 379.187 235.68890755782222 RCR3483 874 379.187 235.68890755782222 SAB3860 864 379.187 235.68890755782222 SLC0017 854 379.187 235.68890755782222 SLC228 1004 379.187 235.68890755782222 SLC1588 891 379.187 235.68890755782222 SRS0129 1102 379.187 235.68890755782222 SYW2279 908 379.187 235.68890755782222 TCG0016 898 379.187 235.68890755782222 THF2879 874 379.187 235.68890755782222 TLK0003 1343 379.187 235.68890755782222 TSF34	NSB1016	945	379.187	235.66890755782222
OGW0251 869 379.187 235.66890755782222 OKH3777 931 379.187 235.66890755782222 CMP2998 884 379.187 235.66890755782222 RAB1712 862 379.187 235.66890755782222 RC0283 943 379.187 235.66890755782222 RCR3483 874 379.187 235.66890755782222 SAB3860 864 379.187 235.66890755782222 SLC0017 854 379.187 235.66890755782222 SLC1588 891 379.187 235.66890755782222 SR82276 1034 379.187 235.66890755782222 SRS0129 1102 379.187 235.66890755782222 SRX0279 908 379.187 235.66890755782222 TCG0016 898 379.187 235.66890755782222 TLK0003 1343 379.187 235.66890755782222 TLK0003 1343 379.187 235.66890755782222 TS-3478 854 379.187 235.66890755782222 UMB0	OBH3008	925	379.187	235.66890755782222
OKH3777 931 379.187 235.66890755782222 QMP2998 884 379.187 235.66890755782222 RAB1712 862 379.187 235.66890755782222 REC0283 943 379.187 235.66890755782222 SC0283 874 379.187 235.66890755782222 SAB3860 864 379.187 235.66890755782222 SDH2394 1098 379.187 235.66890755782222 SLC1588 891 379.187 235.66890755782222 SRS2276 1034 379.187 235.66890755782222 SRS0129 1102 379.187 235.66890755782222 SYM2379 908 379.187 235.66890755782222 TGG0016 898 379.187 235.66890755782222 THE2879 874 379.187 235.66890755782222 TLK0003 1343 379.187 235.66890755782222 UMB0055 1165 379.187 235.66890755782222 VDB0247 852 379.187 235.66890755782222 VSP	OGD0015	913	379.187	235.66890755782222
QMP2998 884 379.187 235.66890755782222 RAB1712 862 379.187 235.66890755782222 REC0283 943 379.187 235.66890755782222 ROR3483 874 379.187 235.66890755782222 SAB3860 864 379.187 235.66890755782222 SDH2394 1098 379.187 235.66890755782222 SLC0017 854 379.187 235.66890755782222 SLC288 891 379.187 235.66890755782222 SRS0129 1102 379.187 235.66890755782222 SRS0129 1102 379.187 235.66890755782222 TGG0016 898 379.187 235.66890755782222 TGG0016 898 379.187 235.66890755782222 THE2879 874 379.187 235.66890755782222 TLK0003 1343 379.187 235.66890755782222 URC2874 868 379.187 235.66890755782222 VDB0247 862 379.187 235.66890755782222 VDB0	OGW0251	869	379.187	235.66890755782222
RAB1712 862 379.187 235.66890755782222 REC0283 943 379.187 235.66890755782222 ROR3483 874 379.187 235.66890755782222 SAB3860 864 379.187 235.66890755782222 SDH2394 1098 379.187 235.66890755782222 SLC0017 854 379.187 235.66890755782222 SLC1588 891 379.187 235.66890755782222 SR82276 1034 379.187 235.66890755782222 SRS0129 1102 379.187 235.66890755782222 SYM2379 908 379.187 235.66890755782222 TGG0016 898 379.187 235.66890755782222 THF2879 874 379.187 235.66890755782222 TLK0003 1343 379.187 235.66890755782222 UMB0055 1165 379.187 235.66890755782222 URC2874 868 379.187 235.66890755782222 VSP004 1202 379.187 235.66890755782222 VS	OKH3777	931	379.187	235.66890755782222
REC0283 943 379.187 235.66890755782222 ROR3483 874 379.187 235.66890755782222 SAB3860 864 379.187 235.66890755782222 SDH2394 1098 379.187 235.66890755782222 SLC017 854 379.187 235.66890755782222 SLC1588 891 379.187 235.66890755782222 SR5276 1034 379.187 235.66890755782222 SR50129 1102 379.187 235.66890755782222 SYM2379 908 379.187 235.66890755782222 TCG0016 898 379.187 235.66890755782222 THF2879 874 379.187 235.66890755782222 THK2879 874 379.187 235.66890755782222 TSF3478 854 379.187 235.66890755782222 UMB0055 1165 379.187 235.66890755782222 VSD0247 852 379.187 235.66890755782222 VSD024 369 379.187 235.66890755782222 VSB024	QMP2998	884	379.187	235.66890755782222
ROR3483 874 379.187 235.66890755782222 SAB3860 864 379.187 235.66890755782222 SDH2394 1098 379.187 235.66890755782222 SLC0017 854 379.187 235.66890755782222 SLC1588 891 379.187 235.6689075578222 SRS2276 1034 379.187 235.6689075578222 SRS0129 1102 379.187 235.6689075578222 SYM2379 908 379.187 235.6689075578222 TGG0016 898 379.187 235.6689075578222 THF2879 874 379.187 235.6689075578222 TLK0003 1343 379.187 235.6689075578222 TLK0003 1343 379.187 235.6689075578222 URC2874 868 379.187 235.6689075578222 VSP0004 1202 379.187 235.6689075578222 VSP0024 862 379.187 235.6689075578222 VSP0034 1202 379.187 235.6689075578222 VSP0004	RAB1712	862	379.187	235.66890755782222
SAB3860 864 379.187 235.66890755782222 SDH2394 1098 379.187 235.66890755782222 SLC0017 854 379.187 235.66890755782222 SLC1588 891 379.187 235.66890755782222 SRB2276 1034 379.187 235.66890755782222 SRS0129 1102 379.187 235.66890755782222 SYM2379 908 379.187 235.66890755782222 TCG0016 888 379.187 235.66890755782222 THF2879 874 379.187 235.66890755782222 TLK0003 1343 379.187 235.66890755782222 TSF3478 854 379.187 235.66890755782222 VMB0055 1165 379.187 235.66890755782222 VDE0247 882 379.187 235.66890755782222 VSF0004 1202 379.187 235.66890755782222 VKB2321 996 379.187 235.66890755782222 VKW3832 880 379.187 235.66890755782222 V	REC0283	943	379.187	235.66890755782222
SDH2394 1098 379.187 235.66890755782222 SLC0017 854 379.187 235.66890755782222 SLC1588 891 379.187 235.66890755782222 SRB2276 1034 379.187 235.66890755782222 SRS0129 1102 379.187 235.66890755782222 SYM2379 908 379.187 235.66890755782222 TCG0016 898 379.187 235.66890755782222 TGH3351 859 379.187 235.66890755782222 TLK0003 1343 379.187 235.66890755782222 TLK0003 1343 379.187 235.66890755782222 UMB0055 1165 379.187 235.66890755782222 VDR0247 868 379.187 235.66890755782222 VSF0004 1202 379.187 235.66890755782222 VSF0004 1202 379.187 235.66890755782222 VKW3832 880 379.187 235.66890755782222 ZKW0171 874 379.187 235.66890755782222 <td< td=""><td>ROR3483</td><td>874</td><td>379.187</td><td>235.66890755782222</td></td<>	ROR3483	874	379.187	235.66890755782222
SLC0017 854 379.187 235.66890755782222 SLC1588 891 379.187 235.66890755782222 SRB2276 1034 379.187 235.66890755782222 SRS0129 1102 379.187 235.66890755782222 SYM2379 908 379.187 235.66890755782222 TCG0016 898 379.187 235.66890755782222 TGH3351 859 379.187 235.66890755782222 THE2879 874 379.187 235.66890755782222 TLK0003 1343 379.187 235.66890755782222 TSF3478 854 379.187 235.66890755782222 UMB0055 1165 379.187 235.66890755782222 VDB0247 852 379.187 235.66890755782222 VSF0004 1202 379.187 235.66890755782222 VBB2321 996 379.187 235.66890755782222 XIW0171 874 379.187 235.66890755782222 ZBW0132 890 379.187 235.66890755782222 ZB	SAB3860	864	379.187	235.66890755782222
SLC1588 891 379.187 235.66890755782222 SRB2276 1034 379.187 235.66890755782222 SRS0129 1102 379.187 235.66890755782222 SYM2379 908 379.187 235.66890755782222 TCG0016 898 379.187 235.66890755782222 TGH3351 859 379.187 235.6689075578222 THF2879 874 379.187 235.6689075578222 TLK0003 1343 379.187 235.6689075578222 TSF3478 854 379.187 235.6689075578222 UMB0055 1165 379.187 235.6689075578222 VDB0247 868 379.187 235.6689075578222 VSF0004 1202 379.187 235.6689075578222 VBB2321 996 379.187 235.66890755782222 XIW0171 874 379.187 235.66890755782222 XIW0182 880 379.187 235.66890755782222 ZBW0132 897 379.187 235.66890755782222 ZBW1015 </td <td>SDH2394</td> <td>1098</td> <td>379.187</td> <td>235.66890755782222</td>	SDH2394	1098	379.187	235.66890755782222
SRB2276 1034 379.187 235.66890755782222 SRS0129 1102 379.187 235.66890755782222 SYM2379 908 379.187 235.66890755782222 TCG0016 898 379.187 235.66890755782222 TGH3351 859 379.187 235.66890755782222 TH2879 874 379.187 235.66890755782222 TLK0003 1343 379.187 235.66890755782222 TSF3478 854 379.187 235.66890755782222 UMB0055 1165 379.187 235.66890755782222 VDB0247 868 379.187 235.66890755782222 VSF0004 1202 379.187 235.66890755782222 VBB2321 996 379.187 235.66890755782222 XIW0171 874 379.187 235.66890755782222 YKW3832 880 379.187 235.66890755782222 ZBW0132 897 379.187 235.66890755782222 ZBW1015 856 379.187 235.66890755782222 ZBW	SLC0017	854	379.187	235.66890755782222
SRS0129 1102 379.187 235.66890755782222 SYM2379 908 379.187 235.66890755782222 TCG0016 898 379.187 235.66890755782222 TGH3351 859 379.187 235.66890755782222 THF2879 874 379.187 235.66890755782222 TLK0003 1343 379.187 235.66890755782222 TSF3478 854 379.187 235.66890755782222 URC2874 868 379.187 235.66890755782222 VDB0247 852 379.187 235.66890755782222 VSF0004 1202 379.187 235.66890755782222 WBB2321 996 379.187 235.66890755782222 XIW0171 874 379.187 235.66890755782222 YKW3832 880 379.187 235.66890755782222 ZBW0132 897 379.187 235.66890755782222 ZBW1015 856 379.187 235.66890755782222 ZCS0012 1231 379.187 235.66890755782222	SLC1588	891	379.187	235.66890755782222
SYM2379 908 379.187 235.66890755782222 TCG0016 898 379.187 235.66890755782222 TGH3351 859 379.187 235.66890755782222 THF2879 874 379.187 235.66890755782222 TLK0003 1343 379.187 235.66890755782222 TSF3478 854 379.187 235.66890755782222 UMB0055 1165 379.187 235.66890755782222 VDB0247 868 379.187 235.66890755782222 VSF0004 1202 379.187 235.66890755782222 VBB2321 996 379.187 235.66890755782222 XIW0171 874 379.187 235.66890755782222 YKW3832 880 379.187 235.66890755782222 ZBW0132 897 379.187 235.66890755782222 ZBW1015 856 379.187 235.66890755782222 ZCS0012 1231 379.187 235.66890755782222	SRB2276	1034	379.187	235.66890755782222
TCG0016 898 379.187 235.66890755782222 TGH3351 859 379.187 235.66890755782222 THF2879 874 379.187 235.66890755782222 TLK0003 1343 379.187 235.66890755782222 TSF3478 854 379.187 235.66890755782222 UMB0055 1165 379.187 235.66890755782222 VDB0247 852 379.187 235.66890755782222 VSF0004 1202 379.187 235.66890755782222 VWBB2321 996 379.187 235.66890755782222 XIW0171 874 379.187 235.66890755782222 YKW3832 880 379.187 235.66890755782222 ZBW1015 856 379.187 235.66890755782222 ZBW1015 856 379.187 235.66890755782222 ZCS0012 1231 379.187 235.66890755782222	SRS0129	1102	379.187	235.66890755782222
TGH3351 859 379.187 235.66890755782222 THF2879 874 379.187 235.66890755782222 TLK0003 1343 379.187 235.66890755782222 TSF3478 854 379.187 235.66890755782222 UMB0055 1165 379.187 235.66890755782222 VDB0247 852 379.187 235.66890755782222 VSF0004 1202 379.187 235.66890755782222 WBB2321 996 379.187 235.66890755782222 XIW0171 874 379.187 235.66890755782222 YKW3832 880 379.187 235.66890755782222 ZBW1012 897 379.187 235.66890755782222 ZBW1015 856 379.187 235.66890755782222 ZCS0012 1231 379.187 235.66890755782222	SYM2379	908	379.187	235.66890755782222
THF2879 874 379.187 235.66890755782222 TLK0003 1343 379.187 235.66890755782222 TSF3478 854 379.187 235.66890755782222 UMB0055 1165 379.187 235.66890755782222 URC2874 868 379.187 235.66890755782222 VDB0247 852 379.187 235.66890755782222 VSF0004 1202 379.187 235.66890755782222 WBB2321 996 379.187 235.66890755782222 XIW0171 874 379.187 235.66890755782222 YKW3832 880 379.187 235.66890755782222 ZBW1015 856 379.187 235.66890755782222 ZBW1015 856 379.187 235.66890755782222 ZCS0012 1231 379.187 235.66890755782222	TCG0016	898	379.187	235.66890755782222
TLK0003 1343 379.187 235.66890755782222 TSF3478 854 379.187 235.66890755782222 UMB0055 1165 379.187 235.66890755782222 URC2874 868 379.187 235.66890755782222 VDB0247 852 379.187 235.66890755782222 VSF0004 1202 379.187 235.66890755782222 XIW0171 874 379.187 235.66890755782222 YKW3832 880 379.187 235.66890755782222 ZBW1032 897 379.187 235.66890755782222 ZBW1015 856 379.187 235.66890755782222 ZCS0012 1231 379.187 235.66890755782222	TGH3351	859	379.187	235.66890755782222
TSF3478 854 379.187 235.66890755782222 UMB0055 1165 379.187 235.66890755782222 URC2874 868 379.187 235.66890755782222 VDB0247 852 379.187 235.66890755782222 VSF0004 1202 379.187 235.66890755782222 WBB2321 996 379.187 235.66890755782222 XIW0171 874 379.187 235.66890755782222 YKW3832 880 379.187 235.66890755782222 ZBW0132 897 379.187 235.66890755782222 ZBW1015 856 379.187 235.66890755782222 ZCS0012 1231 379.187 235.66890755782222	THF2879	874	379.187	235.66890755782222
UMB0055 1165 379.187 235.66890755782222 URC2874 868 379.187 235.66890755782222 VDB0247 852 379.187 235.66890755782222 VSF0004 1202 379.187 235.66890755782222 WBB2321 996 379.187 235.66890755782222 XIW0171 874 379.187 235.66890755782222 YKW3832 880 379.187 235.66890755782222 ZBW0132 897 379.187 235.66890755782222 ZBW1015 856 379.187 235.66890755782222 ZCS0012 1231 379.187 235.66890755782222	TLK0003	1343	379.187	235.66890755782222
URC2874 868 379.187 235.66890755782222 VDB0247 852 379.187 235.66890755782222 VSF0004 1202 379.187 235.66890755782222 WBB2321 996 379.187 235.66890755782222 XIW0171 874 379.187 235.66890755782222 YKW3832 880 379.187 235.66890755782222 ZBW0132 897 379.187 235.66890755782222 ZBW1015 856 379.187 235.66890755782222 ZCS0012 1231 379.187 235.66890755782222	TSF3478	854	379.187	235.66890755782222
VDB0247 852 379.187 235.66890755782222 VSF0004 1202 379.187 235.66890755782222 WBB2321 996 379.187 235.66890755782222 XIW0171 874 379.187 235.66890755782222 YKW3832 880 379.187 235.66890755782222 ZBW0132 897 379.187 235.66890755782222 ZBW1015 856 379.187 235.66890755782222 ZCS0012 1231 379.187 235.66890755782222	UMB0055	1165	379.187	235.66890755782222
VSF0004 1202 379.187 235.66890755782222 WBB2321 996 379.187 235.66890755782222 XIW0171 874 379.187 235.66890755782222 YKW3832 880 379.187 235.66890755782222 ZBW0132 897 379.187 235.66890755782222 ZBW1015 856 379.187 235.66890755782222 ZCS0012 1231 379.187 235.66890755782222	URC2874	868	379.187	235.66890755782222
WBB2321 996 379.187 235.66890755782222 XIW0171 874 379.187 235.66890755782222 YKW3832 880 379.187 235.66890755782222 ZBW0132 897 379.187 235.66890755782222 ZBW1015 856 379.187 235.66890755782222 ZCS0012 1231 379.187 235.66890755782222	VDB0247	852	379.187	235.66890755782222
XIW0171 874 379.187 235.66890755782222 YKW3832 880 379.187 235.66890755782222 ZBW0132 897 379.187 235.66890755782222 ZBW1015 856 379.187 235.66890755782222 ZCS0012 1231 379.187 235.66890755782222	VSF0004	1202	379.187	235.66890755782222
YKW3832 880 379.187 235.66890755782222 ZBW0132 897 379.187 235.66890755782222 ZBW1015 856 379.187 235.66890755782222 ZCS0012 1231 379.187 235.66890755782222	WBB2321	996	379.187	235.66890755782222
ZBW0132 897 379.187 235.66890755782222 ZBW1015 856 379.187 235.66890755782222 ZCS0012 1231 379.187 235.66890755782222	XIW0171	874	379.187	235.66890755782222
ZBW1015 856 379.187 235.66890755782222 ZCS0012 1231 379.187 235.66890755782222	YKW3832	880	379.187	235.66890755782222
ZCS0012 1231 379.187 235.66890755782222	ZBW0132	897	379.187	235.66890755782222
	ZBW1015	856	379.187	235.66890755782222
ZHF1006 892 379.187 235.66890755782222	ZCS0012	1231	379.187	235.66890755782222
	ZHF1006	892	379.187	235.66890755782222



Chart for the last 30 days



