# Chapter 14

## MCQ Practice Questions

General Agents — Claude Code & Cowork
Panaversity — General Agents Foundations

50 Practice MCQs

Prepared for: Imran Hassan | 2026

# MCQ Practice — Chapter 14

| 50 | 20 | 20 | 10 |
|---|---|---|---|
| Total Questions | Easy | Medium | Hard |

**Topics:** General Agents, Claude Code, CLAUDE.md, Skills, Subagents, MCP, Hooks, Plugins, Ralph Loop, Agent Teams, Cowork, Remote Control

## Section 1: General Agents & Claude Code Basics

Question 1 **Easy**

**General Agent aur Custom Agent mein key relationship kya hai?**

**A)** Dono compete karte hain

**B)** "General Agents are builders. Custom Agents are products."

**C)** Custom Agents General Agents ko replace karte hain

**D)** Dono same kaam karte hain

**Correct Answer: B**
Chapter 14 ka key quote: "General Agents are builders. Custom Agents are products." Dono compete nahi karte.

Question 2 **Easy**

**Claude Code kab publicly launch hua?**

**A)** September 2024

**B)** January 2025

**C)** May 2025

**D)** January 2026

**Correct Answer: C**
May 2025: Public launch. Sep 2024: Boris Cherny experiment. Jan 2026: Claude Cowork launch.

Question 3 Easy

**"Product Overhang" ka matlab kya hai?**

**A)** Product overpriced hai

**B)** Latent capability jo model mein already hai — sahi interface se unlock hoti hai

**C)** Product outdated ho gaya

**D)** Market mein products ki zyada supply

**Correct Answer: B**
Product Overhang = latent capability already exists — sahi product interface se unlock hoti hai. Claude Code + Cowork dono iske examples hain.

Question 4 Easy

**Claude Code ke liye minimum kaunsa subscription chahiye?**

**A)** Free plan

**B)** Pro plan ($20/month)

**C)** Team plan

**D)** Enterprise plan only

**Correct Answer: B**
Minimum Pro subscription ($20/month) chahiye. Free plan mein Claude Code access NAHI milta.

Question 5 **Easy**

### Claude Code mein installation check karne ka diagnostic command kya hai?

**A)** `claude check`

**B)** `claude status`

**C)** `claude doctor`

**D)** `claude verify`

**Correct Answer: C**
`claude doctor` — installation, authentication, compatibility, API connectivity check karta hai.

Question 6 **Medium**

### Claude Code mein approval kaise dete hain aur reject kaise karte hain?

**A)** Yes/No type karo

**B)** Approve: Enter | Reject: Escape

**C)** Click OK / Cancel

**D)** Approve: Space | Reject: Delete

**Correct Answer: B**
Approve = Enter. Reject = Escape. Read-only operations ke liye approval ki zarurat nahi.

Question 7 **Medium**

### Claude Cowork January 2026 mein kis ke liye launch hua?

**A)** Senior developers ke liye

**B)** Knowledge workers ke liye jo terminal use nahi karte

**C)** Sirf enterprises ke liye

**D)** Students ke liye

**Correct Answer: B**
Cowork knowledge workers ke liye — jo terminal nahi use kar sakte lekin agentic capabilities chahiye. Second product overhang.

Question 8 Easy

**Claude 2026 mein kitne modes mein available hai?**

**A)** 4

**B)** 6

**C)** 8

**D)** 10

**Correct Answer: C**
8 Modes: Chat, Cowork, Projects, Artifacts, Excel, Connectors, Plugins, Skills.

## Section 2: CLAUDE.md, AGENTS.md & Context

Question 9 Easy

**CLAUDE.md kya hai?**

**A)** Claude ka documentation file

**B)** Persistent markdown file jo Claude Code har session start mein auto-load karta hai

**C)** Claude ka API key file

**D)** Settings file

**Correct Answer: B**
CLAUDE.md = persistent context file. LLM stateless hai — CLAUDE.md external memory ka kaam karta hai. Har session mein auto-load.

Question 10 **Easy**

### CLAUDE.md automatically generate karne ka command kya hai?

**A)** `/create`

**B)** `/init`

**C)** `/setup`

**D)** `/generate`

**Correct Answer: B**
`/init` — Claude codebase analyze karta hai aur CLAUDE.md automatically banata hai.

Question 11 **Medium**

### CLAUDE.md ki recommended maximum size kya hai?

**A)** 50 lines

**B)** 100 lines

**C)** 200 lines

**D)** 500 lines

**Correct Answer: C**
Under 200 lines. Zyada ho to `@path/to/file` imports use karo.

Question 12 **Medium**

### AGENTS.md aur CLAUDE.md mein kya fark hai?

**A)** Dono same hain

**B)** AGENTS.md universal (saare AI tools), CLAUDE.md Claude-specific features ke liye

**C)** CLAUDE.md sirf code ke liye, AGENTS.md documentation ke liye

**D)** AGENTS.md purana format hai

**Correct Answer: B**
AGENTS.md = universal (60,000+ projects, donated to AAIF). CLAUDE.md = Claude-specific (skills, MCP, hooks). Best practice: CLAUDE.md references AGENTS.md.

Question 13 **Medium**

### CLAUDE.md load nahi ho raha — troubleshoot kaise karein?

**A)** Computer restart karo

**B)** File naam exactly CLAUDE.md (case-sensitive), project root mein ho, session restart karo

**C)** Internet check karo

**D)** Pro subscription lelo

**Correct Answer: B**
3 checks: 1) Naam exactly CLAUDE.md (case-sensitive). 2) Project root mein. 3) Session restart. Confirm via `/memory` command.

Question 14 **Hard**

### CLAUDE.md ke 6 sections sahi order mein kya hain?

**A)** Features, Bugs, Tests, Deploy, Monitor, Update

**B)** Project Overview, Tech Stack, Directory Structure, Conventions, Key Commands, Important Notes

**C)** Goals, Timeline, Budget, Team, Resources, Risks

**D)** Install, Configure, Run, Test, Deploy, Maintain

**Correct Answer: B**
6 Sections: 1-Project Overview, 2-Technology Stack, 3-Directory Structure, 4-Coding Conventions, 5-Key Commands, 6-Important Notes.

## Section 3: Skills & Subagents

Question 15 **Easy**

**Chapter 14 ka core thesis skills ke baare mein kya hai?**

**A)** "Build more agents"

**B)** "Stop building agents. Build skills instead."

**C)** "Use MCP for everything"

**D)** "Hire more developers"

**Correct Answer: B**
Lesson 8 ka core thesis: "Stop building agents. Build skills instead." Skills = portable expertise.

Question 16 **Easy**

**Skills kahan store hote hain?**

**A)** `~/skills/`

**B)** `.claude/skills/`

**C)** `/usr/skills/`

**D)** `.github/skills/`

**Correct Answer: B**
Skills `.claude/skills/` directory mein store hote hain. Har skill ek SKILL.md file chahiye.

Question 17 **Easy**

### Intelligence + Execution ke baad bhi kya missing hoti hai?

**A)** Speed

**B)** Expertise (Skills)

**C)** Memory

**D)** Internet access

**Correct Answer: B**
"Intelligence + execution still isn't expertise." Skills domain-specific expertise provide karte hain. Formula: Intelligence + Code + Skills = Complete Digital FTE.

Question 18 **Medium**

### SKILL.md mein YAML frontmatter mein kaunsa field activation trigger hai?

**A)** name

**B)** version

**C)** description

**D)** author

**Correct Answer: C**
Description field = ACTIVATION TRIGGER. Claude yeh padh ke decide karta hai skill relevant hai ya nahi.

Question 19 **Medium**

**Subagent ki defining characteristic kya hai?**

**A)** Sirf code likhta hai

**B)** Isolated context window — apna alag workspace

**C)** Internet access hai

**D)** Hamesha parallel run karta hai

**Correct Answer: B**
Subagent = specialized AI with its OWN isolated context window. Bina isolation ke research notes planning tasks confuse karte hain.

Question 20 **Easy**

**Files locate karne aur code search ke liye kaunsa built-in subagent use hota hai?**

**A)** Plan

**B)** Bash

**C)** Explore

**D)** claude-code-guide

**Correct Answer: C**
Explore subagent (Haiku model) = files locate, code search, structure understand. Plan subagent = complex multi-step tasks.

Question 21 **Medium**

**Subagents kab use karein Skills ki jagah?**

**A)** Jab simple repeated pattern ho

**B)** Jab lightweight operation ho

**C)** Jab complex workflow ho aur isolated context zaroori ho

**D)** Jab automatic trigger chahiye ho

**Correct Answer: C**
Subagents: complex workflows, guaranteed execution, isolated context. Skills: repeated patterns, automatic triggers, lightweight, shared context OK.

Question 22 **Hard**

### Skill fast banane ka tarika kya hai?

**A)** Manually YAML likhna

**B)** skill-creator meta-skill use karna — Claude guided interview se skill banata hai

**C)** GitHub se download karna

**D)** Template copy karna

**Correct Answer: B**
skill-creator meta-skill = "fast way". Claude interview karta hai aur SKILL.md automatically generate karta hai.

## Section 4: MCP Integration & Settings

Question 23 **Easy**

### MCP Claude Code mein kya karta hai?

**A)** Code compile karta hai

**B)** Local filesystem se bahar external systems tak access deta hai

**C)** Password store karta hai

**D)** Performance boost karta hai

**Correct Answer: B**
MCP = "safe, approved access to the outside world." Websites, APIs, databases, current docs accessible ho jaate hain.

Question 24 **Medium**

### Digital FTE ka formula kya hai?

**A)** AI + Internet + Speed = Digital FTE

**B)** CLAUDE.md + Skills + MCP = Digital FTE

**C)** Code + Tests + Deploy = Digital FTE

**D)** Chat + Voice + Vision = Digital FTE

**Correct Answer: B**
Context (CLAUDE.md) + Procedures (Skills) + Access (MCP) = Digital FTE. Teeno pillars zaroori hain.

Question 25 **Medium**

### MCP ko Skills mein compile karne se kitni token savings milti hai?

**A)** 20-30%

**B)** 50-60%

**C)** 75-80%

**D)** 97-98%

**Correct Answer: D**
Direct MCP: 9,500-12,500 tokens. Compiled Skill: ~250 tokens. Savings: 97-98%! Massive optimization.

Question 26 **Easy**

**Settings hierarchy mein kaunsa level highest precedence rakhta hai?**

**A)** User level

**B)** Project level

**C)** Local level

**D)** Global level

**Correct Answer: C**
Precedence: Local > Project > User. Most specific wins. Local level aapke machine par is project ke liye.

Question 27 **Medium**

**CI/CD pipelines ke liye kaunsa permission mode use karein?**

**A)** default

**B)** acceptEdits

**C)** auto

**D)** bypassPermissions

**Correct Answer: D**
bypassPermissions = sab bina approval ke. CI/CD pipelines aur isolated containers ke liye best. Carefully use karo!

Question 28 **Hard**

**Permission modes ke beech switch karne ke liye kya use karte hain?**

**A)** Ctrl+Tab

**B)** Shift+Tab

**C)** Alt+Tab

**D)** /config command

**Correct Answer: B**
Shift+Tab = permission modes ke beech cycle karo. /config = settings interactively manage karo.

## Section 5: Hooks, Plugins & Ralph Loop

Question 29 **Easy**

**Hooks aur manual reminders mein kya fark hai?**

**A)** Hooks expensive hain

**B)** "Without hooks you RELY ON Claude. With hooks, behavior is GUARANTEED."

**C)** Hooks sirf Pro ke liye hain

**D)** Koi fark nahi

**Correct Answer: B**
Hooks = application-level guarantees. Claude pe rely nahi karna padta — behavior guaranteed hai through code.

Question 30 **Easy**

**Hook exit code 2 ka matlab kya hai?**

**A)** Success

**B)** Warning (non-blocking)

**C)** Action block karo with error

**D)** Skip karo

**Correct Answer: C**
Exit code 0 = success. Exit code 2 = block the action with error. Other codes = non-blocking warnings.

Question 31 **Medium**

### PostToolUse hook kab trigger hota hai?

**A)** Tool execute hone se pehle

**B)** Session start hone par

**C)** Tool complete hone ke baad

**D)** Prompt submit karne par

**Correct Answer: C**
PostToolUse = tool complete hone ke BAAD trigger hota hai. Use: format code, run tests, log activity.

Question 32 **Easy**

### Plugin Manager access karne ka command kya hai?

**A)** `/plugins`

**B)** `/plugin`

**C)** `/install`

**D)** `/marketplace`

**Correct Answer: B**
`/plugin` = Plugin Manager. 4 tabs: Discover, Installed, Marketplaces, Errors.

Question 33 **Medium**

### Ralph Wiggum Loop kya karta hai?

**A)** Code format karta hai

**B)** Autonomous iteration — task run, errors check, fix, repeat bina user intervention ke

**C)** Files backup karta hai

**D)** API calls karta hai

**Correct Answer: B**
Ralph Loop = autonomous iteration plugin. Solves "iteration fatigue" — 30-minute manual feedback loop khatam!

Question 34 **Medium**

### Ralph Loop ke liye "Completion Promise" kya hoti hai?

**A)** User ki promise

**B)** Static text signal jo task completion indicate kare — loop ruk jaata hai

**C)** Payment commitment

**D)** Git commit message

**Correct Answer: B**
Completion Promise = static text (e.g., "All tests passing"). Jab Claude yeh output kare to loop ruk jaata hai. Set once at start — cannot change during runtime.

Question 35 **Hard**

### Ralph Loop ke liye "Golden Rule" kya hai?

**A)** Max 10 iterations honi chahiye

**B)** "Success must be objective, verifiable, and deterministic — tools se measure ho, human judgment se nahi"

**C)** Cost $100 se kam honi chahiye

**D)** Sirf code tasks ke liye use karo

**Correct Answer: B**
Golden Rule: "Success must be objective, verifiable, and deterministic." Human judgment wale tasks ke liye Ralph Loop use mat karo.

## Section 6: Agent Teams, Remote Control & Cowork

Question 36 **Easy**

### Agent Teams aur Subagents mein key distinction kya hai?

**A)** Teams faster hain

**B)** "Teammates ko aapas mein baat karni ho = Teams. Sirf report back = Subagents."

**C)** Teams zyada accurate hain

**D)** Subagents parallel run nahi karte

**Correct Answer: B**
"If teammates need to talk to each other, use teams. If they just report back, use subagents." — Chapter 14 key distinction.

Question 37 **Medium**

### Agent Teams kitne zyada tokens use karte hain subagents se?

**A)** 1-2x

**B)** 3-5x

**C)** 10x

**D)** Same tokens

**Correct Answer: B**
Teams 3-5x zyada tokens use karte hain — har teammate full context + inter-agent messaging maintain karta hai.

Question 38 **Medium**

**Worktree ( `claude --worktree` ) kaunse branch se branch karta hai?**

**A)** Current local branch se

**B)** Default remote branch se (origin/main)

**C)** Newest branch se

**D)** Selected branch se

**Correct Answer: B**
Critical Gotcha: Worktrees ALWAYS default remote branch (origin/main) se branch karte hain — current branch se NAHI!

Question 39 **Easy**

**Remote Control mein processing kahan hoti hai?**

**A)** Cloud mein

**B)** Remote device par

**C)** Local machine par — remote device sirf control karta hai

**D)** Dono jagah simultaneously

**Correct Answer: C**
"Your machine does the work, any device becomes a remote control." Local machine kaam karti hai — nothing moves to cloud.

Question 40 **Medium**

### Remote Control ke liye kaunsa authentication compatible NAHI hai?

**A)** Pro subscription

**B)** Max subscription

**C)** API key authentication

**D)** Team subscription

**Correct Answer: C**
Remote Control API key authentication ke saath compatible NAHI. Pro/Max/Team/Enterprise subscription + /login zaroori.

Question 41 **Easy**

### Claude Cowork macOS par kaunsa hardware chahiye?

**A)** Intel Mac kaafi hai

**B)** Apple Silicon (M1+) zaroori hai

**C)** Koi bhi Mac

**D)** Mac Pro only

**Correct Answer: B**
Cowork macOS pe Apple Silicon (M1, M2, M3, M4+) chahiye. Intel Macs sirf Chat mode milta hai!

Question 42 **Medium**

### Computer Use mein tool selection hierarchy mein sabse pehle kya try karein?

**A)** Computer Use (screen control)

**B)** Browser

**C)** Connectors (Gmail, Slack) — fastest

**D)** Bash

**Correct Answer: C**
Priority: 1-Connectors (fastest), 2-Bash (fast), 3-Browser (medium), 4-Computer Use (slowest — fallback).

## Section 7: Scheduled Tasks & Final Revision

Question 43 **Easy**

### /loop command ka default interval kya hai?

**A)** 1 minute

**B)** 5 minutes

**C)** 10 minutes

**D)** 30 minutes

**Correct Answer: C**
/loop bina interval specify kiye = default 10 minutes. Example: `/loop 5m` = har 5 minutes.

Question 44 **Medium**

### Cron expression `0 9 * * 1-5` ka matlab kya hai?

**A)** Har ghante

**B)** Roz subah 9 baje

**C)** Weekdays (Mon-Fri) subah 9 baje

**D)** Har 9 minutes

**Correct Answer: C**
`0 9 * * 1-5` = minute:0, hour:9, any day, any month, Mon-Fri. Weekdays 9am.

Question 45 **Medium**

### Channel kya hai Claude Code mein?

**A)** Communication channel teams ke beech

**B)** MCP server with push capabilities — external systems running sessions mein events bhejte hain

**C)** YouTube channel

**D)** Slack workspace

**Correct Answer: B**
Channel = MCP server with push capabilities. External systems (Telegram, Discord) events push karte hain running session mein.

Question 46 **Hard**

### Automation Triptych ke teen parts kya hain?

**A)** Code, Test, Deploy

**B)** Time-driven (/loop), Event-driven (Channels), Human-driven (Remote Control)

**C)** Skills, Subagents, MCP

**D)** Plan, Execute, Review

**Correct Answer: B**
Automation Triptych: 1-/loop (time-driven), 2-Channels (event-driven/external push), 3-Remote Control (human-driven).

Question 47 **Hard**

### Agent Teams mein "Competing Hypotheses" pattern kyu powerful hai?

**A)** Fast hai

**B)** Sasta hai

**C)** Single investigator pehli explanation pe ruk jaata hai — multiple teams jo ek doosre ko challenge karein, surviving hypothesis real root cause hoti hai

**D)** Code likhna easy hota hai

**Correct Answer: C**
"A single investigator finds one plausible explanation and stops. With four independent investigators challenging each other, the surviving hypothesis is more likely the real root cause."

Question 48 **Medium**

### Code vs Cowork decision ka core rule kya hai?

**A)** "Developers = Cowork, Non-technical = Code"

**B)** "Code for code, Cowork for documents"

**C)** "Terminal users = Code, GUI users = Cowork"

**D)** "Both are same — use either"

**Correct Answer: B**
"Code for code, Cowork for documents." Primary artifact type decide karta hai kaunsa use karein.

Question 49 **Hard**

### Free backends ke saath Claude Code ke features ke baare mein kya sach hai?

**A)** Sirf basic features milte hain

**B)** MCP servers nahi milte

**C)** "All features work identically — Subagents, Skills, MCP, Hooks sab same"

**D)** Speed bahut slow hoti hai

**Correct Answer: C**
"All features work identically: Subagents, skills, MCP servers, hooks, and all other capabilities function the same way with free backends."

Question 50 **Hard**

**Chapter 14 ka opening statement kya kehta hai?**

**A)** "AI will replace all developers"

**B)** "Understanding transformation and experiencing it are two different things"

**C)** "Claude Code is the best tool"

**D)** "AI development is difficult"

**Correct Answer: B**
"You know why AI-driven development matters. But understanding transformation and experiencing it are two different things." — Chapter 14 opening.

## Mubarak Ho Imran Hassan!

**Teeno Chapters Complete!**

Chapter 12 ✅ Chapter 13 ✅ Chapter 14 ✅

Ab aap exam ke liye ready hain!

Chapter 14 — General Agents | MCQ Practice | Imran Hassan | Panaversity