








QEMU (Win2)





Internet Protocol Version 4 (TCP/IPv4) Properties

General

You can get IP settings assigned automatically if your network supports this capability. Otherwise, you need to ask your network administrator for the appropriate IP settings.

☐ Obtain an IP address automatically

☒ Use the following IP address:

IP address:

50 . 0 . 0 . 20

Subnet mask:

255 . 0 . 0 . 0

Default gateway:

. . .

☐ Obtain DNS server address automatically

☒ Use the following DNS server addresses:

Preferred DNS server:

. . .

Alternate DNS server:

. . .

☐ Validate settings upon exit

Advanced...

OK

Cancel


Search Network Connections

ection >>

Local Area Connection 3

Disabled

Cisco AnyConnect Secure Mo



PDF

Image to PDF



Administrator: Command Prompt

Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.

C:\Users\user>ping 50.0.0.10

Pinging 50.0.0.10 with 32 bytes of data:

Reply from 50.0.0.10: bytes=32 time=2ms TTL=128

Reply from 50.0.0.10: bytes=32 time=1ms TTL=128

Reply from 50.0.0.10: bytes=32 time=1ms TTL=128

Reply from 50.0.0.10: bytes=32 time=1ms TTL=128


Ping statistics for 50.0.0.10:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 1ms, Maximum = 2ms, Average = 1ms

C:\Users\user>



QEMU (Win2)

System Properties

Computer Name/Domain Changes

You can change the name and the membership of this computer. Changes might affect access to network resources. [More information](#)

Computer name:

sys2

Full computer name:

sys2

More...

Member of

☐ Domain:

☒ Workgroup:

WORKGROUP

OK

Cancel

OK

Cancel

Apply

PDF

Image to PDF

Administrator: Command Prompt

Administrator: Command Prompt

Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.

C:\Users\user>
C:\Users\user>
C:\Users\user>
C:\Users\user>ping sys1

Pinging sys1 [fe80::2ceb:ccb5:788:1e35%11] with 32 bytes of data:
Reply from fe80::2ceb:ccb5:788:1e35%11: time<1ms
Reply from fe80::2ceb:ccb5:788:1e35%11: time<1ms
Reply from fe80::2ceb:ccb5:788:1e35%11: time=1ms
Reply from fe80::2ceb:ccb5:788:1e35%11: time=1ms

Ping statistics for fe80::2ceb:ccb5:788:1e35%11:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\Users\user>_

PDF

Image to PDF

Cisco IP
Communic...



Computer

Cisco IP
Communic...

Recycle Bin



Control Panel



PuTTY

Administrator: Command Prompt

Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.

C:\Users\user>pingsys2
'pingsys2' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\user>
C:\Users\user>
C:\Users\user>ping sys2

Pinging sys2 [fe80::35fd:cc8:9b31:c87e%11] with 32 bytes of data:
Reply from fe80::35fd:cc8:9b31:c87e%11: time<1ms
Reply from fe80::35fd:cc8:9b31:c87e%11: time=1ms
Reply from fe80::35fd:cc8:9b31:c87e%11: time=1ms
Reply from fe80::35fd:cc8:9b31:c87e%11: time=1ms

Ping statistics for fe80::35fd:cc8:9b31:c87e%11:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\Users\user>

PDF

Image to PDF



user


Logged on remotely from SYS2



 Windows 7 Ultimate



Image to PDF



Administrator: Command Prompt

```
C:\Users\user>ipconfig
```

Windows IP Configuration

Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix	:	:
Link-local IPv6 Address	:	fe80::2ceb:ccb5:788:1e35%11
IPv4 Address.	:	50.0.0.10
Subnet Mask	:	255.0.0.0
Default Gateway	:	:

Tunnel adapter isatap.{42A1F8B7-30A8-4EF7-81AF-C694F5F3D81B}:

Media State	:	Media disconnected
Connection-specific DNS Suffix	:	:

Tunnel adapter 6T04 Adapter:

Connection-specific DNS Suffix	:	:
IPv6 Address.	:	2002:3200:a::3200:a
Default Gateway	:	:

```
C:\Users\user>
```



Image to PDF