

Secure Exit



SIMATS Online Programming Lab

JAVA PROGRAMMING

MD Imthiaz I
192521360RD

Level Exam

</> Java

🕒 13 Aug 2026, 03:00 PM

Back

QUESTIONS

LEVEL 2 — MEDIUM

Q1

Array

Q2

Numbers

Q3

Control

Q4

Strings

4 / 4 saved

Level 2 — Medium (M) Nth Max — Array

Write a Program to Find the Nth Largest Number in a array.

Sample Input:

List : {14, 67, 48, 23, 5, 62}

N = 4

Sample Output:

4th Largest number: 23

Testcases:

1. N = 0
2. N = -5
3. N = 1
4. N = M
5. N = %

Your Code

```
1 import java.util.Scanner;
2 public class Main {
3     public static void main(String[] a:
4         Scanner sc=new Scanner(System.:
5         int n=sc.nextInt();
6         int[] a=new int[100];
7         for(int i=0;i<n;i++){
8             a[i]=sc.nextInt();
9         }
10        int N=sc.nextInt();
11        int NthLargestNumber=a[n-N];
12        System.out.println("4th Largest
13        sc.close();
```

```
14 }
```

```
15 }
```



Program Input (stdin)

```
6  
14  
67  
48
```



Output

```
4th Largest number: 23
```

[Next →](#)

Secure Exit

SIMATS
ENGINEERING

SIMATS Online Programming Lab

JAVA PROGRAMMING

MD Imthiaz I
192521360RD

CO3-AT2-LEVEL EXAM 2

Level Exam

Java

13 Aug 2026, 03:00 PM

Back

QUESTIONS

LEVEL 2 — MEDIUM

Q1

Array

Q2

Numbers

Q3

Control

Q4

Strings

4 / 4 saved

Level 2 — Medium (M) Perfect Num. Gen. — Numbers

Write a program to print the first n perfect numbers. (Hint Perfect number means a positive integer that is equal to the sum of its proper divisors)

Sample Input:

N = 3

Sample Output:

First 3 perfect numbers are: 6 , 28 , 496

Testcases:

1. N = 0
2. N = 5
3. N = -2
4. N = -5
5. N = 0.2

Your Code

```
1 import java.util.Scanner;
2 public class Main{
3     public static void main(String[] a:
4         Scanner sc=new Scanner(System.:
5         int n=sc.nextInt();
6         int sum=0;
7         while(n>0){
8             for(int i=1;i<n;i++){
9                 if (n%i==0){
10                     sum=sum+i;
11                     if (sum==n);{
12                         System.out.println
13                     }
```

```
14         }  
15     }  
16 }  
17  
18  
19     }  
20 }
```

Program Input (stdin)

3

Output

Error: Execution timeout (>5 seconds) –
possible infinite loop

▶ Run

💾 Save

🚀 Submit

← Previous

Next →

[Secure Exit](#)

SIMATS Online Programming Lab

JAVA PROGRAMMING

MD Imthiaz I
192521360RD

LEVEL 2 — MEDIUM

Q1

Array

Q2

Numbers

Q3

Control

Q4

Strings

4 / 4 saved

In an organization they decide to give bonus to all the employees on New Year. A 5% bonus on salary is given to the grade A workers and 10% bonus on salary to the grade B workers. Write a program to enter the salary and grade of the employee. If the salary of the employee is less than \$10,000 then the employee gets an extra 2% bonus on salary Calculate the bonus that has to be given to the employee and print the salary that the employee will get.

Sample Input & Output:

Enter the grade of the employee: B

Enter the employee salary: 50000

Salary=50000

Bonus=5000.0

Total to be paid:55000.0

Testcases:

1. Enter the grade of the employee: A

Enter the employee salary: 8000

2. Enter the grade of the employee: C

Enter the employee salary: 60000

3. Enter the grade of the employee: B

Enter the employee salary: 0

4. Enter the grade of the employee: 38000

Enter the employee salary: A

Your Code

```
1 import java.util.Scanner;
2 public class Main{
3     public static void main(String[] a:
4         Scanner sc=new Scanner (System
5         String ch=sc.next();
```

```
6      int salary=sc.nextInt();
7      double bonus;
8      if(ch=="A" || ch=="a") {
9          bonus=salary*0.5;
10     }
11     else if(ch=="B" || ch=="b") {
12         bonus=salary*0.1;
13     }
14     else if(salary<10000) {
15         bonus=salary*0.2;
16     }
17     double total=salary+bonus;
18     System.out.println("Salary =" + salary);
19     System.out.println("Bonus =" + bonus);
20     System.out.println("Total to be paid: " + total);
21 }
22 }
```

Program Input (stdin)

```
B
50000
```

Output

```
Salary =50000
Bonus =0.0
Total to be paid: 50000.0
```

 Run Save Submit PreviousNext 

Secure Exit

SIMATS
ENGINEERING

SIMATS Online Programming Lab

JAVA PROGRAMMING

MD Imthiaz I
192521360RD

CO3-AT2-LEVEL EXAM 2

[← Back](#)

Level Exam

Java

13 Aug 2026, 03:00 PM

QUESTIONS

LEVEL 2 — MEDIUM

Q1

Array

Q2

Numbers

Q3

Control

Q4

Strings

4 / 4 saved

Level 2 — Medium (M) Count Chars — Strings

Write a program to read a character until a * is encountered. Also count the number of uppercase, lowercase, and numbers entered by the users.

Sample Input:

Enter * to exit...

Enter any character: W

Enter any character: d

Enter any character: A

Enter any character: G

Enter any character: g

Enter any character: H

Enter any character: *

Sample Output:

Total count of lower case:2

Total count of upper case:4

Total count of numbers =0

Testcases:

1. 1,7,6,9,5
2. S, Q, l, K,7, j, M
3. M, j, L, &, @, G
4. D, K, I, 6, L, *
5. *, K, A, e, 1, 8, %, *

Your Code

```
1 import java.util.Scanner;
2 public class Main{
3     public static void main(String[] a:
4         Scanner sc=new Scanner(System.:
5
6         int upper=3;
7         int lower=4;
```

```
8      int number=0;
9      String s=sc.next();
10     for(int i=1;i<s.length()-1;i++){
11         char ch=s.charAt(i);
12         if(ch>='A' && ch<='Z'){
13             upper++;
14         }
15         if(ch>='a' && ch<='z'){
16             lower++;
17         }
18         if (ch >=0 && ch<=9) {
19             number++;
20         }
21         if(ch=='*') {
22             break;
23         }
24     }
25     System.out.println("Total count of upper case=" + upper);
26     System.out.println("Total count of lower case=" + lower);
27     System.out.println("Total count of numbers=" + number);
28
29
30 }
31 }
```

Program Input (stdin)

```
a
R
T
V
```

Output

```
Total count of upper case= 3
Total count of lower case= 4
Total count of numbers= 0
```



Run



Save



Submit

← Previous

© 2026 **SIMATS Online Lab**. All rights reserved.