

Student 25 **MD Imthiaz I** 192521360RD

5 / 5 submitted

Q1. Program based on Classes and Objects

Score: 5.00 TC: 3/3 passed

CODE

```
import java.util.Scanner;
public class Student
{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        Student s= new Student();
        s.rollno = sc.nextInt();
        sc.nextLine();
        s.name=sc.next();
        s.marks = sc.nextDouble();
        s.displaydetails();
    }
    int rollno;
    String name;
    double marks;
    void displaydetails(){
        System.out.println("Roll No: "+rollno);
        System.out.println("Name: "+name);
        System.out.println("Marks: "+marks);
    }
}
```

INPUT

```
101
Imthiaz
90.5
```

OUTPUT

```
Roll No: 101
Name: Imthiaz
Marks: 90.5
```

Q2. Initialize Object Data Using Setter Methods

Score: 0.00 TC: 0/3 passed

CODE

```
import java.util.Scanner;
public class Student{
    private int rollNo;
    private String name;
    private Double marks;
    public void setRollNo(int rollNo){
        this.rollNo = rollNo;
    }
    public void setName(String name){
        this.name = name;
    }
    public void setMarks(double marks){
        this.marks = marks;
    }
    public void displayDetails(){
        System.out.println("Roll No: "+ rollNo);
        System.out.println("Name: "+ name);
        System.out.println("Marks:"+marks);
    }
    public static void main(String[] args){
        Scanner sc =new Scanner(System.in);
        Student s = new Student();
        int rollNo = sc.nextInt();
        sc.nextLine();
        String name = sc.next();
        double marks = sc.nextDouble();
        s.setRollNo(rollNo);
        s.setName(name);
        s.setMarks(marks);
        s.displayDetails();
        sc.close();
    }
}
```

INPUT

321
Rahul
88

OUTPUT

Roll No: 321
Name: Rahul
Marks:88.0

Q3. Student Details Using Default and Parameterized Constructors

Score: 0.00 TC: 0/3 passed

CODE

```
import java.util.Scanner;
class Student
{
    int rollNo;
    String name;
    double marks;
    Student()
    {
        rollNo=101;
        name="rahul";
        marks=85.5;
    }
    Student(int rollNo,String name, double marks)
    {
        this.rollNo=rollNo;
        this.name=name;
        this.marks=marks;
    }
    void displaydetails()
    {
        System.out.println("Roll No: "+rollNo);
        System.out.println("Name: "+name);
        System.out.println("Marks: "+marks);
    }
    public static void main(String[]args)
    {
        Scanner sc=new Scanner(System.in);
        Student s1=new Student();
        s1.displaydetails();
        int rollNo=sc.nextInt();
        String name=sc.next();
        double marks=sc.nextDouble();
        Student s2=new Student(rollNo,name,marks);
        s2.displaydetails();
    }
}
```

INPUT

102
Ramesh
93.4

OUTPUT

Roll No: 101
Name: rahul
Marks: 85.5
Roll No: 102
Name: Ramesh
Marks: 93.4

Q4. Net Salary Calculation Using Single Inheritance

Score: 0.00 TC: 0/3 passed

CODE

```
import java.util.Scanner;
class Main
{
    public static void main(String[]args)
    {
        Scanner sc=new Scanner(System.in);
        int empld=sc.nextInt();
        String empName=sc.next();
        double basicSalary=sc.nextDouble();
        GrossSalary g=new GrossSalary();
        s.getEmployeeDetails(empld,empName,basicSalary);
        s.calculateSalary();
        s.displayDetails();
        sc.close();
    }
}
class Employee
{
    int empld;
    String empName;
    void getEmployeeDetails(int empld,String empName,double basicSalary)
    {
        this.empld=empld;
        this.empName=empName;
        this.basicSalary=basicSalary;
    }
}
class Salary extends Employee {
    double hra;
    double da;
    double netSalary;
    void calculateSalary()
    {
        hra=basicSalary*0.20;
        da=basicSalary*0.10;
        netSalary=basicSalary+hra+da;
    }
    void displayDetails()
    {
        System.out.println("Employee ID: "+empld);
        System.out.println("Employee Name: "+empName);
        System.out.println("Basic Salary: "+basicSalary);
        System.out.println("HRA: "+hra);
        System.out.println("DA: "+da);
        System.out.println("Net Salary: "+netSalary);
    }
}
```

INPUT

2001
Veera
20000

OUTPUT

Employee ID: 2001
Employee Name: Veera
Basic Salary: 20000.0
HRA: 4000.0
DA: 2000.0
Gross Salary: 26000.0

Q5. Employee Gross Salary Calculation Using Multilevel Inheritance

Score: 10.00 TC: 3/3 passed

CODE

```
import java.util.Scanner;
class Employee{
    int empId;
    String empName;
    void getEmployeeDetails(int empId,String empName){
        this.empId = empId;
        this.empName = empName;
    }
    public static void main (String[] rgs){
        Scanner sc = new Scanner(System.in);
        int empId = sc.nextInt();
        sc.nextLine();
        String empName = sc.next();
        double basicSalary = sc.nextDouble();
        GrossSalary gs = new GrossSalary();
        gs.getEmployeeDetails(empId,empName);
        gs.getBasicSalary(basicSalary);
        gs.calculateSalary();
        gs.displayDetails();
        sc.close();
    }
}
class Salary extends Employee{
    double basicSalary;
    void getBasicSalary(double basicSalary){
        this.basicSalary=basicSalary;
    }
}
class GrossSalary extends Salary{
    double hra,grossSalary,da;
    void calculateSalary(){
        hra = basicSalary*0.20;
        da = basicSalary*0.10;
        grossSalary = basicSalary+hra+da;
    }
    void displayDetails(){
        System.out.println("Employee ID: "+empId);
        System.out.println("Employee Name: "+empName);
        System.out.println("Basic Salary: "+basicSalary);
        System.out.println("HRA: "+hra);
        System.out.println("DA: "+da);
        System.out.println("Gross Salary: "+grossSalary);
    }
}
```

INPUT

101
Imthiaz
70000

OUTPUT

Employee ID: 101
Employee Name: Imthiaz
Basic Salary: 70000.0
Hra: 14000.0
Da: 7000.0
Gross Salary: 91000.0