Lab Final

2:Ans)

```
session.php
<?php
function session_check(){
 if(!isset($_SESSION))
 {
    session_start();
  }
 if (!isset($_SESSION['email'])) {
    if (!isset($_SESSION['password'])) {
      echo "successfull";
      exit;
    }
 }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
Please enter email and password to login
<div class="container">
<form action="session.php" method="post">
email: <input type="text" name="email"><br>
password: <input type="password" name="password"><br>
<input type="submit" name = "submit">
</form>
</div>
<?php
require_once("databaseConnections.php");
$con =createdb ();
session_start();
if (isset($_POST['submit'])) {
       $email = $_POST['email'];
       $password = $_POST['password'];
       $query = "SELECT * FROM info WHERE user_name='$email' and password='$password'";
       $result = mysqli_query($con, $query);
       $rows = mysqli_num_rows($result);
       if ($rows == 1) {
              $_SESSION['email'] = $email;
    $_SESSION['password'] = $password;
              echo "Login successfull .";
```

```
}else {
             echo "Not matched ,Try again";
      }
}
?>
</body>
</html>
4:Ans)
DB
-- phpMyAdmin SQL Dump
-- version 5.0.4
-- https://www.phpmyadmin.net/
-- Host: 127.0.0.1
-- Generation Time: Apr 12, 2021 at 07:36 AM
-- Server version: 10.4.17-MariaDB
-- PHP Version: 8.0.1
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
START TRANSACTION;
SET time_zone = "+00:00";
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;
```

```
-- Database: `labfinal`
-- Table structure for table 'users'
CREATE TABLE `users` (
 'id' int(11) NOT NULL,
`name` varchar(255) NOT NULL,
 'email' varchar(255) NOT NULL,
 'pass' varchar(255) NOT NULL,
 `phone` varchar(255) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `users`
INSERT INTO 'users' ('id', 'name', 'email', 'pass', 'phone') VALUES
(1, 'KH Mehedi Hasan', 'mehedi@gmail.com', '1234', '016252445'),
(4, 'Hasan', 'hasan@gmail.com', '1234', '012575675'),
(5, 'Karim', 'karim@gmail.com', '1234', '135346457');
```

```
-- Indexes for dumped tables
-- Indexes for table 'users'
ALTER TABLE `users`
ADD PRIMARY KEY ('id');
-- AUTO_INCREMENT for dumped tables
-- AUTO_INCREMENT for table `users`
ALTER TABLE 'users'
MODIFY 'id' int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=6;
COMMIT;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
db.php
<?php
```

index.php

```
<!-- Bootstrap CSS -->
 k href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta3/dist/css/bootstrap.min.css"
rel="stylesheet">
 <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css" >
 <title>Login System!</title>
</head>
<body>
 <section class="container text-center">
  <div class="jumbotron">
   <h1 class="display-4">User Registration Info and Delete Individual Users</h1>
   Ans to the ques no 4.
   <hr class="my-4">
   Sy <strong>Md Imtiaj Sultan</strong>. ID:181-15-1954. Section:PC-A
  </div>
 </section>
 <section class="container p-5 bg-light">
  <div class="row">
   <div class="col-md-8">
    <h3 class="mb-4 text-info">Users List</h3>
    <thead>
      #
      Name
      Email
      Phone
      Action
```

```
</thead>
 <?php
   $query = "SELECT * FROM users";
   $select_all_users = mysqli_query($connection, $query);
   $i = 0;
   while ( $row = mysqli_fetch_assoc($select_all_users) )
   {
    $id = $row['id'];
    $name = $row['name'];
    $email = $row['email'];
    $phone = $row['phone'];
    $i++;
    ?>
  <?php echo $i; ?>
   <?php echo $name; ?>
   <?php echo $email; ?>
   <?php echo $phone; ?>
   <a href="index.php?del=<?php echo $id; ?>" class="btn btn-danger">Delete</a>
  <?php } ?>
 </div>
<div class="col-md-4">
```

```
<h3 class="mb-4 text-info">Add users</h3>
     <form method="POST">
      <div class="form-group">
       <label for="inputAddress">Full Name</label>
       <input type="text" required class="form-control" name="reg_name" id="inputAddress"
placeholder="Name">
      </div>
      <div class="form-group">
       <label for="inputEmail4">Email</label>
       <input type="email" required class="form-control" name="reg_em" id="inputEmail4"
placeholder="Email">
      </div>
      <div class="form-group">
       <label for="inputPassword4">Password</label>
       <input type="password" required class="form-control" name="reg_pass" id="inputPassword4"
placeholder="Password">
      </div>
      <div class="form-group">
       <label for="inputAddress">Phone Number</label>
       <input type="number" required class="form-control" name="reg_phn" id="inputAddress"</pre>
placeholder="Phone">
      </div>
      <input type="submit" name="register" value="Register" class="btn btn-primary">
     </form>
    </div>
   </div>
  </section>
 <!-- Option 1: Bootstrap Bundle with Popper -->
```

```
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta3/dist/js/bootstrap.bundle.min.js"</pre>
></script>
  <!-- Option 2: Separate Popper and Bootstrap JS -->
  <script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.9.1/dist/umd/popper.min.js"></script>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta3/dist/js/bootstrap.min.js"></script>
<?php
if (isset($_POST['register'])) {
  $reg_name = $_POST['reg_name'];
  $reg_em = $_POST['reg_em'];
  $reg_pass = $_POST['reg_pass'];
  $reg_phn = $_POST['reg_phn'];
  $query = "INSERT INTO users (name, email, pass, phone) VALUES ( '$reg_name', '$reg_em',
'$reg_pass', '$reg_phn' )";
   $add new user = mysqli query($connection, $query);
   if ( !$add_new_user ){
    die("Query Failed". mysqli error($connection));
   }
   else{
   header("Location: index.php");
   }
}
```

```
if ( isset($_GET['del']) ){
  $del_id = $_GET['del'];
  $query = "DELETE FROM users WHERE id = '$del_id'";
   $delete_cat = mysqli_query($connection, $query);
   if ( !$delete_cat ){
   die("Query Failed " . mysqli_error($connection));
  }
  else{
   header("Location: index.php");
 }
}
ob_end_flush();
?>
</body>
```

</html>

10:Ans)

```
<?php
$color = array('white', 'green', 'red');
foreach ($color as $c)
{
  echo "$c, ";
}
sort($color);
echo "<ul>";
foreach ($color as $y)
{
  echo "$y";
}
echo "";
}
```