

20-QUESTION QUESTIONNAIRE

Pattern Classification Assessment

QUESTION 1:

When unexpected stress hits, your body's first reaction is:

- A) Lock up — Jaw clenches, shoulders rise, breath stops
→ **Upper Compression +3**
 - B) Push through — Adrenaline kicks in, you go into action mode
→ **Lower Compression +2, Upper Compression +1**
 - C) Shut down — Energy drops, you go blank or numb
→ **Thoracic Collapse +3**
 - D) Oscillate — Ping-pong between wired and exhausted
→ **All patterns +1**
-

QUESTION 2:

After a stressful day, you typically:

- A) Can't turn off — Mind races, body feels wired
→ **Upper Compression +3**
 - B) Crash hard — Collapse on the couch, can't do anything
→ **Thoracic Collapse +3**
 - C) Need intense movement — Run, workout, release energy
→ **Lower Compression +2**
 - D) Don't really feel it — Disconnected from your body
→ **Lateral Asymmetry +2**
-

QUESTION 3:

Your relationship with rest is:

A) I have to earn it — Can't relax unless everything's done
→ **Upper Compression +2, Lower Compression +1**

B) I crave it but can't access it — Tired but wired
→ **Upper Compression +3**

C) I can drop in fairly easily — Rest feels restorative
→ **All patterns -1**

D) I avoid it — Stillness feels uncomfortable
→ **Lower Compression +2**

QUESTION 4:

When someone says "just breathe," you:

A) Feel frustrated — That doesn't work for me
→ **Upper Compression +2, Thoracic Collapse +1**

B) Try harder — Force deep breaths that don't help
→ **Upper Compression +2**

C) Can actually use it — Breathing helps me regulate
→ **All patterns -1**

D) Feel more anxious — Deep breathing makes it worse
→ **Thoracic Collapse +3**

QUESTION 5:

Your typical energy pattern throughout the day:

A) Steady and sustainable — Relatively consistent
→ **All patterns -1**

B) Starts high, crashes hard — Morning energy → afternoon collapse
→ **Upper Compression +2, Lower Compression +1**

C) Low all day — Never fully awake
→ **Thoracic Collapse +3**

D) All over the place — Unpredictable peaks and crashes
→ **Lateral Asymmetry +2**

QUESTION 6:

When you feel emotion rising, you:

- A) Suppress it immediately — Push it down, stay composed**
→ **Upper Compression +3**
 - B) Feel it intensely — Cry, rage, or release fully**
→ **Thoracic Collapse +1**
 - C) Go numb — Can't access the feeling**
→ **Thoracic Collapse +3**
 - D) Get overwhelmed — It floods and takes over**
→ **Upper Compression +1, Thoracic Collapse +1**
-

QUESTION 7:

Your sleep pattern is:

- A) Hard to fall asleep, hard to wake up — Never feel rested**
→ **Lower Compression +2, Upper Compression +1**
 - B) Fall asleep exhausted, wake up wired — Broken sleep**
→ **Upper Compression +3**
 - C) Generally restorative — Wake feeling refreshed**
→ **All patterns -1**
 - D) Inconsistent — Some nights good, some terrible**
→ **Lateral Asymmetry +2**
-

QUESTION 8:

In social situations, your body tends to:

- A) Stay on alert — Scanning, monitoring, performing**
→ **Upper Compression +3**

B) Need recovery time after — People exhaust you
→ **Thoracic Collapse +2**

C) Feel energized — Connection fills you up
→ **All patterns -1**

D) Disconnect — You're there but not really present
→ **Lateral Asymmetry +2**

QUESTION 9:

Your relationship with your body is:

A) Functional — It's a tool to get things done
→ **Upper Compression +2, Lower Compression +1**

B) Adversarial — It betrays me, doesn't cooperate
→ **Lower Compression +2, Thoracic Collapse +1**

C) Trustworthy — I listen to it and it guides me
→ **All patterns -1**

D) Disconnected — I don't really feel it
→ **Lateral Asymmetry +3**

QUESTION 10:

Where do you feel tension most often?

A) Neck, jaw, or head
→ **Upper Compression +3**

B) Lower back, hips, or knees
→ **Lower Compression +3**

C) Upper back, chest, or shoulders
→ **Thoracic Collapse +3**

D) One side of my body more than the other
→ **Lateral Asymmetry +3**

QUESTION 11:

When you sit for extended periods, what happens?

- A) My head/neck juts forward, shoulders hunch
→ **Upper Compression +2**
 - B) My lower back arches or I slump into my pelvis
→ **Lower Compression +2**
 - C) My upper back rounds forward
→ **Thoracic Collapse +2**
 - D) I lean or shift to one side
→ **Lateral Asymmetry +2**
-

QUESTION 12:

How would you describe your breathing pattern?

- A) Shallow, mostly in my chest
→ **Upper Compression +2, Thoracic Collapse +1**
 - B) I hold my breath or sigh frequently
→ **Upper Compression +2**
 - C) I feel like I can't take a full deep breath
→ **Thoracic Collapse +3**
 - D) My breathing feels uneven or asymmetrical
→ **Lateral Asymmetry +2**
-

QUESTION 13:

Do you experience regular pain, stiffness, or compression in joints?

- A) Neck, jaw, or headaches
→ **Upper Compression +2**
- B) Lower back, SI joint, or knee pain
→ **Lower Compression +2**

C) Upper back, between shoulder blades
→ **Thoracic Collapse +2**

D) One-sided pain patterns
→ **Lateral Asymmetry +3**

QUESTION 14:

How do your feet feel when standing?

A) I don't notice them much / balanced
→ **All patterns -1**

B) My arches feel collapsed or flat
→ **Lower Compression +2**

C) I shift weight to my toes
→ **Upper Compression +1**

D) I favor one foot over the other
→ **Lateral Asymmetry +3**

QUESTION 15:

Which movement is most restricted for you?

A) Looking up or extending my neck
→ **Upper Compression +2**

B) Bending forward or touching my toes
→ **Lower Compression +2**

C) Reaching overhead or opening my chest
→ **Thoracic Collapse +3**

D) Rotating or side-bending
→ **Lateral Asymmetry +3**

QUESTION 16:

Do you have a dominant side you favor?

- A) Yes, significantly**
→ **Lateral Asymmetry +3**
 - B) Somewhat**
→ **Lateral Asymmetry +1**
 - C) No, I'm fairly balanced**
→ **Lateral Asymmetry -1**
-

QUESTION 17:

How do you feel about back-bending or opening your chest?

- A) Very difficult, uncomfortable, or scary**
→ **Thoracic Collapse +3**
 - B) Somewhat challenging**
→ **Thoracic Collapse +1**
 - C) Comfortable and natural**
→ **Thoracic Collapse -1**
-

QUESTION 18:

When you squat, what happens?

- A) My heels lift, can't go deep**
→ **Lower Compression +2**
 - B) My knees collapse inward**
→ **Lower Compression +2**
 - C) My lower back rounds excessively**
→ **Thoracic Collapse +1**
 - D) Squats feel relatively comfortable**
→ **All patterns -1**
-

QUESTION 19:

Do you feel coordinated in your movement?

- A) Yes, I move fluidly
→ **All patterns -1**
 - B) Sometimes clumsy or uncoordinated
→ **Lateral Asymmetry +2**
 - C) My left and right sides feel very different
→ **Lateral Asymmetry +3**
-

QUESTION 20:

If you could change one thing about how your body responds to stress, it would be:

- A) Stop holding tension everywhere — Let go physically
→ **Upper Compression +2**
 - B) Actually feel calm — Not just fake it
→ **Upper Compression +2**
 - C) Have consistent energy — Stop the crashes
→ **Lower Compression +2, Thoracic Collapse +1**
 - D) Reconnect — Feel present in my body
→ **Lateral Asymmetry +2**
-

SCORING CALCULATION METHOD (20% Weight)

Step 1: Calculate Raw Scores for Each Pattern

Sum the points for each pattern across all 20 questions:

- **Upper Compression Score** = Sum of all "Upper Compression" points
- **Lower Compression Score** = Sum of all "Lower Compression" points
- **Thoracic Collapse Score** = Sum of all "Thoracic Collapse" points
- **Lateral Asymmetry Score** = Sum of all "Lateral Asymmetry" points

Example:

None

Question 1: User selects A → Upper Compression +3
Question 2: User selects A → Upper Compression +3
Question 3: User selects B → Upper Compression +3
... (continue for all 20 questions)

Final raw scores:

Upper Compression: 28 points
Lower Compression: 12 points
Thoracic Collapse: 8 points
Lateral Asymmetry: 5 points

Step 2: Normalize to 0-100 Scale

Formula:

None

$$\text{Pattern_Questionnaire_Score} = ((\text{Raw_Score} + 10) / 60) \times 100$$

Cap at: minimum 0%, maximum 100%

Why +10 offset? Because some questions have "-1" answers (which reward balance), the minimum possible raw score is around -10. Adding 10 brings the range to 0-50+.

Why divide by 60? Maximum possible raw score is approximately 50-60 points (if someone answers every question for one pattern). Dividing by 60 normalizes to 0-1 range, then multiply by 100 for percentage.

Example normalization:

None

Upper Compression raw score: 28
Normalized: $((28 + 10) / 60) \times 100 = 63.3\%$

Lower Compression raw score: 12
Normalized: $((12 + 10) / 60) \times 100 = 36.7\%$

```
Thoracic Collapse raw score: 8
Normalized: ((8 + 10) / 60) × 100 = 30.0%
```

```
Lateral Asymmetry raw score: 5
Normalized: ((5 + 10) / 60) × 100 = 25.0%
```

Step 3: Apply 20% Weight to Final Pattern Classification

Final Pattern Score Formula:

```
None
Final_Pattern_Score = (Body_Pose_Score × 0.50) + (Face_Mesh_Score
× 0.30) + (Questionnaire_Score × 0.20)
```

Example:

```
None
Upper Compression:
- Body Pose analysis: 75%
- Face Mesh analysis: 68%
- Questionnaire: 63.3%
- FINAL: (75 × 0.50) + (68 × 0.30) + (63.3 × 0.20) = 37.5 + 20.4
+ 12.66 = 70.56%
```

```
Lower Compression:
- Body Pose: 45%
- Face Mesh: 35%
- Questionnaire: 36.7%
- FINAL: (45 × 0.50) + (35 × 0.30) + (36.7 × 0.20) = 22.5 + 10.5
+ 7.34 = 40.34%
```

```
... (calculate for all 4 patterns)
```

Primary Pattern = Highest final score

Secondary Pattern (if present) = Second highest score if >40%

Step 4: Confidence Band Generation

High Confidence (75-100%):

- Primary pattern score >70%
- Gap between primary and secondary >30 points
- All three modalities (Body, Face, Questionnaire) agree within 15%

Medium Confidence (50-74%):

- Primary pattern 50-70%
- Gap between primary and secondary 15-30 points
- Two modalities agree, one partially disagrees

Low Confidence (<50%):

- No pattern dominates (all within 20% of each other)
 - High variance across modalities (>25% disagreement)
 - Contradictory signals
-