

CSE370 : Database Systems

Assignment 29/10/2025 | Fall 2025

ID : 23101137 | Name : Imtiaz Hossain

No 1 Query
(as Plain Text)

```
CREATE DATABASE Google_23101137;

USE Google_23101137;

CREATE TABLE Developers
(
    member_id INT,
    name VARCHAR(40),
    email VARCHAR(60),
    influence_count INT,
    Joining_date DATE,
    multiplier INT
);

INSERT INTO Developers VALUES
(1, "Taylor Otwell", "otwell@laravel.com", 739360, "2020-6-10", 10),
(2, "Ryan Dahl", "ryan@nodejs.org", 633632, "2020-04-22", 10),
(3, "Brendan Eich", "eich@javascript.com", 939570, "2020-05-07", 8),
(4, "Evan You", "you@vuejs.org", 982630, "2020-06-11", 7),
(5, "Rasmus Lerdorf", "lerdorf@php.net", 937927, "2020-06-3", 8),
(6, "Guido van Rossum", "guido@python.org", 968827, "2020-07-18", 19),
(7, "Adrian Holovaty", "adrian@djangoproject.com", 570724, "2020-05-07", 5),
(8, "Simon Willison", "simon@djangoproject.com", 864615, "2020-04-30", 4),
(9, "James Gosling", "james@java.com", 719491, "2020-05-18", 5),
(10, "Rod Johnson", "rod@spring.io", 601744, "2020-05-18", 7),
(11, "Satoshi Nakamoto", "nakamoto@blockchain.com", 630488, "2020-05-10", 10);
```

No 1 SS
(of Query & Output
in Shell)

```
XAMPP for Windows - mysql
Setting environment for using XAMPP for Windows.
initia@I_M_E c:\xampp
# mysql -u root -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 136
Server version: 10.4.32-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> CREATE DATABASE Google_23101137;
Query OK, 1 row affected (0.001 sec)

MariaDB [(none)]> USE Google_23101137;
Database changed
MariaDB [Google_23101137]> CREATE TABLE Developers
-> (
->   member_id INT,
->   name VARCHAR(40),
->   email VARCHAR(60),
->   influence_count INT,
->   Joining_date DATE,
->   multiplier INT
-> );
Query OK, 0 rows affected (0.005 sec)

MariaDB [Google_23101137]> INSERT INTO Developers VALUES
-> (1, "Taylor Otwell", "otwell@laravel.com", 739360, "2020-6-10", 10),
-> (2, "Ryan Dahl", "ryan@nodejs.org", 633632, "2020-04-22", 10),
-> (3, "Brendan Eich", "eich@javascript.com", 939570, "2020-05-07", 8),
-> (4, "Evan You", "you@vuejs.org", 982630, "2020-06-11", 7),
-> (5, "Rasmus Lerdorf", "lerdorf@php.net", 937927, "2020-06-3", 8),
-> (6, "Guido van Rossum", "guido@python.org", 968827, "2020-07-18", 19),
-> (7, "Adrian Holovaty", "adrian@djangoproject.com", 570724, "2020-05-07", 5),
-> (8, "Simon Willison", "simon@djangoproject.com", 864615, "2020-04-30", 4),
-> (9, "James Gosling", "james@java.com", 719491, "2020-05-18", 5),
-> (10, "Rod Johnson", "rod@spring.io", 601744, "2020-05-18", 7),
-> (11, "Satoshi Nakamoto", "nakamoto@blockchain.com", 630488, "2020-05-10", 10);
Query OK, 11 rows affected (0.002 sec)
Records: 11 Duplicates: 0 Warnings: 0

MariaDB [Google_23101137]> SELECT * FROM Developers;
+-----+-----+-----+-----+-----+-----+
| member_id | name          | email              | influence_count | Joining_date | multiplier |
+-----+-----+-----+-----+-----+-----+
| 1 | Taylor Otwell | otwell@laravel.com | 739360          | 2020-06-10   | 10         |
| 2 | Ryan Dahl     | ryan@nodejs.org    | 633632          | 2020-04-22   | 10         |
| 3 | Brendan Eich  | eich@javascript.com | 939570          | 2020-05-07   | 8          |
| 4 | Evan You      | you@vuejs.org       | 982630          | 2020-06-11   | 7          |
| 5 | Rasmus Lerdorf | lerdorf@php.net     | 937927          | 2020-06-03   | 8          |
| 6 | Guido van Rossum | guido@python.org    | 968827          | 2020-07-18   | 19         |
| 7 | Adrian Holovaty | adrian@djangoproject.com | 570724          | 2020-05-07   | 5          |
| 8 | Simon Willison | simon@djangoproject.com | 864615          | 2020-04-30   | 4          |
| 9 | James Gosling  | james@java.com      | 719491          | 2020-05-18   | 5          |
| 10 | Rod Johnson    | rod@spring.io       | 601744          | 2020-05-18   | 7          |
| 11 | Satoshi Nakamoto | nakamoto@blockchain.com | 630488          | 2020-05-10   | 10         |
+-----+-----+-----+-----+-----+-----+
11 rows in set (0.000 sec)

MariaDB [Google_23101137]> |
```

No 2 Query
(as Plain Text)

ALTER TABLE Developers CHANGE influence_count followers INT;

No 2 SS
(of Query & Output
in Shell)

```
MariaDB [Google_23101137]> ALTER TABLE Developers CHANGE influence_count followers INT;
Query OK, 0 rows affected (0.012 sec)
Records: 0 Duplicates: 0 Warnings: 0

MariaDB [Google_23101137]> describe developers;
+-----+-----+-----+-----+-----+-----+
| Field      | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| member_id  | int(11)   | YES  |     | NULL    |       |
| name       | varchar(40) | YES  |     | NULL    |       |
| email      | varchar(60) | YES  |     | NULL    |       |
| followers  | int(11)   | YES  |     | NULL    |       |
| Joining_date | date      | YES  |     | NULL    |       |
| multiplier | int(11)   | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.008 sec)

MariaDB [Google_23101137]>
```

No 3 Query
(as Plain Text)

UPDATE Developers SET followers = followers + 10;

No 3 SS
(of Query & Output
in Shell)

```
MariaDB [Google_23101137]> select * from developers;
```

member_id	name	email	followers	Joining_date	multiplier
1	Taylor Otwell	otwell@laravel.com	739360	2020-06-10	10
2	Ryan Dahl	ryan@nodejs.org	633632	2020-04-22	10
3	Brendan Eich	eich@javascript.com	939570	2020-05-07	8
4	Evan You	you@vuejs.org	982630	2020-06-11	7
5	Rasmus Lerdorf	lerdorf@php.net	937927	2020-06-03	8
6	Guido van Rossum	guido@python.org	968827	2020-07-18	19
7	Adrian Holovaty	adrian@django project.com	570724	2020-05-07	5
8	Simon Willison	simon@django project.com	864615	2020-04-30	4
9	James Gosling	james@java.com	719491	2020-05-18	5
10	Rod Johnson	rod@spring.io	601744	2020-05-18	7
11	Satoshi Nakamoto	nakamoto@blockchain.com	630488	2020-05-10	10

```
11 rows in set (0.000 sec)
```


```
MariaDB [Google_23101137]> UPDATE DEVELOPERS set followers = followers + 10;  
Query OK, 11 rows affected (0.002 sec)  
Rows matched: 11  Changed: 11  Warnings: 0
```

```
MariaDB [Google_23101137]> select * from developers;
```

member_id	name	email	followers	Joining_date	multiplier
1	Taylor Otwell	otwell@laravel.com	739370	2020-06-10	10
2	Ryan Dahl	ryan@nodejs.org	633642	2020-04-22	10
3	Brendan Eich	eich@javascript.com	939580	2020-05-07	8
4	Evan You	you@vuejs.org	982640	2020-06-11	7
5	Rasmus Lerdorf	lerdorf@php.net	937937	2020-06-03	8
6	Guido van Rossum	guido@python.org	968837	2020-07-18	19
7	Adrian Holovaty	adrian@django project.com	570734	2020-05-07	5
8	Simon Willison	simon@django project.com	864625	2020-04-30	4
9	James Gosling	james@java.com	719501	2020-05-18	5
10	Rod Johnson	rod@spring.io	601754	2020-05-18	7
11	Satoshi Nakamoto	nakamoto@blockchain.com	630498	2020-05-10	10

```
11 rows in set (0.000 sec)
```

```
MariaDB [Google_23101137]>
```

No 4 Query (as Plain Text)	SELECT name, (((followers*100/1000000) * (multiplier*100/20))/100 as Efficiency FROM Developers;																								
No 4 SS (of Query & Output in Shell)	 The screenshot shows a terminal window titled 'XAMPP for Windows - mysql'. The prompt is 'MariaDB [Google_23101137]>'. The query entered is 'SELECT name, (((followers*100/1000000) * (multiplier*100/20))/100 as Efficiency FROM Developers;'. The output is a table with two columns: 'name' and 'Efficiency'. There are 11 rows of data. Below the table, it says '11 rows in set (0.000 sec)'. The prompt is now 'MariaDB [Google_23101137]> '. <table border="1"> <thead> <tr> <th>name</th><th>Efficiency</th></tr> </thead> <tbody> <tr><td>Taylor Otwell</td><td>36.968500000000</td></tr> <tr><td>Ryan Dahl</td><td>31.682100000000</td></tr> <tr><td>Brendan Eich</td><td>37.583200000000</td></tr> <tr><td>Evan You</td><td>34.392400000000</td></tr> <tr><td>Rasmus Lerdorf</td><td>37.517480000000</td></tr> <tr><td>Guido van Rossum</td><td>92.039515000000</td></tr> <tr><td>Adrian Holovaty</td><td>14.268350000000</td></tr> <tr><td>Simon Willison</td><td>17.292500000000</td></tr> <tr><td>James Gosling</td><td>17.987525000000</td></tr> <tr><td>Rod Johnson</td><td>21.061390000000</td></tr> <tr><td>Satoshi Nakamoto</td><td>31.524900000000</td></tr> </tbody> </table>	name	Efficiency	Taylor Otwell	36.968500000000	Ryan Dahl	31.682100000000	Brendan Eich	37.583200000000	Evan You	34.392400000000	Rasmus Lerdorf	37.517480000000	Guido van Rossum	92.039515000000	Adrian Holovaty	14.268350000000	Simon Willison	17.292500000000	James Gosling	17.987525000000	Rod Johnson	21.061390000000	Satoshi Nakamoto	31.524900000000
name	Efficiency																								
Taylor Otwell	36.968500000000																								
Ryan Dahl	31.682100000000																								
Brendan Eich	37.583200000000																								
Evan You	34.392400000000																								
Rasmus Lerdorf	37.517480000000																								
Guido van Rossum	92.039515000000																								
Adrian Holovaty	14.268350000000																								
Simon Willison	17.292500000000																								
James Gosling	17.987525000000																								
Rod Johnson	21.061390000000																								
Satoshi Nakamoto	31.524900000000																								
No 5 Query (as Plain Text)	SELECT UPPER(name), Joining_date FROM Developers ORDER BY Joining_date DESC;																								

No 5 SS
(of Query & Output
in Shell)

```
XAMPP for Windows - mysql X + v
MariaDB [Google_23101137]> SELECT UPPER(name), Joining_date FROM Developers ORDER BY Joining_date DESC;
+-----+-----+
| UPPER(name) | Joining_date |
+-----+-----+
| GUIDO VAN ROSSUM | 2020-07-18 |
| EVAN YOU | 2020-06-11 |
| TAYLOR OTWELL | 2020-06-10 |
| RASMUS LERDORF | 2020-06-03 |
| JAMES GOSLING | 2020-05-18 |
| ROD JOHNSON | 2020-05-18 |
| SATOSHI NAKAMOTO | 2020-05-10 |
| BRENDAN EICH | 2020-05-07 |
| ADRIAN HOLOVATY | 2020-05-07 |
| SIMON WILLISON | 2020-04-30 |
| RYAN DAHL | 2020-04-22 |
+-----+-----+
11 rows in set (0.000 sec)

MariaDB [Google_23101137]> |
```

No 6 Query
(as Plain Text)

SELECT member_id, name, email, followers FROM Developers WHERE email LIKE "%.com" OR email LIKE "%.net";

No 6 SS
(of Query & Output
in Shell)

```
XAMPP for Windows - mysql X + v
MariaDB [Google_23101137]> SELECT member_id, name, email, followers FROM Developers WHERE email LIKE "%.com" OR email LIKE "%.net";
+-----+-----+-----+-----+
| member_id | name | email | followers |
+-----+-----+-----+-----+
| 1 | Taylor Otwell | otwell@laravel.com | 739370 |
| 3 | Brendan Eich | eich@javascript.com | 939580 |
| 5 | Rasmus Lerdorf | lerdorf@php.net | 937937 |
| 7 | Adrian Holovaty | adrian@django project.com | 570734 |
| 8 | Simon Willison | simon@django project.com | 864625 |
| 9 | James Gosling | james@java.com | 719501 |
| 11 | Satoshi Nakamoto | nakamoto@blockchain.com | 630498 |
+-----+-----+-----+-----+
7 rows in set (0.000 sec)

MariaDB [Google_23101137]> |
```

No 7 Query (as Plain Text)	
No 7 SS (of Query & Output in Shell)	