

Databases Laboratory Work Nr 4

Title: Transact-SQL: Procedure Instructions

Prerequisites: SQL Server 2019 and SSMS

Objectives: Understand how to work with procedure instructions in T-SQL, such as IF/ELSE, WHILE, CASE, CONTINUE, BREAK, etc.

Tasks:

1. Write code to print the biggest of the given numbers.
2. Select TOP 10 students which don't have mark 6 or 8 for the first test for 'Baze de date' subject. Use IF...ELSE and variables.
3. Implement first task using CASE.
4. Modify code from task 1 and 2 with use of TRY CATCH.

Implementation

1.

```
--- Task 1
DECLARE @N1 INT, @N2 INT, @N3 INT;
DECLARE @MAI_MARE INT;
SET @N1 = 60 * RAND();
SET @N2 = 60 * RAND();
SET @N3 = 60 * RAND();

IF @N1 > @N2 AND @N1 > @N3
    SET @MAI_MARE = @N1
ELSE IF @N2 > @N1 AND @N2 > @N3
    SET @MAI_MARE = @N2
ELSE
    SET @MAI_MARE = @N3

PRINT @N1;
PRINT @N2;
PRINT @N3;
PRINT 'Mai mare = ' + CAST(@MAI_MARE AS VARCHAR(2));
```

2.

```
BEGIN
USE universitatea;
DECLARE @DATE TABLE(Nume_Student NVARCHAR(100), Prenume_Student NVARCHAR(100), Nota INT);

INSERT INTO @DATE SELECT DISTINCT Nume_Student, Prenume_Student, Nota FROM dbo.studenti
    INNER JOIN dbo.studenti_reusita ON studenti_reusita.Id_Student = studenti.Id_Student
    INNER JOIN dbo.disciplina ON disciplina.Id_Disciplina = studenti_reusita.Id_Disciplina
    WHERE Disciplina = 'Baze de date' AND Tip_Evaluare = 'Testul 1'

DECLARE @COUNTER INT = 0;
DECLARE @LEN INT;
DECLARE @CURRENT_NOTA INT;
```

```

DECLARE @CURRENT_ROW TABLE(Nume_Student NVARCHAR(100), Prenume_Student NVARCHAR(100), Nota
INT);
DECLARE @RESULT TABLE(Nume_Student NVARCHAR(100), Prenume_Student NVARCHAR(100), Nota INT);

SELECT @LEN = COUNT(*) FROM @DATE;

WHILE @COUNTER < @LEN
BEGIN
    INSERT INTO @CURRENT_ROW SELECT * FROM @DATE ORDER BY Nume_Student OFFSET @COUNTER
ROWS FETCH NEXT 1 ROW ONLY;
    SELECT @CURRENT_NOTA = Nota FROM @CURRENT_ROW

    IF @CURRENT_NOTA != 6 AND @CURRENT_NOTA != 8
        INSERT INTO @RESULT SELECT * FROM @CURRENT_ROW

    SET @COUNTER = @COUNTER + 1;
    DELETE @CURRENT_ROW
END

SELECT TOP(10) * FROM @RESULT
END

```

3.

```

--- Task 3
BEGIN
DECLARE @N1 INT, @N2 INT, @N3 INT;
DECLARE @MAI_MARE INT;
SET @N1 = 60 * RAND();
SET @N2 = 60 * RAND();
SET @N3 = 60 * RAND();

SET @MAI_MARE = CASE
    WHEN @N1 > @N2 AND @N1 > @N3 THEN @N1
    WHEN @N2 > @N1 AND @N2 > @N3 THEN @N2
    ELSE @N3
END

PRINT @N1;
PRINT @N2;
PRINT @N3;
PRINT 'Mai mare = ' + CAST(@MAI_MARE AS VARCHAR(2));
END

```

4.

```

--- Task 4
BEGIN TRY
DECLARE @N1 INT, @N2 INT, @N3 INT;
DECLARE @MAI_MARE INT;
SET @N1 = 60 * RAND();
SET @N2 = 60 * RAND();
SET @N3 = 60 * RAND();

IF @N1 = @N2 OR @N1 = @N3 OR @N2 = @N3
    RAISERROR ('2 or 3 numbers has the same value', 12, 1)

SET @MAI_MARE = CASE
    WHEN @N1 > @N2 AND @N1 > @N3 THEN @N1
    WHEN @N2 > @N1 AND @N2 > @N3 THEN @N2
    ELSE @N3
END
END

```

```

PRINT @N1;
PRINT @N2;
PRINT @N3;
PRINT 'Mai mare = ' + CAST(@MAI_MARE AS VARCHAR(2));
END TRY
BEGIN CATCH
    IF @@ERROR != 0
        PRINT(ERROR_MESSAGE())

END CATCH


BEGIN TRY
USE universitatea;
DECLARE @DATE TABLE(Nume_Student NVARCHAR(100), Prenume_Student NVARCHAR(100), Nota INT);

INSERT INTO @DATE SELECT DISTINCT Nume_Student, Prenume_Student, Nota FROM dbo.studenti
INNER JOIN dbo.studenti_reusita ON studenti_reusita.Id_Student = studenti.Id_Student
INNER JOIN dbo.discipline ON discipline.Id_Disciplina = studenti_reusita.Id_Disciplina
WHERE Disciplina = 'Baze de date' AND Tip_Evaluare = 'Testul 1'

DECLARE @COUNTER INT = 0;
DECLARE @LEN INT;
DECLARE @CURRENT_NOTA INT;
DECLARE @CURRENT_ROW TABLE(Nume_Student NVARCHAR(100), Prenume_Student NVARCHAR(100), Nota INT);
DECLARE @RESULT TABLE(Nume_Student NVARCHAR(100), Prenume_Student NVARCHAR(100), Nota INT);

SELECT @LEN = COUNT(*) FROM @DATE;

WHILE @COUNTER < @LEN
BEGIN
    INSERT INTO @CURRENT_ROW SELECT * FROM @DATE ORDER BY Nume_Student OFFSET @COUNTER
ROWS FETCH NEXT 1 ROW ONLY;
    SELECT @CURRENT_NOTA = Nota FROM @CURRENT_ROW

    IF @CURRENT_NOTA != 6 AND @CURRENT_NOTA != 8
        INSERT INTO @RESULT SELECT * FROM @CURRENT_ROW

    SET @COUNTER = @COUNTER + 1;
    DELETE @CURRENT_ROW
END

SELECT @LEN = COUNT(*) FROM @RESULT

IF @LEN < 10
    RAISERROR ('There are less than 10 rows in result', 12, 1)

SELECT TOP(10) * FROM @RESULT
END TRY
BEGIN CATCH
    IF @@ERROR != 0
        PRINT(ERROR_MESSAGE())

END CATCH

```

Conclusion

In this work I gathered a better understanding of what types of blocks exist in T-SQL. I had an opportunity to work with a lot of new syntax for creating variables, settings conditions, repeating actions in a loop, raising and catching exceptions. Now I know how to use these features of T-SQL in order to operate with data in case of more complex tasks.