Canvas

Canvas Touch

The essential touchscreen endpoint
for your Canvas environment

Jupiter.com

See everything. Work anywhere.

Canvas Touch extends the power of Canvas' award-winning visualization solution to conference rooms, huddle spaces, personal offices, or anywhere else groups meet and collaborate. Canvas Touch offers a powerful touchscreen interface to collaborate with remote colleagues running Canvas on almost any device, sharing live video, real-time data, application screens, web windows, documents, and presentations.

End-to-end collaboration

Developed specifically for the meeting room, Canvas Touch offers a comprehensive view of operations and enables colleagues around the world to work together as if they were in the same room. Canvas Touch displays up to six simultaneous sources from your Canvas environment, including H.264 video streams, VNC viewer windows, and SimpleShare™ windows. All of Canvas' rich collaboration tools are available so users can annotate onscreen, share whiteboards, and jointly edit documents, spreadsheets, and presentations. Remote users without Canvas can share video and audio with Canvas users by connection from a SIP-based videoconferencing system. Microsoft Lync integration permits escalation to Canvas from the Lync client, as well as the ability to start a Lync conversation from Canvas.

– View and interact with critical Canvas video and data wherever you collaborate
– Supports viewing of up to 6 simultaneous sources
– Incredibly sharp 4K resolution available for 80-inch model
– 57-, 65-, and 70-inch models offer vivid 1080p HD resolution
– Ultra-responsive capacitive touch available in 65-inch display
– Highly customizable for your needs and your PC applications
– Web-based interface provides easy control of canvas placement and resizing, as well as video previews

Wirelessly Share Information

SimpleShare technology enables wireless presentation of content from any laptop, even if it does not have Canvas installed. Using Canvas SimpleShare, any user can wirelessly present their entire desktop or selected application window to both local and remote Canvas participants. SimpleShare supports Google Chrome and Firefox browsers on any PC or Mac.

The Power of Touch

Touchscreens bring information to life. Canvas Touch employs a beautiful 57-, 65-, 70-, or 80-inch interactive display that empowers teams with hands-on access to critical Canvas video and data.

- Brilliant 4K (80-inch model only) or 1080p HD resolution shows off your content with incredible brightness, color, and clarity
- Capacitive touch (65-inch model only) offers exceptionally accurate touches, swipes, and gestures
- Windows gestures, such as tap, slide, swipe, pinch, and rotate can be used to get a global view of everything on the screen
- Wireless keyboard and mouse included to easily control the display from your seat

Powered by Windows 10

The 80-inch Canvas Touch model is built on Windows 10, offering the performance and flexibility you need for all of your applications. Windows 10 provides an elegant interface that leverages familiar aspects of previous Windows operating systems so that everyone can intuitively use it, plus new features that you'll love.

- The Windows Start menu is back in an expanded form, so you can dive in immediately
- New Battery Saver feature automatically conserves power
- Available as a software

Bring Your Display to Life with 4K

The 80-inch Canvas Touch features 4K resolution for an incredibly sharp, vivid picture. Boost the impact of your content and make every meeting or presentation more engaging, informative, and memorable with 4K.

- More pixels mean more detail and depth for amazingly life-like images
- Enhanced color rendering
- Presenters benefit from crisp, clear images up close
- Audiences enjoy vibrant, detailed images, even from the back of a conference room

Canvas

Display

	57"	65"	70"	80"
Resolution	Full HD (1920 x 1080)			4K (3840 x 2160)
Refresh Rate	120 Hz			
Viewing Angle	176°	178°	176°	
Technology	LED edge-lit LCD	Direct WLED backlight	LED edge-lit LCD	
Pixel Pitch	0.63mm	0.248 x 0.744mm	0.63mm	0.46mm
Picture-in-Picture	N/A			Yes
Video Input Compatibility	Full NTSC, 480i, 480p, 720p, 1080i, 1080p			Full NTSC, 480i, 480p, 720p, 1080i, 1080p, 4K
Data Input Compatibility	VGA (640×480), SVGA (800×600), XGA (1024×768), SXGA (1280×1024), SXGA+ (1400×1050), UXGA (1600×1200), WXGA+ (1440×900), WSXGA+ (1680×1050), WXGA (1280×800), WUXGA (1920×1200)			
Input Connections	HDMI x 2, VGA (HD15 VESA), RS232, 3.5mm stereo mini-jack, RCA stereo audio in, 3.5mm stereo audio in, USB Type-B to touch screen controller board			DisplayPort 1.2, HDMI 2.0 x2, HDMI 1.4, VGA, component, 3.5mm audio in, RCA stereo in, RS232
Output Connections	RCA audio stereo (L/R) output, 3.5mm stereo mini jack			
Touch Screen	Edge-to-edge quad camera multi-touch system with support for 5 point Windows gestures.	10 point capacitive touch	Edge-to-edge quad camera multi-touch system with support for 5 point Windows gestures.	
Speakers (Integrated)	Stereo 7W × 2	Stereo 10W × 2	Stereo 7W × 2	
Power	AC 100 to 240V, 50/60Hz			
Mount	VESA standard 400 × 400mm M6 screws			VESA standard 400 x 600mm M6 screws

PC

	57"	65"	70"	80"
Processor	Intel® Core i7-4770T, Q87 chipset			Intel® Core i7-6700T, Q170 chipset
Memory	8 GB of RAM			
Hard Drive	SSD 120GB	SSD 128GB	SSD 120GB	SSD 256GB
LAN (2×)	802.3 10/100/1000 Base-T with Wake on LAN			
Wi-Fi	Dual band 802.11 a/b/g/n MIMO PCIe half mini card, 2.4 GHz with Intel, AMT support			
Input Connections	USB Type-A x 7 (4 on side of display, 1 on top of display, 2 on PC), Ethernet (RJ45 x 2)			USB Type-A x 6 (3 on side of display, 1 on top of display, 2 on PC), Ethernet (RJ45 x 2)
Output Connections	HDMI out			DisplayPort out
Bluetooth	4.0			
Operating System	Windows 8.1 Pro	Windows 7 Pro 64bit	Windows 8.1 Pro	Windows 10 Pro
SimpleShare™	WebRTC-based screen sharing; supports Google Chrome and Firefox browsers on any PC			

System

	57"	65"	70"	80"
Accessories Included	Wireless keyboard (where allowed), wireless mouse (where allowed), cleaning cloth, VGA cable, USB cable, security screws with removal tool, power cord, remote control, quick setup guide, feet/table stand assembly (feet not included with INF7011 or INF8011)			
Warranty	1 Year			
Product Weight	125.5 lbs / 57 kg	123.5 lbs / 56 kg	155 lbs / 70.3 kg	175 lbs / 79.4 kg
Product Dimensions	56.7 x 3.7 x 34.9 in / 1388 x 91 x 856 mm	59.9 x 3.3 x 35.3 in / 1520.5 x 83.1 x 895.5 mm	65.7 x 4 x 39 in / 1669 x 102 x 991 mm	74.8 x 4 x 46.3 in / 1900 x 101 x 1176 mm
Shipping Weight	154 lbs / 70 kg	154.5 lbs / 70.1 kg	171 lbs / 77.6 kg	202 lbs / 91.6 kg
Shipping Dimensions	63.5 x 10 x 42.5 in / 1613 x 254 x 1080 mm	69 x 10.6 x 44.4 in / 1752 x 270 x 1128 mm	73 x 10.5 x 49 in / 1854 x 267 x 1245 mm	83.5 x 10.5 x 53.5 in / 2121 x 267 x 1359 mm
Operating Conditions	41 to 95°F at 0 to 10K ft / 5 to 35°C at 0 to 3,048 m			
Noise	<40dBA @ 77°F / 25°C			
Energy Star	5.1 for display and PC			

*Product specifications, terms, and offerings are subject to change at any time without notice.

Accessories

RealCam Pan/Tilt/Zoom Camera (INF-SPTZ-3)
Camera with Microphone Array (HW-CAMERA-2)
Soundbars (HW-SOUNDBAR-4)
Wall Mount (INF-WALLMNT2, INF-WALLMNT3)
Floor Stand for 57" model only (INF-FLRSTND)

Mobile Carts (INF-MOBCART, INF-MOBCARTPRO-B, INF-MOBCARTPRO-S, INF-MCART-PL)
USB to HDMI Adapter (HW-USB2HDMI)Deluxe Mobile Cart with PTX Mount and Accessory Shelf (INA-MCARTDX)
Lift Assist Mounts (INA-MNTBB70, INA-MNTBB95)

Floor Support for Lift Assist Wall Mount (INA-SUPPORTBB)
Mobile Cart for List Assist Mount (INA-CARTBB)
VESA Interface Bracket (INA-VESABB)