Bioinformatics session

3rd Annual workshop on bioinformatics and variant interpretation in InPreD

https://inpred.github.io/25-06_bioinfo_ws/bioinfo_ws



1. Unit testing

What is unit testing?

- test smallest piece of code that can be logically isolated in software application (function, subroutine, method)
- the smaller the better - more granular view of what is going on; also faster
- should not cross systems (database, filesystem, network) -> integration and functional tests

Example

```
# calculator.py
def add(x, y):
    """add numbers"""
    return x + y
```

```
# test_calculator.py
import calculator

def test_add():
    assert calculator.add(1, 2) == 3
```

Why do we need unit testing?

- early defect detection
- code quality improvement
- facilitates refactoring
- faster development cycles
- better documentation
- enables more frequent releases

How to design a unit test?

- identify the unit (function, method)
- what is its functionality?
- what is the input (correct and incorrect)?
- how to handle incorrect input? (edge cases, invalid data)
- what does it return?
- positive and negative results should be tested

Set up unit testing for your functions

- install pytest

  ```
  $ pip install pytest
  ```

- add your function to a module at `my_module/my_module.py`
- add your unit test at `my_module/tests/my_module_test.py`
- in the test file import your module `from my_module.my_module import my_function`

First exercise

- go to https://github.com/InPreD/25-06_bioinfo_ws_unit_testing



First exercise



First exercise

- pytest was already installed in the codespace
- the suggested layout was already applied
- create a branch for your work:

```
$ git checkout -b unit-tests-<your name>
```

- start with the first exercise in `first/tests/first_test.py`
- whenever you are done, commit your changes (use commit message conventions):

```
$ git add first/tests/first_test.py
$ git commit -m "test: <your commit message>"
```

- and we push them to GitHub:

```
$ git push --set-upstream origin unit-tests-<your name>
```

Handle exceptions in unit tests

- functions can raise exceptions and we would like to test for those
- import `pytest` to have access to `raises()`
- add `with`-block to handle the exception:

```
import calculator
import pytest

def test_add_exception():
    with pytest.raises(TypeError):
        assert add("one", "two") == None
```

Second exercise

- continue with the second exercise in `second/tests/second_test.py`
- whenever you are done, commit your changes (use commit message conventions):

```
$ git add second/tests/second_test.py
$ git commit -m "test: <your commit message>"
```

- and we push them to GitHub:

```
$ git push
```

- to condense this as much as possible (ideally one unit test per function), we can use the `pytest` decorator `parametrize`
- again, import `pytest` to gain access to the decorator
- add the decorator `@pytest.mark.parametrize` as a header to your function
- define the required variables (input, exception, output)
- add your test cases as a list of tuples (one tuple per case)
- also use `nullcontext` from the module `contextlib` to account for cases without exceptions

```
import calculator
import pytest

from contextlib import nullcontext

@pytest.mark.parametrize(
    "x, y, exception, want",
    [
        (1, 2, nullcontext(), 3),
        ("one", "two", pytest.raises(TypeError), None)
    ]
```

Third exercise

- continue with the third exercise in `third/tests/third_test.py`
- whenever you are done, commit your changes (use commit message conventions):

```
$ git add third/tests/third_test.py
$ git commit -m "test: <your commit message>"
```

- and we push them to GitHub:

```
$ git push
```

2. Nextflow