

model-title_text	brace-open	property-row	star	model-box-control	property-row 2	star 2	model-box-control 2	property-row 3	star 3	model-box-control 3	property-row 4	star 4	model-box-control 4	property-row 5	star 5	model-box-control 5	property-row 6
Block	{	base_fee_per_gas	*	[...]	burnt_fees	*	[...]	burnt_fees_percentage	*	[...]	difficulty	*	[...]	extra_data	*	[...]	gas_limit
TokenTransfer	{	block_hash	*	[...]	from	*	[...]	log_index	*	[...]	to	*	[...]	token	*	[...]	total
RawTrace	{	action	*	[...]	subtraces	*	[...]	traceAddress	*	[...]	type	*	[...]				
RawTraceCallAction	{	callType	*	[...]	to	*	[...]	from	*	[...]	input	*	[...]	gas	*	[...]	value
RawTraceCreateAction	{	from	*	[...]	gas	*	[...]	init	*	[...]	value	*	[...]				
RawTraceSelfDestructAction	{	address	*	[...]	balance	*	[...]	refundAddress	*	[...]							
RawTraceCallResult	{	gasUsed	*	[...]	output	*	[...]										
RawTraceCreateResult	{	address	*	[...]	code	*	[...]	gasUsed	*	[...]							
Log	{	address	*	[...]	data	*	[...]	decoded	*	[...]	index	*	[...]	smart_contract	*	[...]	topics
InternalTransaction	{	block_number	*	[...]	created_contract	*	[...]	error	*	[...]	from	*	[...]	gas_limit	*	[...]	index
Fee	{	type	*	[...]	value	*	[...]										
Transaction	{	timestamp	*	[...]	fee	*	...	gas_limit	*	[...]	block_number	*	[...]	status	*	[...]	method
ExtendedRevertReasonAsMap	{	raw	*	[...]	code	*	[...]	message	*	[...]							
ReadMethodWithValue	{																
ReadMethodWithoutValue	{																
WriteMethod	{																
DecodedInput	{	method_call	*	[...]	method_id	*	[...]	parameters	*	[...]							
TokenAddressParam	{	hash	*	[...]	implementation_name	*	[...]	name	*	[...]	is_contract	*	[...]	is_verified	*	[...]	private_tags
TransactionSummary	{	success	*	[...]	data	*	[...]										
TransactionSummaryObj	{																
Summary	{	summary_template	*	[...]	summary_template_variables	*	[...]										
SummaryTemplateVariables	{	action_type	*	[...]	amount	*	[...]	token	*	[...]							
SummaryVariable	{	type	*	[...]	value	*	[...]										
SummaryVariableCurrency	{	type	*	[...]	value	*	[...]										
SummaryVariableToken	{	type	*	[...]	value	*	[...]										
TokenInfoDetailed	{	address	*	[...]	circulating_market_cap	*	[...]	decimals	*	[...]	exchange_rate	*	[...]	holders	*	[...]	icon_url
DecodedInputParameter	{	name	*	[...]	type	*	[...]	value	*	[...]							
DecodedInputLog	{	method_call	*	[...]	method_id	*	[...]	parameters	*	[...]							
DecodedInputLogParameter	{	name	*	[...]	type	*	[...]	value	*	[...]	indexed	*	[...]				
AddressParam	{	hash	*	[...]	implementation_name	*	[...]	name	*	[...]	is_contract	*	[...]	private_tags	*	[...]	watchlist_names
AddressTag	{	address_hash	*	[...]	display_name	*	[...]	label	*	[...]							
WatchlistName	{	display_name	*	[...]	label	*	[...]										
Address	{	hash	*	[...]				block_number_balance_updated_at	[...]	[...]	implementation_name	[...]	[...]	name	[...]	[...]	implementation_address
AddressWithTxCount	{	hash	*	[...]	transaction_count	*	[...]	block_number_balance_updated_at	[...]	[...]	implementation_name	[...]	[...]	name	[...]	[...]	implementation_address
Reward	{	reward	*	[...]	type	*	[...]										
TransactionReward	{	types	*	[...]	emission_reward	*	[...]	block_hash	*	[...]	from	*	[...]	to	*	[...]	
AddressCounters	{	transactions_count	*	[...]	token_transfers_count	*	[...]	gas_usage_count	*	[...]	validations_count	*	[...]				
TokenBalance	{	value	*	[...]	token_id	*	[...]	token	*	[...]							
CoinBalanceHistoryEntry	{	block_number	*	[...]	block_timestamp	*	[...]	delta	*	[...]	value	*	[...]				
CoinBalanceHistoryByDaysEntry	{	date	*	[...]	value	*	[...]										
Token	{	name	*	[...]	decimals	*	[...]	symbol	*	[...]	address	*	[...]	type	*	[...]	holders
TotalERC20	{	decimals	*	[...]	value	*	[...]										
TotalERC721	{	token_id	*	[...]													
TotalERC1155	{	token_id	*	[...]	decimals	*	[...]	value	*	[...]							
Holder	{	address	*	[...]	value	*	[...]										
NFTInstance	{	is_unique	*	[...]	id	*	[...]	owner	*	[...]	token	*	[...]				
AddressNFTInstance	{	is_unique	*	[...]	id	*	[...]	owner	*	[...]	token	*	[...]	token_type	*	[...]	value
AddressNFTInstanceCollection	{	is_unique	*	[...]	id	*	[...]	owner	*	[...]	token_type	*	[...]	value	*	[...]	token
AddressNFTCollection	{	token	*	[...]	token_instances	*	[...]										
SmartContract	{	file_path	[...]	[...]	compiler_settings	[...]	[...]	is_verified_via_eth_bytecode_db	[...]	[...]	is_self_destructed	[...]	[...]	can_be_visualized_via_sol2uml	[...]	[...]	is_verified_via_sourcify
ExternalLibrary	{	name	*	[...]	address_hash	*	[...]										
ContractSource	{																
ConstructorArguments	{																
TokenInfo	{	circulating_market_cap	*	[...]	icon_url	*	[...]	name	*	[...]	decimals	*	[...]	symbol	*	[...]	address
Argument	{																
SearchResultRedirect	{	parameter	*	[...]	redirect	*	[...]	type	*	[...]							
SearchResultToken	{	address	*	[...]	address_url	*	[...]	exchange_rate	*	[...]	icon_url	*	[...]	is_smart_contract_verified	*	[...]	name
SearchResultAddressOrContract	{	address	*	[...]	is_smart_contract_verified	*	[...]	name	*	[...]	type	*	[...]	uri	*	[...]	
SearchResultBlock	{	block_hash	*	[...]	block_number	*	[...]	timestamp	*	[...]	type	*	[...]	uri	*	[...]	
SearchResultTransaction	{	timestamp	*	[...]	transaction_hash	*	[...]	type	*	[...]	uri	*	[...]				
IndexingStatus	{	finished_indexing	*	[...]	finished_indexing_blocks	*	[...]	indexed_blocks_ratio	*	[...]	indexed_internal_transactions_ratio	*	[...]				
StatsResponse	{	total_blocks	*	[...]	total_addresses	*	[...]	total_transactions	*	[...]	average_block_time	*	[...]	coin_price	*	[...]	total_gas_used
MarketChartItem	{	date	*	[...]	closing_price	*	[...]	market_cap	*	[...]							
TransactionChartItem	{	date	*	[...]	transaction_count	*	[...]										
TokenCounters	{	token_holders_count	*	[...]	transfers_count	*	[...]										
RecaptchaBody	{	recaptcha_response	*	[...]													
ReadMethodQueryBody	{	args	*	[...]	method_id	*	[...]										
ReadMethodResponse	{	is_error	*	[...]	result	*	[...]										
CodeAndMessage	{	code	*	[...]	message	*	[...]										
Error	{	error	*	[...]													
OutputAndNames	{	output	*	[...]	names	*	[...]										
StateChange	{	type	*	[...]	is_miner	*	[...]	address	*	[...]							
ERC20Or1155OrCoinChange	{																
NFTChangesArray	{	direction	*	[...]	total	*	...			{			}				
NFTChange	{	direction	*	[...]	total	*	[...]										
SmartContractForList	{	address	*	[...]	coin_balance	*	[...]	compiler_version	*	[...]	language	*	[...]	has_constructor_args	*	[...]	optimization_enabled
Withdrawal	{	index	*	[...]	amount	*	[...]	validator_index	*	[...]							
TransactionAction	{			...		{				}			...		{		
TransactionActionAaveV3Liquidate	{	data	*	[...]	protocol	*	[...]	type	*	[...]							
TransactionActionAaveV3BSWRF	{	data	*	[...]	protocol	*	[...]	type	*	[...]							
TransactionActionAaveV3EnabledO	{	data	*	[...]	protocol	*	[...]	type	*	[...]							
TransactionActionUniswapV3Mint	{	data	*	[...]	protocol	*	[...]	type	*	[...]							
TransactionActionUniswapV3BCS	{	data	*	[...]	protocol	*	[...]	type	*	[...]							
v1IndexerStatus	{																
v1EntryPointIndexerStatus	{									[...]							
HealthCheckResponseServingStatus				Array [4]													
protobufAny	{																
rpcStatus	{																
v1CelestiaBlob	{								[...]			[...]			[...]		data
v1CelestiaBlobId	{																
v1CelestiaL2BatchMetadata	{							1TxHash	[...]		1TxTimestamp	[...]	1ChainId	[...]			12BlockscoutUrl
v1HealthCheckResponse	{																

model-box-control 6	property-row 7	model-box-control 7	property-row 8	model-box-control 8	model-box-control 9	model-box-control 10	model-box-control 11	model-hint	model-title_text 2	model-box-control 12
[...]	gas_target_percentage	[...]	gas_used	[...]	[...]	[...]	[...]	https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/AddressParam	AddressParam	[...]
	transaction_hash		type	[...]	[...]			https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/AddressParam	AddressParam	...
[...]					[...]	...	{			...
[...]	transaction_hash	[...]		[...]	[...]			https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/AddressParam	AddressParam	...
[...]	success	[...]	timestamp	[...]		[...]	[...]	https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/AddressParam	AddressParam	...
[...]	confirmations	[...]	type	[...]	[...]	{	[...]	https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/Fee	Fee	...
[...]	public_tags	[...]	watchlist_names	[...]	[...]					
					[...]			https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/TransactionSummaryObj	TransactionSummaryObj	...
								https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/SummaryTemplateVariables	SummaryTemplateVariables	...
								https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/SummaryVariable	SummaryVariable	...
								https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/TokenInfoDetailed	TokenInfoDetailed	...
[...]	name	[...]	symbol	[...]	[...]	[...]	[...]			
[...]	public_tags	[...]	is_verified	[...]	[...]	...	{			
[...]	token	[...]	coin_balance	[...]	[...]	...	{			[...]
[...]	token	[...]	coin_balance	[...]	[...]	...	{			[...]
								https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/AddressParam	AddressParam	...
						...	{	https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/Token	Token	...
					[...]					
[...]	exchange_rate	[...]	total_supply	[...]						
						...	{			
					{			
					[...]			https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/AddressParam	AddressParam	...
	animation_url		external_app_url	[...]	[...]	...	{	https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/AddressParam	AddressParam	...
[...]	animation_url		external_app_url	[...]	[...]	...	{	https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/AddressParam	AddressParam	...
...	animation_url	{	external_app_url	[...]	[...]	...	{	https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/AddressParam	AddressParam	...
					[...]			https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/TokenInfo	TokenInfo	...
[...]	is_changed_bytecode	[...]	is_partially_verified	[...]	[...]	...	{			[...]
				[...]	[...]					
[...]	type	[...]	holders	[...]	[...]	[...]				
	value			[...]	[...]					
[...]	symbol	[...]	token_type	[...]	[...]	[...]	[...]			
[...]	transactions_today	[...]	gas_used_today	[...]		[...]	[...]			...
				[...]	[...]					...
...	balance_after	{	token_id	[...]		...	{	https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/AddressParam	AddressParam	...
								https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/NFTChange	NFTChangesArray	
								https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/TotalERC721	TotalERC721	...
[...]	verified_at	[...]		[...]	[...]			https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/AddressParam	AddressParam	...
}	timestamp	...		{	}	...	{	https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/TransactionActionAaveV3Liq	TransactionActionAaveV3Liq }	
										...
										...
										...
										...
										...
...	v07	{			[...]	...	{	https://raw.githubusercontent.com/blockscout/blockscout-api-v2-swagger/main/swagger.yaml#/components/schemas/v1EntryPointIndexerStatus	v1EntryPointIndexerStatus	
	past_db_logs_indexing_finished		past_rpc_logs_indexed	[...]	[...]					
					[...]					
	details			[...]	[...]					
	commitment		timestamp	[...]	[...]					
	commitment			[...]	[...]					
[...]	i2StartBlock	[...]	i2EndBlock	[...]	[...]					[...]
				[...]						

