

This document was generated on 02/26/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 1050170001

Status: **Active**

Overview: **USB Products and Solutions**

Micro-USB B Receptacle, Bottom Mount, Surface Mount, with Solder Tabs, Lead-Free **Description:**

Documents:

3D Model Product Specification PS-105017-001-001 (PDF) Packaging Specification PK-105017-001-000 (PDF) Drawing (PDF)

Product Specification PS-105017-001 (PDF) RoHS Certificate of Compliance (PDF)

Agency Certification

E107635

General

Product Family I/O Connectors Series 105017 **Application** Wire-to-Board

Signal contacts 1.0A, Power contacts 1.8A, Signal Comments

contacts 1.0A, Power contacts 1.8A

Component Type Receptacle

USB Products and Solutions Overview

Product Name USB 2.0 Type Micro-B UPC 822350969109

Physical Boot Color N/A Circuits (Loaded) 5 Circuits (maximum) 5 Color - Resin Black Durability (mating cycles max) 10000 Flammability 94V-0 Gender Female

Keying to Mating Part Yes Lock to Mating Part No

Material - Metal Copper Alloy

Material - Plating Mating Gold Material - Plating Termination Gold

Material - Resin High Temperature Thermoplastic

Net Weight 0.233/qNumber of Rows

Right Angle Orientation **PCB** Retention None

Packaging Type **Embossed Tape on Reel**


Panel Mount No Pitch - Mating Interface 0.65mm Pitch - Termination Interface 0.65mm Polarized to Mating Part Yes Surface Mount Compatible (SMC) Yes

Temperature Range - Operating -30° to +85°C Termination Interface: Style Surface Mount

Waterproof / Dustproof Nο

Electrical

Current - Maximum per Contact 1.8A, 1.0A Grounding to Panel Yes



EU ELV

Not Relevant

EU RoHS China RoHS

Compliant **REACH SVHC** Not Contained Per -ED/88/2018 (15 January 2019) **Halogen-Free Status**

Low-Halogen

For more information, please visit Contact US

China ROHS Green Image Not Relevant ELV RoHS Phthalates Not Contained

Search Parts in this Series

105017 Series

Shield Type Full Shield

Shielded Yes

Voltage - Maximum 30V AC (RMS)

Solder Process Data

Duration at Max. Process Temperature (seconds)

Lead-freeProcess Capability

Max. Cycles at Max. Process Temperature

O01

Process Temperature max. C

260

Material Info

Engineering Number NT501-6734

Reference - Drawing Numbers

Packaging Specification PK-105017-001-000

Product Specification PS-105017-001, PS-105017-001-001

Sales Drawing SD-105017-001-000

This document was generated on 02/26/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION