


BOUNDARIES. DEFINED.



A bold identity for fencing materials,
professional installation and servicing.

MICRON FENCING COMPANY

Brand strategy + visual identity + practical applications



A clear position.

PURPOSE

Help people establish clear, practical boundaries around the properties they own and manage.

MISSION

Make fencing projects easier to plan through clear specifications, suitable materials and reliable installation support.

POSITIONING

A fencing materials and installation company that brings product choice and on-site execution together.

VISION

Become a trusted choice for complete fencing requirements in the markets Micron serves.

Brand idea: STRUCTURE YOU CAN SEE.

Express strength through clarity, consistency and real workmanship.

Built for property decisions.

Land and plot owners

Clear boundaries; understandable costs.

Lead with application, length and material options.

Builders and real estate teams

Defined scope; coordinated installation.

Lead with specifications and project requirements.

Agricultural customers

Suitable fencing for actual land use.

Ask about terrain, purpose and boundary length.

Solar project teams

Perimeter layout and controlled access.

Lead with site requirements and installation scope.

Strong. Direct. Grounded.

DEPENDABLE

State what is available. Confirm specifications before committing. Make the next step clear.

PRACTICAL

Explain products through their use. Help customers ask the right questions about their site.

PRECISE

Use consistent names, units and scope descriptions. Separate material supply from installation.

CONFIDENT

Use short, decisive headlines. Let real products and finished work provide the evidence.

Visual expression: substantial letterforms, straight edges, disciplined spacing and one strong accent colour.

Say it plainly.

PRIMARY TAGLINE

Boundaries. Defined.

SHORT INTRODUCTION

Micron Fencing Company supplies fencing materials and provides installation and servicing for agricultural lands, open plots, housing projects, solar farms and real estate ventures.

SUPPORTING LINE

Fencing materials. Professional installation. Complete boundary solutions.

MESSAGE HIERARCHY

1. What we provide.
2. Which properties we serve.
3. Available specifications.
4. The next step: request a quote.

Use: Share your boundary length and site location for a quote.

Avoid: Unbreakable security. Lifetime protection. India's No. 1.

Publish certifications, warranties and performance claims only when supported.

The structural M.



PRIMARY LOCKUP

Two upright posts and an angled centre form an M. The geometry draws on posts, mesh connections and the structure of a boundary.



COMPACT MARK

The wordmark carries the name at a glance. The descriptor keeps the business category explicit. This is the proposed master identity.

One identity. Three treatments.



Primary: yellow mark + warm-white name on charcoal.

Reverse: charcoal identity on yellow.

Single colour: one solid ink for stamps, embroidery and economical print.

Give the mark room.



x = one-quarter of symbol height

NEVER

Stretch, rotate, outline, add shadows, change proportions or place the logo over busy photographs. Do not rebuild the lockup with a different font.

CLEAR SPACE

Keep at least x on every side of the complete lockup. Measure from the outermost artwork.


MINIMUM SIZE

Full lockup: 200 px wide digitally / 45 mm in print.
Symbol alone: 24 px / 8 mm. Below these sizes, omit the descriptor and use the symbol.

SMALL-SCALE PRODUCTION

Use solid shapes. Test an actual-size proof for embroidery, engraving and low-resolution signage.

Charcoal meets signal yellow.




Charcoal

#171B1C

RGB 23, 27, 28

CMYK 18 / 4 / 0 / 89



Signal yellow

#F4D62B

RGB 244, 214, 43

CMYK 0 / 12 / 82 / 4



Warm white

#F6F5EF

RGB 246, 245, 239

CMYK 0 / 0 / 3 / 4

Steel green

#64716C

RGB 100, 113, 108

CMYK 12 / 0 / 4 / 56

Typical balance: 55% warm white / 30% charcoal / 10% yellow / 5% steel green. Campaign covers may invert the light-dark balance.

CMYK values are approximate starting points. Match a physical proof to the intended paper and print process. Use charcoal text on yellow; avoid white text on yellow.

Type with weight and clarity.

DejaVu Sans Bold

**BOUNDARIES.
DEFINED.**

Display and logo typography: heavy, upright and straightforward. Use uppercase for short headlines only.

TYPE RULES

Use 1.1 line spacing for headings and 1.5 for body copy. Keep paragraphs left aligned. Use a maximum of two weights per layout.

DejaVu Sans Regular


Clear information earns trust. Use sentence case for descriptions, specifications, instructions and forms.

DIGITAL SCALE

Hero 48-72 px / H2 32-40 px / H3 22-26 px / Body 16-18 px / Labels 12-14 px.

Print starting sizes: headlines 28-48 pt, body 10-12 pt, notes 8-9 pt. The PDF uses the specified font family.

Structure without clutter.



FENCE GRID

Use a 45-degree diamond grid as a quiet background texture. Keep it outside text zones. Use one pattern field per composition.



BOUNDARY BAR

Use a straight yellow bar to anchor headings and divide content. Keep corners square and proportions generous.

Show the work.

PRIMARY IMAGERY

Real finished fence lines with visible depth, clear post alignment and an identifiable property context. Shoot both wide views and close details.

PEOPLE AND PROCESS

Show actual installations and servicing with appropriate equipment. Photograph real teams with permission.

DETAIL IMAGERY

Photograph mesh, wire, poles, joins and material finishes against simple backgrounds. Let buyers see what they are enquiring about.

TREATMENT

Natural colour, balanced contrast and honest material texture. Keep horizons straight. Leave negative space for headlines.

Do not present stock or generated projects as Micron installations. Avoid exaggerated security imagery, fake certificates and partner logos without permission.

Specifications before superlatives.

Barbed Wire

120 GSM and 270 GSM

Chain Link Fencing

120 GSM and 270 GSM / Tata, Micron and Sunvik options

GI Wire

Confirm available diameters and supply quantities

Concertina Coils


Confirm coil dimensions and installation requirements

GI Fencing Poles

Confirm sizes, wall thickness and finish

Product card order: name / actual photograph / confirmed specification / intended application / enquiry button. Verify what each GSM rating measures before expanding it in public copy.

A direct route to enquiry.



WEBSITE RULES

Use a light content area, bold charcoal hero and yellow calls to action. Keep one primary action per section.

COMPONENTS

Square buttons; 48 px touch targets; visible keyboard focus; persistent labels; charcoal text on yellow.

Page structure: Home / About / Products / Services / Applications / Contact.

Form: name, phone, location, requirement and approximate boundary length.

Mobile: keep Call and WhatsApp actions easy to reach without covering content.

One message. One next step.



**YOUR LAND.
CLEARLY
DEFINED.**

Talk to Micron about fencing.

[Verified phone number]



**CHAIN LINK
FENCING**

120 GSM / 270 GSM

Ask for specifications and pricing.

Social formats: 1080 x 1350 posts / 1080 x 1920 stories. Keep text within 8% side margins. Lead with products, site applications or real work. Use the same logo position across a campaign.

Consistent at every touchpoint.



BUSINESS CARD / FRONT CONCEPT



REVERSE / CONTACT INFORMATION

LETTERHEAD AND QUOTATIONS

A4 white page; logo top left; contact information top right; yellow divider; charcoal text. Include quote ID, date, customer, site, specifications, quantities, units, rates and scope.

PRINT PRODUCTION

Business card: 90 x 50 mm. Allow 3 mm bleed and 4 mm safe margins. Obtain printer templates for final cutting, colour profile and paper requirements.

Recognisable from a distance.

M **MICRON**
FENCING COMPANY

MATERIALS + INSTALLATION
[Verified phone number]

SITE SIGN / FLAT ARTWORK CONCEPT

VEHICLES AND SIGNS

Place the name first, then the service and phone number. Keep product lists short. Size lettering to actual viewing distance and approve a full-scale proof.

UNIFORMS AND LABELS

Use a one-colour chest mark on charcoal clothing. Material labels should prioritise product, specification, quantity and traceable batch information where available.

Keep the brand disciplined.

USE CONSISTENTLY

Write Micron Fencing Company in full in formal copy. Use the same master logo, colour values and headline style. Keep product and brand names distinct.

MASTER ASSETS

Vector logo exports: SVG and PDF. Raster exports: transparent PNG at multiple sizes. Preserve an editable master, plus light, dark and single-colour treatments.

BEFORE PUBLICATION

Confirm contact details, service areas, specifications and business claims. Replace every bracketed field. Add testimonials and project photographs only when verified.

STATUS OF THIS BOOK

Complete proposed identity direction, version 1.0. Strategy, tagline and logo are newly proposed. Application artwork is illustrative; supplier-ready files require final sizes and business details.

MICRON FENCING COMPANY

BOUNDARIES. DEFINED.