

Blocking and Matching criteria

0.1 Pass 1

0.1.1 Blocking columns

Comparison type	Column name
CHAR	CIVAT_IIS

0.1.2 Matching columns

Comparison type	Column name	Threshold
UNCERT	EnB2B_Company_Name	800
CHAR	PrCustomer_Type_IIS_changed	

0.1.3 Overrides

Column name	Override type	Additional weight	Conditional values
EnB2B_Company_Name	AR=A	AW=20	AV=ALL
PrCustomer_Type_IIS_changed	AR=A	AW=-100	AV='person'
PrCustomer_Type_IIS_changed	AR=R	AW=-100	AV='organisation'
PrCustomer_Type_IIS_changed	AR=R	AW=-100	AV='various'
PrCustomer_Type_IIS_changed	AR=A	AW=10	AV='municipalities'

0.2 Pass 2

0.2.1 Blocking columns

Comparison type	Column name
CHAR	EnB2B_Company_Name

0.2.2 Matching columns

Comparison type	Column name	Threshold
CNT_DIFF	CIVAT_IIS	1
CHAR	PrCustomer_Type_IIS_changed	

0.2.3 Overrides

Column name	Override type	Additional weight	Conditional values
CIVAT_IIS	AR=A	AW=20	AV=ALL

PrCustomer_Type_IIS_changed	AR=A	AW=-100	AV='person'
PrCustomer_Type_IIS_changed	AR=R	AW=-100	AV='various'
PrCustomer_Type_IIS_changed	AR=A	AW=10	AV='municipalities'
PrCustomer_Type_IIS_changed	AR=A	AW=10	AV='organisation'

0.3 Pass 3

Persons pass.

0.3.1 Blocking columns

Comparison type	Column name
CHAR	CIVAT_IIS

0.3.2 Matching columns

Comparison type	Column name	Threshold
NAME_UNCERT	EnPrFirst_Name	850
MULT_ALIGN	EnCILast_Name	880
MULT_UNCERT	EnPrLast_Name	850
NAME_UNCERT	EnPrFather_Name	850
UNCERT	CIAT_IIS	850
MULT_UNCERT	Fixphone_IIS	850
MULT_UNCERT	Cellphone_IIS	850
CHAR	PrCustomer_Type_IIS_changed	
UNCERT	CIPassport_IIS	850
UNCERT	CIEmail_Uppercase	850
CNT_DIFF	Billing_TerraKey	1

0.3.3 Overrides

Column name	Override type	Additional weight	Conditional values
PrCustomer_Type_IIS_changed	AR=A	AW=-100	AV='organisation'
PrCustomer_Type_IIS_changed	AR=A	AW=-100	AV='various'
PrCustomer_Type_IIS_changed	AR=A	AW=-100	AV='municipalities'
Billing_TerraKey	AR=R	DW=0.001	AV=ALL

0.4 Pass 4

The criteria was designed to process records where customer type is not 'person', records where customer type is 'person' are sent to residuals using weight override.

0.4.1 Blocking columns

Comparison type	Column name
CHAR	CIVAT_IIS

0.4.2 Matching columns

Comparison type	Column name	Threshold
UNCERT	EnB2B_Company_Name	800
MULT_ALIGN	EnPrCompany_Name	850
CHAR	PrCustomer_Type_IIS	
MULT_ALIGN	Fixphone_IIS	850
MULT_ALIGN	Cellphone_IIS	850
UNCERT	CIAT_IIS	850

0.4.3 Overrides

Column name	Override type	Additional weight	Conditional values
EnPrCompany_Name	AR=A	DW=-10	AV=ALL
PrCustomer_Type_IIS	AR=R	AW=-100	AV='municipalities'
PrCustomer_Type_IIS	AR=R	AW=-100	AV='person'
PrCustomer_Type_IIS	AR=R	AW=0.1	AV=ALL
Fixphone_IIS	AR=R	DW=-0.1	AV=ALL
Cellphone_IIS	AR=R	DW=-0.1	AV=ALL
CIAT_IIS	AR=R	DW=-0.1	AV=ALL

0.5 Pass 5

0.5.1 Blocking columns

Comparison type	Column name
CHAR	PrCustomer_Type_IIS
CHAR	EnPrCompany_Name

0.5.2 Matching columns

Comparison type	Column name	Threshold
CNT_DIFF	CIVAT_IIS	1
MULT_ALIGN	EnB2B_Company_Name	850
CHAR	PrCustomer_Type_IIS_changed	
UNCERT	CIAT_IIS	850
MULT_ALIGN	Fixphone_IIS	850
MULT_ALIGN	Cellphone_IIS	850
UNCERT	CIEmail_Uppercase	850
CHAR	B2B_TerraKey	
MULT_UNCERT	EnTrB2B_Street	850
CHAR	PrB2B_House_Number	
CHAR	Billing_TerraKey	

CHAR	TrBilling_House_Number	
MULT_ALIGN	EnBilling_Street_copy	850
MULT_ALIGN	EnTrBillingStrret_copy	850
UNCERT	CIpassport_IIS	850
CHAR	CIDOY_IIS	

0.5.3 Overrides

Column name	Override type	Additional weight	Conditional values
CIVAT_IIS	AR=A	AW=50	AV=ALL
PrCustomer_Type_IIS_changed	AR=R	AW=-100	AV='person'
PrCustomer_Type_IIS_changed	AR=R	AW=-100	AV='various'
CIAT_IIS	AR=R	DW=0.001	AV=ALL
CIAT_IIS	AR=A	AW=20	AV=ALL
Fixphone_IIS	AR=R	DW=0.001	AV=ALL
Fixphone_IIS	AR=A	AW=20	AV=ALL
Cellphone_IIS	AR=R	DW=0.001	AV=ALL
Cellphone_IIS	AR=A	AW=20	AV=ALL
CEmail_Uppercase	AR=R	DW=0.001	AV=ALL
CEmail_Uppercase	AR=A	AW=20	AV=ALL
EnBilling_Street_copy	AR=A	AW=1	AV=ALL
EnTrBillingStrret_copy	AR=A	DW=-1	AV=ALL

0.6 Pass 6

0.6.1 Blocking columns

Comparison type	Column name
CHAR	CIVAT_IIS

0.6.2 Matching columns

Comparison type	Column name	Threshold
UNCERT	CIAT_IIS	850
MULT_UNCERT	Fixphone_IIS	850
MULT_UNCERT	Cellphone_IIS	850
UNCERT	CEmail_Uppercase	850
CHAR	CIDOY_IIS	
UNCERT	CIpassport_IIS	850
CHAR	PrCustomer_Type_IIS	850

0.6.3 Overrides

Column name	Override type	Additional weight	Conditional values
PrCustomer_Type_IIS	AR=R	AW=-200 DW=-200	AV='organisation'

PrCustomer_Type_IIS	AR=R	AW=-200 DW=-200	AV='person'
PrCustomer_Type_IIS	AR=R	AW=-200 DW=-200	AV='municipalities'

0.7 Pass 7

0.7.1 Blocking columns

Comparison type	Column name
CHAR	CIAT_IIS

0.7.2 Matching columns

Comparison type	Column name	Threshold
CHAR	CIAT_IIS	
UNCERT	CIEmail_Uppercase	850
NAME_UNCERT	EnPrFirst_Name	850
UNCERT	EnPrLast_Name	850
NAME_UNCERT	EnPrFather_Name	850
MULT_UNCERT	EnCILast_Name	850
CHAR	PrCustomer_Type_IIS_changed	
CNT_DIFF	CIVAT_IIS	1
CHAR	CIDOY_IIS	
UNCERT	CIPassport_IIS	850
MULT_ALIGN	Fixphone_IIS	850
MULT_ALIGN	Cellphone_IIS	850

0.7.3 Overrides

Column name	Override type	Additional weight	Conditional values
PrCustomer_Type_IIS_changed	AR=R	AW=-100	AV='municipalities'
CIVAT_IIS	AR=A	AW=1	AV=ALL

0.8 Pass 8

0.8.1 Blocking columns

Comparison type	Column name
CHAR	FixPhoneIISBlock

0.8.2 Matching columns

Comparison type	Column name	Threshold
UNCERT	CIEmail_Uppercase	850
NAME_UNCERT	EnPrFirst_Name	850
MULT_UNCERT	EnPrLast_Name	850
MULT_UNCERT	EnCILast_Name	850

NAME_UNCERT	EnPrFather_Name	850
CNT_DIFF	CIVAT_IIS	1
CHAR	CIDOY_IIS	
UNCERT	CIPassport_IIS	850
UNCERT	CIAT_IIS	850
CHAR	Billing_TerraKey	
MULT_ALIGN	EnBilling_Street_copy	850
MULT_UNCERT	EnTrBilling_Street	850
MULT_ALIGN	Cellphone_IIS	850
CHAR	POD_TerraKey	
MULT_UNCERT	EnPoD_Street	850
CHAR	B2B_TerraKey	
CHAR	PrCustomer_Type_IIS_changed	
UNCERT	EnPrCompany_Name	800
MULT_ALIGN	EnStreet_copy	850

0.8.3 Overrides

Column name	Override type	Additional weight	Conditional values
CIEmail_Uppercase	AR=R	DW=0.001	AV=ALL
CIEmail_Uppercase	AR=A	AW=20	AV=ALL
CIVAT_IIS	AR=A	AW=20	AV=ALL
CIAT_IIS	AR=R	DW=0.001	AV=ALL
CIAT_IIS	AR=A	AW=20	AV=ALL
Cellphone_IIS	AR=R	DW=0.001	AV=ALL
Cellphone_IIS	AR=A	AW=20	AV=ALL
PrCustomer_Type_IIS_changed	AR=R	AW=-100	AV='municipalities'
EnPrCompany_Name	AR=R	DW=-200	AV=ALL

0.9 Pass 9

0.9.1 Blocking columns

Comparison type	Column
CHAR	CellPhoneIISBlock

0.9.2 Matching columns

Comparison type	Column name	Threshold
UNCERT	CIEmail_Uppercase	850
NAME_UNCERT	EnPrFirst_Name	850
MULT_UNCERT	EnCILast_Name	850
MULT_UNCERT	EnPrLast_Name	850

NAME_UNCERT	EnPrFather_Name	850
CHAR	PrCustomer_Type_IIS_changed	
CNT_DIFF	CIVAT_IIS	1
CHAR	CIDOY_IIS	
UNCERT	CIPassport_IIS	850
MULT_UNCERT	EnTrBilling_Street	850
CHAR	Billing_TerraKey	
MULT_ALIGN	EnBilling_Street_copy	850
MULT_ALIGN	EnStreet_copy	850
UNCERT	CIAT_IIS	850
MULT_UNCERT	EnPoD_Street	850
CHAR	POD_TerraKey	
MULT_ALIGN	Fixphone_IIS	850
CHAR	B2B_TerraKey	
UNCERT	EnPrCompany_Name	800

0.9.3 Overrides

Column name	Override type	Additional weight	Conditional values
CIEmail_Uppercase	AR=R	DW=0.001	AV=ALL
CIEmail_Uppercase	AR=R	AW=20	AV=ALL
CIVAT_IIS	AR=A	AW=20	AV=ALL
CIAT_IIS	AR=R	DW=0.001	AV=ALL
CIAT_IIS	AR=R	AW=20	AV=ALL
Fixphone_IIS	AR=R	DW=0.001	AV=ALL
Fixphone_IIS	AR=A	AW=20	AV=ALL
EnPrCompany_Name	AR=R	DW=-200	AV=ALL

0.10 Pass 10

0.10.1 Blocking columns

Comparison type	Column name
CHAR	Billing_Postal_Code
CHAR	EnBillingStreet_IIS
CHAR	PrBilling_House_Number

0.10.2 Matching columns

Comparison type	Column name	Threshold
UNCERT	CIEmail_Uppercase	850
CHAR	PrHouse_Number	

NAME_UNCERT	EnPrFirst_Name	850
NAME_UNCERT	EnPrFather_Name	850
MULT_UNCERT	EnPrLast_Name	850
MULT_ALIGN	EnCIClast_Name	850
CHAR	PrCustomer_Type_IIS_changed	
CNT_DIFF	CIVAT_IIS	1
CHAR	CIDOY_IIS	
UNCERT	CIPassport_IIS	850
MULT_ALIGN	Fixphone_IIS	850
MULT_ALIGN	Cellphone_IIS	850
UNCERT	CIAT_IIS	850
MULT_UNCERT	EnStreet	850
MULT_ALIGN	EnBilling_Street	850
MULT_UNCERT	EnPoD_Street	850
CHAR	B2B_TerraKey	
NUMERIC	FlagAtEmailPhonesNull	
UNCERT	EnPrCompany_Name	800

0.10.3 Overrides

Column name	Override type	Additional weight	Conditional values
CIEmail_Uppercase	AR=A	AW=20	AV=ALL
EnCIClast_Name	AR=A	DW=-10	AV=ALL
CIVAT_IIS	AR=A	AW=20	AV=ALL
Fixphone_IIS	AR=A	AW=20	AV=ALL
Cellphone_IIS	AR=A	AW=20	AV=ALL
CIAT_IIS	AR=A	AW=20	AV=ALL
FlagAtEmailPhonesNull	AR=R	AW=-70	AV='1'
FlagAtEmailPhonesNull	AR=R	DW=-50	AV='0'
EnPrCompany_Name	AR=R	DW=-200	AV=ALL

0.11 Pass 11

0.11.1 Blocking columns

Comparison type	Column
CHAR	EnTrBilling_Street
CHAR	PrBilling_House_Number
CHAR	TrBilling_Postal_Code

0.11.2 Matching columns

Comparison type	Column name	Threshold
UNCERT	CIEmail_Uppercase	850
CHAR	PrHouse_Number	
NAME_UNCERT	EnPrFirst_Name	850
MULT_ALIGN	EnCILast_Name	850
NAME_UNCERT	EnPrLast_Name	850
NAME_UNCERT	EnPrFather_Name	850
CHAR	PrCustomer_Type_IIS_changed	
CHAR	CIDOY_IIS	
UNCERT	CIPassport_IIS	850
MULT_ALIGN	Fixphone_IIS	85
MULT_ALIGN	Cellphone_IIS	850
CNT_DIFF	CIVAT_IIS	1
UNCERT	CIAT_IIS	850
MULT_UNCERT	EnStreet	850
MULT_ALIGN	EnBilling_Street_copy	850
MULT_UNCERT	EnPoD_Street	850
CHAR	B2B_TerraKey	
UNCERT	EnPrCompany_Name	800

0.11.3 Overrides

Column name	Override type	Additional weight	Conditional values
CIEmail_Uppercase	AR=A	AW=20	AV=ALL
EnCILast_Name	AR=A	DW=-10	AV=ALL
Fixphone_IIS	AR=A	AW=20	AV=ALL
Cellphone_IIS	AR=A	AW=20	AV=ALL
CIVAT_IIS	AR=A	AW=20	AV=ALL
CIAT_IIS	AR=A	AW=20	AV=ALL
EnPrCompany_Name	AR=R	DW=-200	AV=ALL

0.12 Pass 12

0.12.1 Blocking columns

Comparison type	Column
CHAR	PrPOD_House_Number
CHAR	EnPoD_Street

0.12.2 Matching columns

Comparison type	Column name	Threshold
UNCERT	CEmail_Uppercase	850
NAME_UNCERT	EnPrFirst_Name	850
UNCERT	EnPrLast_Name	850
NAME_UNCERT	EnPrFather_Name	850
MULT_ALIGN	EnPrCompany_Name	850
MULT_ALIGN	EnCILast_Name	850
CHAR	PrCustomer_Type_IIS_changed	
CNT_DIFF	CIVAT_IIS	1
UNCERT	CIAT_IIS	850
CHAR	CIDOY_IIS	
UNCERT	CIPassport_IIS	850
MULT_ALIGN	Fixphone_IIS	850
MULT_ALIGN	Cellphone_IIS	850
MULT_UNCERT	EnBilling_Street	850
CHAR	B2B_TerraKey	
NUMERIC	FlagAtEmailPhonesNull	
MULT_UNCERT	EnStreet	850
CHAR	PrHouse_Number	850

0.12.3 Overrides

Column name	Override type	Additional weight	Conditional values
CEmail_Uppercase	AR=R	DW=0.001	AV=ALL
CEmail_Uppercase	AR=A	AW=20	AV=ALL
EnPrFirst_Name	AR=R	DW=-200	AV=ALL
EnPrFather_Name	AR=R	DW=-200	AV=ALL
CIVAT_IIS	AR=A	AW=20	AV=ALL
CIAT_IIS	AR=R	DW=0.001	AV=ALL
CIAT_IIS	AR=A	AW=20	AV=ALL
Fixphone_IIS	AR=R	DW=0.001	AV=ALL
Fixphone_IIS	AR=R	AW=20	AV=ALL
Cellphone_IIS	AR=R	DW=0.001	AV=ALL
Cellphone_IIS	AR=R	AW=20	AV=ALL
FlagAtEmailPhonesNull	AR=R	AW=-70	AV='1'
FlagAtEmailPhonesNull	AR=R	DW=-50	AV='0'

0.13 Pass 13

0.13.1 Blocking columns

Comparison type	Column name
CHAR	Contract_Account_ID

0.13.2 Matching columns

Comparison type	Column name	Threshold
UNCERT	CIEmail_Uppercase	850
NAME_UNCERT	EnPrFirst_Name	850
MULT_ALIGN	EnCILast_Name	850
MULT_ALIGN	EnPrLast_Name	850
NAME_UNCERT	EnPrFather_Name	850
CNT_DIFF	CIVAT_IIS	1
CHAR	PrCustomer_Type_IIS_changed	
MULT_ALIGN	Fixphone_IIS	850
MULT_ALIGN	Cellphone_IIS	805
UNCERT	CIAT_IIS	850
UNCERT	CIPassport_IIS	850
CHAR	CIDOY_IIS	850

0.13.3 Overrides

Column name	Override type	Additional weight	Conditional values
CIEmail_Uppercase	AR=A	AW=20 DW=-8	AV=ALL
CIVAT_IIS	AR=A	AW=20	AV=ALL
PrCustomer_Type_IIS_changed	AR=R	AW=0.001	AV=ALL
Fixphone_IIS	AR=R	DW=0.001	AV=ALL
Fixphone_IIS	AR=A	AW=20	AV=ALL
Cellphone_IIS	AR=R	DW=0.001	AV=ALL
Cellphone_IIS	AR=A	AW=20	AV=ALL
CIAT_IIS	AR=R	DW=0.001	AV=ALL
CIAT_IIS	AR=A	AW=20	AV=ALL

0.14 Variable special handling

Special handling is set at the match specification level, which means that it is applicable to all match passes within a match specification.

Column	Action	Missing option
B2B_TerraKey	CRITICAL	MISSINGOK

CIVAT_IIS	CRITICAL	MISSINGOK
CIEmail_Uppercase	NOFREQ	
CIVAT_IIS_copy	NOFREQ	
PrCustomer_Type_IIS	CRITICAL	
CIAT_IIS	NOFREQ	
Customer_type_null	NOFREQ	
PrCustomer_Type_IIS_changed	CRITICAL	MISSINGOK
EnPrLast_Name	CRITICAL	MISSINGOK
EnPrFirst_Name	CRITICAL	MISSINGOK
EnPrFather_Name	CRITICAL	MISSINGOK
PrBilling_House_Number	CRITICAL	MISSINGOK
Fixphone_IIS	NOFREQ	
Cellphone_IIS	NOFREQ	
EnTrBillingStrret_copy	CRITICAL	MISSINGOK
EnClLast_Name	CRITICAL	MISSINGOK
EnBilling_Street_copy	CRITICAL	MISSINGOK
EnB2B_Company_Name	CRITICAL	MISSINGOK
EnStreet_copy	CRITICAL	MISSINGOK