

Sky Alerts UI Wireframes v4 — bound to alerts_now.json contract

Alerts Sidebar (Dock Panel) — alerts_now.json.groups[<group>]



Filter / Sort


Sort: score_norm desc, then updated_utc desc | Search: id/title | Toggle: has coords

icon(12x12)	title/id	key metrics	updated_utc	score_norm	[target]
	item.title (or item.id)	1–2 key metrics (group)	updated_utc	score_norm	target ☐
	item.title (or item.id)	1–2 key metrics (group)	updated_utc	score_norm	target ☐
	item.title (or item.id)	1–2 key metrics (group)	updated_utc	score_norm	target ☐
	item.title (or item.id)	1–2 key metrics (group)	updated_utc	score_norm	target ☐
	item.title (or item.id)	1–2 key metrics (group)	updated_utc	score_norm	target ☐
	item.title (or item.id)	1–2 key metrics (group)	updated_utc	score_norm	target ☐

Row key metrics mapping (alerts_now.json.items[*])

- NEO: meta.dist_Id + meta.diameter_est_km (or meta.diameter_km); optional meta.moid_au
- NEOCP: mag + score_raw (MPC)
- Transient: mag + meta.designation_raw (or J-coords)
- Risk: meta.ip (impact prob) OR meta.ps/palermo; last_obs
- GCN: meta.topic + kafka timestamp; ra/dec if parseable

Sky Map + Hover Tooltip + Click behaviors



Map Hover Tooltip (alerts_now.json.items[*], Risk header orange)



id, group, type, updated_utc, score_norm

ra/dec, mag; NEO: diameter_est_km + moid_au + dist_Id

Buttons: [Open details] [Center on map] (disabled if coords missing)

Row click: Open Object Detail Modal (Risk variant if coords missing).

Interaction contract (fixed)

Target icon click: if coords exist → center map + highlight marker; else disabled + tooltip.

Object Detail Modal — contract fields (alerts_now.json.items[*])

Object Detail Modal

item.title (PHA=red header, Risk=orange header)

id | group | type | source | updated_utc | ingested_utc | score_norm

Actions

[Center]

[Highlight]

[Copy JSON]

(Center/Highlight disabled if ra_deg/dec_deg null)

Summary (cross-group comparable)

- score_norm, updated_utc, note, group/type/source
- If coords: ra_deg/dec_deg, mag
- Common meta shown as chips (e.g., bucket, horizons_ok, topic, etc.)

Sky tab

item.ra_deg / item.dec_deg

- Mag: item.mag
- Alt/Az: item.meta.alt_deg / az_deg (if present)

Raw tab

Render full item JSON tree (incl. item.meta + any raw payload pointers).

Orbit/Phys tab

item.meta.v_rel_km_s, meta.h

- SBDB: meta.moid_au, meta.diameter_km, meta.diameter_est_km, meta.albedo

Risk tab

show Sentry official fields (ip/ps/palermo/last_obs/...) from meta

- group=neo: show internal UX risk_score if present (meta.risk_score)

Risk Modal Variant (No RA/DEC) + Stats Dashboard

Risk Object Modal Variant — when ra_deg/dec_deg null item.title (orange header)



id | source | updated_utc | score_norm

Fields shown (all null-safe)

- Summary: object designation, class, last_obs (meta.last_obs), arc, n_obs
- Risk: ip + ps/palermo, impact window, any flags (meta.*)
- Orbit/Phys: H, diameter (if any), MOID if any
- Observations: last_obs + arc/n_obs, notes
- Raw: full item JSON

Alerts Stats Dashboard (Modal) — aggregated from alerts_now.json

Donut: distribution by group

alerts_now.counts.by_group

Chart: NEO closest approaches

X=updated_utc, Y=meta.dist_id

Chart: Top risk objects

Sort by score_norm or meta.ip/ps

Empty groups hidden by default. All values derived from merged alerts_now dataset.