CHEZHIAN ARTS AND SCIENCE COLLEGE FOR WOMEN

THENPALLIPATTU, KALASAPAKKAM TALUK
THIRUVANNAMALAI

BACHELOR OF COMPUTER SCIENCE

NAAN MUDHALVAN FINALL PROJECT RECORD

PROJECT TITLE:

COURIER MANAGEMENT SYSTEM

SUBMITTED BY:

TEAM LEADER : SANGEETHA N 24723U18040

TEAM MEMBER : RENUGAMBAL J 24723U18036

TEAM MEMBER : RENUGAMBAL S 24723U18037

TEAM MEMBER : SANTHIYA M 24723U18038

TEAM MEMBER : SANTHIYA S 24723U18039

Courier Management System (CMS)

User Story:

Courier and logistics companies often struggle to efficiently manage shipments and deliveries due to reliance on manual processes and disconnected systems. The absence of a centralized shipment tracking mechanism makes it difficult to monitor parcel movement in real time, resulting in delayed delivery updates and poor visibility for customers. Delivery agent assignments are performed manually, increasing the chances of scheduling conflicts and operational delays. Furthermore, the lack of automated notifications prevents timely communication with customers, while the absence of performance analytics limits managerial insight into operational efficiency. Managing multiple branches becomes complex without an integrated platform, leading to coordination issues across locations. Collectively, these challenges result in customer dissatisfaction, reduced productivity, operational inefficiencies, and ultimately revenue loss for the organization.

1. INTRODUCTION

1.1 Project Overview :

Courier and logistics companies face challenges in efficiently managing shipments and deliveries due to manual operations and disconnected systems. These issues lead to delayed updates, poor customer visibility, and operational inefficiencies.

The Courier Management System (CMS) is a Salesforce-based cloud solution that centralizes shipment booking, tracking, delivery agent assignment, automated status updates, billing, and analytics. The system improves operational efficiency, enhances customer satisfaction, and provides real-time business insights.



2.3 Brainstorming & Idea Prioritization

Ideas Considered

- Manual registers
- Spreadsheet tracking
- Standalone portal
- Salesforce CRM

Final Selection

Salesforce CRM selected due to:

- Automation
- Scalability
- Real-time visibility



Activity 2: Create Shipment Object

1. Go to Setup → Object Manager → Create → Custom Object

2. Enter:

- Label: Shipment

- Plural Label: Shipments

- Record Name: Tracking Number (Auto Number)

3. Example Format: SHP-{00000}

   Starting Number: 0

4. Enable:



3. For Object, select Customer.

4. For Tab Style, choose any icon.

5. Leave all default settings as they are.

6. Click Next, Next, and Save.

Activity 2: Creating a Tab for Shipment Object

1. Click Home, type Tabs in Quick Find, and select Tabs.

2. Under Custom Object Tabs, click New.

3. For Object, select Shipment.

4. Choose any Tab Style.

5. Keep defaults unchanged.

6. Click Next, Next, and Save.

Activity 3: Creating a Tab for Delivery Agent Object

1. Click Home, type Tabs in Quick Find, and select Tabs.

2. Under Custom Object Tabs, click New.

3. For Object, select Delivery Agent.

Activity 6: Creating a Tab for Invoice Object

1. Click Home, type Tabs in Quick Find, and select Tabs.
2. Under Custom Object Tabs, click New.
3. For Object, select Invoice.
4. Select any Tab Style.
5. Leave defaults unchanged.
6. Click Next, Next, and Save.

Milestone 4: Fields & Relationships

What are fields ?

Fields in Salesforce represent what the columns represent in relational databases. It can store data values which are required for a particular object in a record.

Activity 1: Creation of fields for the Customer Object

Field Name	API Name	Data Type	Required	Description
Customer Name	Name	Text	Yes	Full name of customer
Email	Email__c	Email	Yes	Customer email
Phone	Phone__c	Phone	Yes	Customer contact number
Address	Address__c	Text Area	Yes	Customer address

Customer	Customer__c	Lookup(Customer)	Yes	Related customer
Source Address	Source_Address__c	Text Area	Yes	Pickup location
Destination Address	Destination_Address__c	Text Area	Yes	Delivery location
Weight	Weight__c	Number	Yes	Parcel weight
Price	Price__c	Currency	Yes	Shipping charge
Status	Status__c	Picklist	Yes	Shipment status
Expected Date	Expected_Date__c	Date	Yes	Delivery estimate
Assigned Agent	Assigned_Agent__c	Lookup(Delivery_Agent)	No	Delivery agent
Shipment Type	Shipment_Type__c	Picklist	Yes	Domestic/Internatio

- Field Label: **Destination Address**
- Required → Save

3. Weight (Number)

- Setup → Shipment__c → Fields → New
- Number → Next
- Field Label: **Weight**
- Required → Save

4. Price (Currency)

- Setup → Shipment__c → Fields → New
- Currency → Next
- Field Label: **Price**
- Required → Save

5. Status (Picklist)

Values:

- Booked
- In Transit
- Out for Delivery
- Delivered

Activity 4: Creation of fields for Branch Object

Field Name	API Name	Data Type	Required
Branch Name	Name	Text	Yes
Branch Code	Branch_Code__c	Text	Yes
City	City__c	Text	Yes
State	State__c	Text	Yes
Manager Name	Manager_Name__c	Text	No

Create each field using:

- Setup → Branch__c → Fields → New
- Select respective Data Type
- Enter Field Label
- Save

(Repeat for all fields)

Update Number	Name	Auto Number	Yes
Shipment	Shipment__c	Master-Detail	Yes
Status	Status__c	Picklist	Yes
Update Date	Update_Date__c	DateTime	Yes
Remarks	Remarks__c	Text	No

Status Picklist Values:

- In Transit
- Out for Delivery
- Delivered
- Delayed

Required → Save

Activity 6: Creation of fields for Invoice Object

Field Name	API Name	Data Type	Required
Invoice Number	Name	Auto Number	Yes
Shipment	Shipment__c	Lookup	Yes
Amount	Amount__c	Currency	Yes
Invoice Date	Invoice_Date__c	Date	Yes
Payment Status	Payment_Status__c	Picklist	Yes

Payment Status Values

- Paid
- Unpaid
- Pending

Required → Save

Relationships :

Child Object	Field	Parent Object	Type
Shipment	Customer__c	Customer	Lookup
Shipment	Assigned_Agent__c	Delivery_Agent	Lookup
Delivery_Agent	Branch__c	Branch	Lookup
Delivery_Update	Shipment__c	Shipment	Master-Detail
Invoice	Shipment__c	Shipment	Lookup

Relationship Creation Steps :

Activity 1 – Shipment → Customer

- Setup → Shipment__c → Fields → New
- Lookup Relationship
- Related Object: **Customer__c**
- Field Label: **Customer**
- Save

Activity 2 – Shipment → Delivery Agent

- Setup → Shipment__c
- New → Lookup
- Object: **Delivery_Agent__c**
- Label: **Assigned Agent**
- Save

Activity 3 – Delivery Agent → Branch

- Setup → Delivery_Agent__c
- New → Lookup
- Related Object: **Branch__c**
- Label: **Branch**
- Save

Activity 4 – Delivery Update → Shipment

- Setup → Delivery_Update__c
- New → **Master-Detail**
- Related Object: **Shipment__c**
- Save

Activity 5 – Invoice → Shipment

- Setup → Invoice__c

Milestone 5-Validation Rules :

Validation rules are applied when a user tries to save a record and are used to check if the data meets specified criteria. If the criteria are not met, the validation rule triggers an error message and prevents the user from saving the record until the issues are resolved.

Activity 1: Create Validation Rules on Customer__c

1. Validation Rule: Email Must Not Be Blank

Steps:

- Click the Gear icon → Setup
- Go to Object Manager
- Search and select Customer__c
- From the left menu, click Validation Rules
- Click New
- Rule Name: Email_Required
- Check Active

- Setup → Object Manager → Customer__c
- Validation Rules → New
- Rule Name: Validate_Pincode
- Active → Yes

Formula:

LEN(Pincode__c) <> 6

- Error Message: **Pincode must be 6 digits.**
- Location: Field → Pincode
- Save

Activity 2: Create Validation Rules on Shipment__c

1. Validation Rule: Weight Must Be Greater Than Zero

Steps:

- Setup → Object Manager → Shipment__c
- Click Validation Rules → New
- Rule Name: Validate_Weight
- Active → Checked

Formula:

Weight__c <= 0

- Check Syntax

Activity 3: Create Validation Rules on Delivery_Agent__c

1. Validation Rule: Email Must Be Valid

Steps:

- Setup → Object Manager → Delivery_Agent__c
- Validation Rules → New
- Rule Name: Validate_Agent_Email
- Active → Yes

Formula:

NOT(CONTAINS(Email__c, "@"))

- Error Message: **Enter a valid email address.**
- Location: Field → Email

Activity 4: Create Validation Rules on Branch__c

1. Validation Rule: Branch Code Must Not Be Blank

Steps:

- Setup → Object Manager → Branch__c
- Validation Rules → New
- Rule Name: Branch_Code_Required

Formula:

ISBLANK(Branch_Code__c)

- Error Message: **Branch Code is mandatory.**
- Location: Field → Branch Code
- Save

Activity 5: Create Validation Rules on Delivery_Update__c

1. Validation Rule: Remarks Required If Status is Delayed

Steps:

- Setup → Object Manager → Delivery_Update__c
- Validation Rules → New
- Rule Name: Remarks_Required_For_Delay

Formula:

```
AND(
 ISPICKVAL(Status__c, "Delayed"),
 ISBLANK(Remarks__c)
)
```

- Error Message: **Remarks are required when status is Delayed.**
- Location: Field → Remarks
- Save

Milestone 6 - Page Layouts :

Page Layouts in Salesforce control what a user sees on a record page and how information is organized.
They help structure fields, sections, buttons, related lists, and other components in a clean and user-friendly way.
By customizing page layouts, we ensure that users can easily enter, update, and view the required

Milestone 9- Profile:

What is a profile?

A profile is a group/collection of settings and permissions that define what a user can do in salesforce. A profile controls "Object permissions, Field permissions, User permissions, Tab settings, App settings, Apex class access, Visualforce page access, Page layouts, Record Types, Login hours & Login IP ranges.

A profile can be assigned to many users, but users can be assigned a single profile at a time.

Activity 1: Create a Custom Profile – Courier Admin

Create a Custom Profile:

1. From Setup, enter Profiles in the Quick Find box.
2. Click Profiles.
3. Click New Profile.



4. Select Existing Profile as: System Administrator.
5. Enter Profile Name: Courier Admin.



Why use System Administrator as Base?

It already has:

- Modify All Data
- Customize Application
- Full CRUD access on all objects

By cloning it, the **Courier Admin profile automatically inherits full access**.
You can later restrict permissions if required.

Shipment__c	Create, Read, Edit
Delivery_Agent__c	Read, Edit
Branch__c	Read, Edit
Delivery_Update__c	Create, Read, Edit
Invoice__c	Read

Custom Object Permissions

	Basic Access				Data Administration		
	Read	Create	Edit	Delete	View All Records	Modify All Records	View All Fields
Customer_c	☑	☑	☑	☑	☐	☐	☐
Shipment_c	☑	☑	☑	☑	☐	☐	☐
Delivery_Agent_c	☑	☑	☑	☐	☐	☐	☐
Branch_c	☑	☑	☑	☐	☐	☐	☐
Delivery_Update_c	☑	☑	☑	☑	☐	☐	☐
Invoice_c	☑	☐					

Milestone 10- Role:

In Salesforce, roles are used to determine which users have access to certain data and functions within the system. They are also used to define the reporting hierarchy within an organization. Users with higher roles have greater access to data and more control over the system.

Activity 1: Creation of Courier Admin Role

Creation of Role:

1. From the Quick Find box, search for Roles and click on the Roles option.

2. Select Set Up Roles.



3. Click on Expand All and click Add Role under CEO.



Activity 1: To Create a User

Steps:

1. From Setup, enter Users in the Quick Find box, then select Users.

2. Click New User.



Fill in the Fields:

Field Name	Value
First Name	Enter first name (Example: Ravi)
Last Name	Enter last name (Example: Kumar)
Alias	Give an alias name
Email ID	Enter your personal email ID
Username	Must be in the format: text@text.text and must be unique
Nickname	Give a nickname
Role	Select **Courier Admin**
User License	Salesforce
Profile	**Courier Admin**

3. Click Save.

Final Layout :