

Inputs

Date: 25/06/2026

Maker(s): Rutul, Nanya

Time: 1:30

Note Taker(s): Aaron, Dhritshik

Chemicals used:

Sr. No.	Chemical Name	% by Mass	Amount (in g)	Other Remarks (Particle Size, Hydration, Conditions kept in, Vendor)
1	KNO ₃		65g	
2	Sucrose		27g	
3	Al (325 mesh)		5g	
4	Fe ₂ O ₃		3g	

Casing Information

Description:

Reusable metal casing with mscal and metal nozzle & forward closure

Material(s) Used: ~~KNO₃ (65g), Sucrose (27g), Al (325 mesh) 5g, Fe₂O₃ (3g)~~
Refill

Casing Dimensions (in mm):

OD: ID: 2-70 cm

IL:

OL:

Nozzle Diameter (in mm): 0.4 cm

Casing Mass (in g): 619.4g

Equipment Information

Utensil: non-stick pan

Mixing Instrument: Spoon (wooden)

Others:

Room Conditions:

Ambient Temperature:

Humidity:

Other Remarks: Fans off, window closed.

Processing

Time	Chemical Added (Name, Amount)	Temperature Changes	Other Remarks
00:00	All chemicals added	130° C	-
2:20	Clump Formation	130° C	
2:40	Temp Down 100°	100° C	
5:30	Temp UP	130° C	
6:30	Playdough	100° C	
6:35	Toothpaste	100° C	
7:55	Temp UP	130° C	
9:25	Cake batter	130° C	
12:00	Low Propellant Mixture	100° C	

Output

Final Motor Mass (in g): —

Propellant Mass (in g): —


Burn Time (in s): *check video*

Burn Rate (in mm/s): —

Impulse (in Ns): —

Maximum Thrust (in N): —

Thrust Curve: —



Final Remarks:

Test at 1400 hrs IST, the next day.

*A Ubed
N. P. Ravala*