REAL-TIME RESEARCH PROJECT REPORT

on

EVENT MANAGEMENT APPLICATION

Submitted in Partial fulfilment of the requirements for the award of the degree of

BACHELOR OF TECHNOLOGY IN COMPUTER SCIENCE AND ENGINEERING

BY
Miss Kanuri Indira 22D21A0533



ESTD: 2001

Department Of Computer Science and Engineering

SRIDEVI WOMEN'S ENGINEERING COLLEGE

(Approved by AICTE and Affiliated to JNTUH, Hyderabad and Accredited by NBA and NAAC

An ISO 9001:2015 Certified Institution)

V.N. PALLY, GANDIPET, HYDERABAD -75

2024

Department Of Computer Science and Engineering

SRIDEVI WOMEN'S ENGINEERINGCOLLEGE

(Approved by AICTE and Affiliated to JNTUH, Hyderabad and Accredited by NBA and NAAC An ISO 9001:2015 Certified Institution)

V.N. PALLY, Gandipet, Hyderabad-75 2024



CERTIFICATE

This is to certify that the Real-Time Research Project report entitled "EVENT MANAGEMENT APPLICATION" is being submitted by Miss Kanuri Indira (22D21A0533) in partial fulfilment for the award of degree of Bachelor of Technology in Computer Science and Engineering is a record of bonafied work carried out by them.

Coordinator

Head of the Department

TABLE OF CONTENTS:

Section	Page No
1. Introduction	4
1.1 Problem Statement	4
1.2 Purpose	5
1.3 Scope	5
1.4Definitions,Acronyms,and Abbreviations	5
2. Overall Description	5
2.1 Product Perspective	5
2.2 Software Interface	5
2.3 Hardware Interface	6
2.4 System Functions	6
2.5 User Characteristics	6
2.6 Constraints	6
3. Use Case Diagrams	7
3.1 Actors	7
3.2 Use Cases for Users	7
3.3 Use Cases for Admins	7
3.4 Explanation of Relationships	7
3.5 Use Case Diagram	8-9
4. Sample Code	10-29
5. Blocks of Code	30
5.1 Event Page	30-37
5.2 About Organizer-LearnMore	37-51
6. Sample Output	52-55
7.Conclusion	56

KPSI

1.0 INTRODUCTION

KPSI Event management is a dynamic and essential field that involves planning, organizing, and executing events ranging from small gatherings to large-scale corporate conferences. The primary goal of event management is to create memorable and impactful experiences for attendees, while ensuring that all logistical, financial, and operational aspects are handled efficiently and effectively. Our website is designed to bridge the gap between individuals seeking event management services and professional event organizers. By providing a comprehensive platform.

1.1 PROBLEM STATEMENT

In today's fast-paced world, organizing events can be a complex and daunting task. Whether it's a wedding, corporate event, festival, or personal celebration, the meticulous planning and coordination required can be overwhelming for individuals and businesses alike. To solve this problem event management services provide a structured, efficient, and creative approach to organizing events, alleviating the burden on individuals and businesses while ensuring successful and memorable occasions we are introducing this application called **KPSI.**

1.2 PURPOSE

- <u>Facilitate Professional Connections</u>: Connect clients with skilled event organizers.
- **Promote Collaboration:** Encourage creative partnerships among event professionals and clients.
- **Enhance Event Experiences:** Ensure professional handling of all event aspects for memorable outcomes.
- <u>Support Talent and Creativity:</u> Provide visibility for talented individuals and businesses.
- Ensure Quality and Reliability: Vet event organizers for high standards and reliability.

1.3 SCOPE

- KPSI application cover all types of events, including weddings, corporate events, parties, and festivals.
- Offer an easy-to-navigate platform for seamless event planning and booking.
- There will be more options for the users to select.
- It reduces the time for planning.
- Facilitate communication and collaboration between clients and event organizers.
- Showcase past events organized by professionals to demonstrate their expertise and style.
- Provide support and assistance throughout the event planning process.

1.4 <u>DEFINITIONS</u>. ACRONYMS AND THE ABBREVIATIONS

- User-One who uses the application
- Admin- One who develops the application
- System-Where all the changes are stored

2.0 OVERALL DESCRIPTION

2.1 PRODUCT PERSPECTIVE

The KSPI application makes event planning easier for users by showing all the available events and organizers nearby. This application saves users time and effort by consolidating various event options in one place..

2.2 SOFTWARE INTERFACE

Operating System: Windows 10 Pro OS

Languages :HTML, JAVA SCRIPT, CSS

2.3 HARDWARE INTERFACE

Operating System: 64-bit operating system, x64-based processor

Processor: Intel(R) Core(TM) i3-4030U CPU @ 1.90GHz 1.90 GHz

RAM: 8.00 GB

2.4 SYSTEM FUNCTIONS

 Functionality to create new events with details such as date, time, location, and type.

- User can add the offers which are available for them.
- Tools to manage and coordinate with event vendors (decorators, caterers, etc.).
- Ensures data protection and compliance with privacy regulations.

2.5 <u>USER CHARACTERISTICS</u>

- User- Users can view event organizers and their past events directly, enabling direct contact with them.
- Admin He has the certain activities such as add, delete, update the information about the event organizers and there events.

2.6 CONSTRAINTS

• This application need internet to use.

3.0 USECASE DIAGRAM

3.1 Actors

- 1. User: The individual utilizing the system to discover event organizers.
- 2. Admin: The individual overseeing the roster of event organizers, their events, and engaging with those interested in collaboration.
- 3. System: The software system that processes requests and manages data.

3.2 Use Cases for User

- 1. Search Event Organizers: Users can search for event organizers based on specific criteria such as location, event type, or services offered.
- 2. Browsing Organizer Profiles Users can explore detailed profiles of event organizers to understand their services, previous events
- 3. Reviewing Event Galleries: Users can browse through galleries of events organized by different event organizers to gather inspiration or assess quality.
- 4. Want to collaborate: Users can collaborate effectively with KSPI if they are passionate about their involvement.

3.3 Use Cases for Admin


- 1. Manage Event Organizers: The admin can add, edit, or remove event organizers from the system.
- 2. View Organizer Events: The admin can view events organized by each event organizer.
- 3. Approve Collaborations: The admin can review and approve collaborations between event organizers and clients.
- **4.** Monitor System Performance: The admin monitors the overall performance and usage metrics of the event organization system.

3.4 Explanation of Relationships

- Client-Organizer Relationship: This relationship exists between clients (individuals or organizations seeking event services) and event organizers (professionals or companies offering event planning, management, or other related services).
- 2. Organizer-Collaborator Relationship: Event organizers may collaborate with various service providers such as decorators, caterers, photographers, and entertainers to enhance their event offerings.

- 3. Admin-User Relationship: Administrators manage and oversee the entire event organization system, including its users, content, and operations..
- 4. Organizer-System Relationship: Event organizers interface with the event organization system to manage their profiles, showcase their services, and receive inquiries or bookings from clients.
- 5. Client-Collaborator Relationship: Clients may directly interact with collaborators engaged by event organizers to ensure specific event requirements are met.

3.5Use Case Diagram



4. SAMPLE CODE

```
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Event Organisers | KPSI</title>
  <!--swiper css-->
  k
   rel="stylesheet"
   href="https://cdn.jsdelivr.net/npm/swiper@9/swiper-bundle.min.css"
  />
  <!--font awesome-->
  k
   rel="stylesheet"
   href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.2.1/css/all.min.css"
 />
  <!--css file-->
  <link rel="stylesheet" href="styles.css" />
 </head>
 <body>
  <!-- header section starts -->
  <header class="header">
   <a href="#" class="logo"><span>K</span>PSI</a>
   <nav class="navbar">
    <a href="#home">home</a>
    <a href="#service">service</a>
    <a href="#about">about</a>
    <a href="#gallery">gallery</a>
    <a href="#price">price</a>
```

```
<a href="#review">review</a>
  <a href="#contact">contact</a>
  <a href="#organizers">organizers</a>
  <a href="#wanttocollaborate">wanttocollaborate</a>
</nav>
<div id="menu-bars" class="fas fa-bars"></div>
</header>
<!-- home section starts -->
<section class="home" id="home">
<div class="content">
  <h3>
  where your ideas take off
   <span> PSI events </span>
  </h3>
</div>
<div class="swiper-container home-slider">
  <div class="swiper-wrapper">
   <div class="swiper-slide">
    <img src="c:\Users\kanur\OneDrive\Desktop\rrp\examples\home1.jpg" alt="" />
   </div>
   <div class="swiper-slide">
   <img src="c:\Users\kanur\OneDrive\Desktop\rrp\examples\home2.jpg" alt="" />
   </div>
   <div class="swiper-slide">
    <img src="c:\Users\kanur\OneDrive\Desktop\rrp\examples\home3.jpg" alt="" />
   </div>
   <div class="swiper-slide">
   <img src="c:\Users\kanur\OneDrive\Desktop\rrp\examples\home6.jpg" alt="" />
   </div>
  </div>
 </div>
```

At KPSI Events, we are passionate about turning your special occasions into unforgettable moments.

With years of experience in the event management industry, we specialize in crafting bespoke events that reflect your unique style and vision.

Whether it's a wedding, corporate gala, or private party, our dedicated team of event planners, designers, and coordinators work tirelessly to ensure every detail is meticulously planned and flawlessly executed.

From venue selection and decor to entertainment and catering, we strive to exceed expectations and create seamless, stress-free experiences for our clients.

Trust KPSI Events to bring your ideas to life and make your event truly extraordinary.

```
<a href="#footer" class="btn">reach us</a>
</div>
</div>
</section>

<!-- gallery section starts -->
<section class="gallery" id="gallery">
<h1 class="heading">our <span>gallery</span></h1>
<div class="box-container">
```

```
<div class="box">
 <img src="c:\Users\kanur\OneDrive\Desktop\rrp\examples\gallery1.jpg" alt="" />
 <h3 class="title">best events</h3>
 <div class="icons">
  <a href="#" class="fas fa-heart"></a>
  <a href="#" class="fas fa-share"></a>
  <a href="#" class="fas fa-eye"></a>
 </div>
</div>
<div class="box">
 <img src="c:\Users\kanur\OneDrive\Desktop\rrp\examples\gallery2.jpg" alt="" />
 <h3 class="title">best events</h3>
 <div class="icons">
  <a href="#" class="fas fa-heart"></a>
  <a href="#" class="fas fa-share"></a>
 <a href="#" class="fas fa-eye"></a>
 </div>
</div>
<div class="box">
 <img src="c:\Users\kanur\OneDrive\Desktop\rrp\examples\gallery5.jpg" alt="" />
 <h3 class="title">best events</h3>
 <div class="icons">
  <a href="#" class="fas fa-heart"></a>
  <a href="#" class="fas fa-share"></a>
  <a href="#" class="fas fa-eye"></a>
 </div>
</div>
<div class="box">
 <img src="c:\Users\kanur\OneDrive\Desktop\rrp\examples\gallery6.jpg" alt="" />
 <h3 class="title">best events</h3>
 <div class="icons">
  <a href="#" class="fas fa-heart"></a>
  <a href="#" class="fas fa-share"></a>
  <a href="#" class="fas fa-eye"></a>
 </div>
```

```
</div>
  <div class="box">
   <img src="c:\Users\kanur\OneDrive\Desktop\rrp\examples\gallery7.jpg" alt="" />
   <h3 class="title">best events</h3>
   <div class="icons">
    <a href="#" class="fas fa-heart"></a>
    <a href="#" class="fas fa-share"></a>
    <a href="#" class="fas fa-eye"></a>
   </div>
  </div>
    <!-- footer section starts -->
<section class="footer" id="footer">
 <div class="box-container">
  <div class="box">
   <h3>branches</h3>
   <a href="#"> <i class="fas fa-map-marker-alt"></i> bangalore </a>
   <a href="#"> <i class="fas fa-map-marker-alt"></i> hyderabad </a>
   <a href="#"> <i class="fas fa-map-marker-alt"></i> delhi </a>
   <a href="#"> <i class="fas fa-map-marker-alt"></i> kolkata </a>
   <a href="#"> <i class="fas fa-map-marker-alt"></i> chennai </a>
  </div>
  <div class="box">
   <h3>quick links</h3>
   <a href="#"> <i class="fas fa-arrow-right"></i> home </a>
   <a href="#"> <i class="fas fa-arrow-right"></i> service </a>
   <a href="#"> <i class="fas fa-arrow-right"></i> about </a>
   <a href="#"> <i class="fas fa-arrow-right"></i> gallery </a>
   <a href="#"> <i class="fas fa-arrow-right"></i> price </a>
   <a href="#"> <i class="fas fa-arrow-right"></i> reivew </a>
   <a href="#"> <i class="fas fa-arrow-right"></i> contact </a>
  </div>
  <div class="box">
   <h3>contact info</h3>
```

```
<a href="#"> <i class="fas fa-phone"></i> 91+9494240842</a>
     <a href="#"> <i class="fas fa-phone"></i> 91+9100769844 </a>
     <a href="#"> <i class="fas fa-envelope"></i> kpsi@gmail.com </a>
     <a href="#"> <i class="fas fa-envelope"></i> kpsii@gmail.com </a>
     <a href="#">
      <i class="fas fa-map-marker-alt"></i> bangalore, india - 560054
     </a>
    </div>
    <div class="box">
     <h3>follow us</h3>
     <a href="#"> <i class="fab fa-facebook-f"></i> facebook </a>
     <a href="#"> <i class="fab fa-twitter"></i> twitter </a>
     <a href="#"> <i class="fab fa-instagram"></i> instagram </a>
     <a href="#"> <i class="fab fa-linkedin-in"></i> linkedin </a>
    </div>
   </div>
   <div class="credit">
    created by <span>KPSI</span> | all rights reserved
   </div>
  </section>
  <!-- Add more organizers as needed -->
 </div>
</section>
  <!-- theme toggler -->
  <div class="theme-toggler">
   <div class="toggle-btn">
    <i class="fas fa-cog"></i>
   </div>
   <h3>choose color</h3>
   <div class="buttons">
```

```
<div class="theme-btn" style="background: #ccff33"></div>
    <div class="theme-btn" style="background: #d35400"></div>
    <div class="theme-btn" style="background: #f39c12"></div>
    <div class="theme-btn" style="background: #1abc9c"></div>
    <div class="theme-btn" style="background: #3498db"></div>
    <div class="theme-btn" style="background: #9b59b6"></div>
   </div>
  </div>
  </section>
  <!-- Swiper JS -->
  <script src="https://cdn.jsdelivr.net/npm/swiper@9/swiper-bundle.min.js"></script>
  <!--JS file-->
  <script src="app.js"></script>
 </body>
</html>
    Style.css
       @import
url("https://fonts.googleapis.com/css2?family=Poppins:wght@200;300;400;500;600;700&di
splay=swap");
:root {
 --theme-color: #3867d6;
}
* {
 font-family: "Poppins", sans-serif;
 margin: 0;
 padding: 0;
 box-sizing: border-box;
 outline: none;
 border: none;
 text-decoration: none;
```

```
text-transform: capitalize;
transition: 0.2s linear;
}
html {
font-size: 62.5%;
 overflow-x: hidden;
 scroll-padding-top: 7rem;
 scroll-behavior: smooth;
}
body {
background: #222;
}
section {
 padding: 2rem 9%;
}
.header {
 position: fixed;
 top: 0;
left: 0;
 right: 0;
 z-index: 10000;
 background: #333;
 display: flex;
 align-items: center;
justify-content: space-between;
 padding: 1.5rem 9%;
}
.header .logo {
font-weight: bolder;
 color: #fff;
font-size: 2.5rem;
}
```

```
.header .logo span {
color: var(--theme-color);
}
.header .navbar a {
 font-size: 1.7rem;
 color: #fff;
 margin-left: 2rem;
}
.header .navbar a:hover {
 color: var(--theme-color);
}
#menu-bars {
 font-size: 3rem;
 color: #fff;
 cursor: pointer;
 display: none;
}
. home \ . content \ \{
 text-align: center;
 padding-top: 6rem;
 margin: 2rem auto;
 max-width: 70rem;
}
.home .content h3 {
 color: #fff;
font-size: 4.5rem;
 text-transform: uppercase;
}
.home .content h3 span {
 color: var(--theme-color);
```

```
text-transform: uppercase;
}
.btn {
 margin-top: 1rem;
 display: inline-block;
 padding: 0.8rem 3rem;
 font-size: 1.7rem;
 border-radius: 0.5rem;
 background: #666;
 color: #fff;
 cursor: pointer;
font-weight: 600;
}
.btn:hover {
 background: var(--theme-color);
}
. home \ . home - slider \ . swiper - slide \ \{
 overflow: hidden;
 border-radius: 0.5rem;
 height: 50rem;
 width: 35rem;
}
.home .home-slider .swiper-slide img {
 height: 100%;
 width: 100%;
 object-fit: cover;
}
.heading {
 text-align: center;
 padding-bottom: 2rem;
 color: #fff;
```

```
text-transform: uppercase;
 font-size: 4rem;
}
.heading span {
 color: var(--theme-color);
text-transform: uppercase;
}
.service .box-container {
 display: grid;
 grid-template-columns: repeat(auto-fit, minmax(27rem, 1fr));
 gap: 1.5rem;
}
.service .box-container .box {
 border-radius: 0.5rem;
 background: #333;
 text-align: center;
 padding: 2.5rem;
}
.service .box-container .box i {
 height: 6rem;
 width: 6rem;
 line-height: 6rem;
 border-radius: 50%;
 font-size: 2.5rem;
 background: var(--theme-color);
 color: #fff;
}
.service .box-container .box h3 {
 font-size: 2rem;
 color: #fff;
 padding: 1rem 0;
```

```
.about .row {
 display: flex;
 align-items: center;
 flex-wrap: wrap;
gap: 1.5rem;
}
.about .row .image {
flex: 1 1 45rem;
padding: 1rem;
}
.about .row .image img {
 width: 100%;
 border-radius: 0.5rem;
border: 1rem solid #333;
}
.about .row .content {
flex: 1 1 45rem;
}
.about .row .content h3 {
font-size: 3.5rem;
 color: #fff;
}
.about .row .content p {
font-size: 1.5rem;
 color: #eee;
 padding: 1rem 0;
 line-height: 2;
.price .box-container {
```

```
display: grid;
 grid-template-columns: repeat(auto-fit, minmax(25rem, 1fr));
 gap: 1.5rem;
}
.price .box-container .box {
 padding: 2rem 0;
 background: #333;
 border-radius: 0.5rem;
text-align: center;
}
.price .box-container .box:hover {
 transform: scale(1.03);
}
.price .box-container .box .title {
 background: var(--theme-color);
 color: #fff;
 padding: 1.5rem 0;
font-size: 2rem;
}
.price .box-container .box .amount {
 color: #fff;
 padding-top: 2rem;
 font-size: 4rem;
}
.organizers .heading {
 text-align: center;
 font-size: 3rem;
 margin-bottom: 20px;
 color: #333;
}
```

```
.organizers .box-container {
 display: flex;
 flex-wrap: wrap;
 gap: 20px;
justify-content: center;
}
.organizers .box {
 background: #fff;
 border-radius: 10px;
 box-shadow: 0 5px 15px rgba(0, 0, 0, 0.1);
 overflow: hidden;
 width: 300px;
 transition: transform 0.3s;
}
.organizers .box:hover {
 transform: translateY(-10px);
}
.organizers .box img {
 width: 100%;
 height: 200px;
 object-fit: cover;
}
.organizers .box .content {
 padding: 20px;
 background-color: #111;
}
.organizers .box .content h3 {
 font-size: 1.5rem;
 color: #333;
 margin-bottom: 10px;
}
```

```
.organizers .box .content p {
 font-size: 1rem;
 color: #666;
 margin-bottom: 20px;
}
.organizers .box .content .events-organized {
 margin-top: 10px;
}
.organizers .box .content .events-organized h4 {
 font-size: 1.2rem;
 color: #333;
 margin-bottom: 5px;
}
.organizers .box .content .events-organized p {
 font-size: 1rem;
 color: #666;
}
.organizers .box .content .add-pictures {
 margin-top: 20px;
}
.organizers .box .content .add-pictures h4 {
 font-size: 1.2rem;
 color: #333;
 margin-bottom: 5px;
}
.organizers .box .content .add-pictures form {
 text-align: center;
}
navbar {
  display: flex;
```

```
justify-content: center;
  align-items: center;
}
.navbar a {
  color: #fff;
  text-decoration: none;
  padding: 10px 15px;
  margin: 0 5px;
  transition: all 0.3s ease;
}
.navbar a:hover {
  background-color: #555;
  border-radius: 5px;
}
/* Footer Styles */
.footer {
  background-color: #333;
  color: #fff;
  padding: 20px 0;
  text-align: center;
}
.footer p {
  margin: 0;
}
/* Responsive Styles */
@media (max-width: 768px) {
  .header .logo {
    margin-left: 10px;
    font-size: 1.2rem;
  }
```

```
.navbar {
                 flex-direction: column;
                 gap: 10px;
       }
         .navbar a {
                 padding: 8px 0;
                 margin: 0;
                 text-align: center;
                 width: 100%;
       }
add.js
let menu = document.querySelector("#menu-bars");
let navbar = document.querySelector(".navbar");
menu.onclick = () => {
    menu.classList.toggle("fa-times");
    navbar.classList.toggle("active");
};
let themeToggler = document.querySelector(".theme-toggler");
let toggleBtn = document.querySelector(".toggle-btn");
toggleBtn.onclick = () => {
   themeToggler.classList.toggle("active");
};
window.onscroll = () => {
    menu.classList.remove("fa-times");
    navbar.classList.remove("active");
   themeToggler.classList.remove("active");
};
document.query Selector All (".theme-toggler .theme-btn"). for Each ((btn) => \{ 1.5 \% (btn) = 1.5 
    btn.onclick = () => {
       let color = btn.style.background;
```

```
document.querySelector(":root").style.setProperty("--theme-color", color);
};
});
var swiper = new Swiper(".home-slider", {
 effect: "coverflow",
 grabCursor: true,
 centeredSlides: true,
 slidesPerView: "auto",
 coverflowEffect: {
  rotate: 0,
  stretch: 0,
  depth: 100,
  modifier: 2,
  slideShadows: true,
 },
 loop: true,
 autoplay: {
  delay: 3000,
  disableOnInteraction: false,
},
});
var swiper = new Swiper(".review-slider", {
 slidesPerView: 1,
 grabCursor: true,
 loop: true,
 spaceBetween: 10,
 breakpoints: {
  0: {
   slidesPerView: 1,
  },
  700: {
   slidesPerView: 2,
  },
  1050: {
   slidesPerView: 3,
```

```
},
 },
 autoplay: {
 delay: 5000,
 disableOnInteraction: false,
 },
});
function show3DEffect(element) {
// Remove 'active' class from all boxes
 const boxes = document.querySelectorAll('.service .box-container .box');
 boxes.forEach(box => box.classList.remove('active'));
// Add 'active' class to the clicked box
 element.classList.add('active');
}
document.addEventListener('DOMContentLoaded', function() {
 document.getElementById('submitBtn').addEventListener('click', function() {
 var form = document.getElementById('contactForm');
 var formData = new FormData(form);
 var xhr = new XMLHttpRequest();
  xhr.open('POST', 'process form.php', true);
  xhr.onload = function() {
   if (xhr.status === 200) {
    document.getElementById('statusMsg').innerHTML = 'Message sent successfully!';
    form.reset(); // Optional: Clear form inputs after successful submission
   } else {
    document.getElementById('statusMsg').innerHTML = 'Error sending message. Please try
again later.';
   }
 };
 xhr.onerror = function() {
   document.getElementById('statusMsg').innerHTML = 'Network error occurred. Please try
again later.';
```

```
};

xhr.send(formData);
});

function showPage(pageId) {
    // Hide all sections
    document.querySelectorAll('section').forEach(section => {
        section.style.display = 'none';
    });

// Show the selected section
    document.getElementById(pageId).style.display = 'block';
}
```

5.BLOCKS OF CODE

5.1 EVENTPAGE

```
<!DOCTYPE html>
<html lang="en">
 <head>
 <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Event Organisers | KPSI</title>
  <!--swiper css-->
  k
   rel="stylesheet"
   href="https://cdn.jsdelivr.net/npm/swiper@9/swiper-bundle.min.css"
 />
  <!--font awesome-->
  k
   rel="stylesheet"
   href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.2.1/css/all.min.css"
  />
  <!--css file-->
  <link rel="stylesheet" href="styles.css" />
 </head>
 <body>
  <!-- header section starts -->
  <header class="header">
   <a href="#" class="logo"><span>K</span>PSI</a>
   <nav class="navbar">
    <a href="#home">home</a>
    <a href="#service">service</a>
    <a href="#about">about</a>
    <a href="#gallery">gallery</a>
```

```
<a href="#price">price</a>
  <a href="#review">review</a>
  <a href="#contact">contact</a>
  <a href="#organizers">organizers</a>
  <a href="#wanttocollaborate">wanttocollaborate</a>
</nav>
<div id="menu-bars" class="fas fa-bars"></div>
</header>
<!-- home section starts -->
<section class="home" id="home">
<div class="content">
  <h3>
  where your ideas take off
   <span> PSI events </span>
  </h3>
</div>
<div class="swiper-container home-slider">
  <div class="swiper-wrapper">
   <div class="swiper-slide">
    <img src="c:\Users\kanur\OneDrive\Desktop\rrp\examples\home1.jpg" alt="" />
   </div>
   <div class="swiper-slide">
   <img src="c:\Users\kanur\OneDrive\Desktop\rrp\examples\home2.jpg" alt="" />
   </div>
   <div class="swiper-slide">
    <img src="c:\Users\kanur\OneDrive\Desktop\rrp\examples\home3.jpg" alt="" />
   </div>
   <div class="swiper-slide">
    <img src="c:\Users\kanur\OneDrive\Desktop\rrp\examples\home4.jpg" alt="" />
   </div>
   <div class="swiper-slide">
```

Whether you're looking for stunning photography, cinematic videography, or a combination of both, our services are tailored to meet your needs.

Let us capture the memories that matter, ensuring you can relive and share the magic of your special day for years to come.

```
</div>
<div class="box">
<i class="fas fa-car"></i>
<h3>enent vehicles</h3>
```

With our event vehicles service, you can arrive in style and make a grand entrance, enhancing the overall ambiance and prestige of your event.

Whether it's transporting VIPs, bridal parties, or guests of honor, we're dedicated to providing exceptional service that exceeds your expectations.

```
</div>
<div class="box">
<i class="fas fa-birthday-cake"></i>
<h3>Food catering</h3>
```

With KPSI Events, you can relax knowing that your guests will savor every bite.

Our meticulous attention to detail, impeccable service, and commitment to culinary excellence ensure that your event's food catering

surpasses expectations and leaves a lasting impression.

```
</div>
</div>
</section>
<!-- about section starts -->
<section class="about" id="about">
<h1 class="heading"><span>about</span> us</h1>
</div class="row">
<div class="image">
<img src="c:\Users\kanur\OneDrive\Desktop\rrp\examples\about.jpg" alt="" />
</div>
<div class="content">
<h3>your occasion deserves our careful planning</h3>
```

At KPSI Events, we are passionate about turning your special occasions into unforgettable moments.

With years of experience in the event management industry, we specialize in crafting bespoke events that reflect your unique style and vision.

Whether it's a wedding, corporate gala, or private party, our dedicated team of event planners, designers, and coordinators work tirelessly to ensure every detail is meticulously planned and flawlessly executed.

From venue selection and decor to entertainment and catering, we strive to exceed expectations and create seamless, stress-free experiences for our clients.

Trust KPSI Events to bring your ideas to life and make your event truly extraordinary.

```
<a href="#footer" class="btn">reach us</a>
</div>
</div>
</section>

<!-- gallery section starts -->
<section class="gallery" id="gallery">
```

```
<h1 class="heading">our <span>gallery</span></h1>
<div class="box-container">
  <div class="box">
   <img src="c:\Users\kanur\OneDrive\Desktop\rrp\examples\gallery1.jpg" alt="" />
   <h3 class="title">best events</h3>
   <div class="icons">
    <a href="#" class="fas fa-heart"></a>
    <a href="#" class="fas fa-share"></a>
    <a href="#" class="fas fa-eye"></a>
   </div>
  </div>
  <div class="box">
   <img src="c:\Users\kanur\OneDrive\Desktop\rrp\examples\gallery2.jpg" alt="" />
   <h3 class="title">best events</h3>
   <div class="icons">
    <a href="#" class="fas fa-heart"></a>
    <a href="#" class="fas fa-share"></a>
    <a href="#" class="fas fa-eye"></a>
   </div>
  </div>
  <div class="box">
   <img src="c:\Users\kanur\OneDrive\Desktop\rrp\examples\gallery3.jpg" alt="" />
   <h3 class="title">best events</h3>
   <div class="icons">
    <a href="#" class="fas fa-heart"></a>
    <a href="#" class="fas fa-share"></a>
    <a href="#" class="fas fa-eye"></a>
   </div>
  </div>
<!-- price section starts -->
<section class="price" id="price">
<h1 class="heading">our <span>pricing</span></h1>
```

```
<div class="box-container">
  <div class="box">
   <h3 class="title">basic</h3>
   <h3 class="amount">50,000</h3>
   <l
    <i class="fas fa-check"></i>full services
   <i class="fas fa-check"></i> decorations
   <i class="fas fa-check"></i> music and photos
   <i class="fas fa-check"></i> food and drinks
   <i class="fas fa-check"></i> invitation card
   <a href="#" class="btn">check out</a>
 </div>
  <div class="box">
   <h3 class="title">prime</h3>
   <h3 class="amount">75,000</h3>
   <i class="fas fa-check"></i>full services
   <i class="fas fa-check"></i> decorations
   <i class="fas fa-check"></i> music and photos
   <i class="fas fa-check"></i> food and drinks
   <i class="fas fa-check"></i> invitation card
   <a href="#" class="btn">check out</a>
 </div>
<!-- footer section starts -->
<section class="footer" id="footer">
<div class="box-container">
 <div class="box">
  <h3>branches</h3>
   <a href="#"> <i class="fas fa-map-marker-alt"></i> bangalore </a>
   <a href="#"> <i class="fas fa-map-marker-alt"></i> hyderabad </a>
   <a href="#"> <i class="fas fa-map-marker-alt"></i> delhi </a>
   <a href="#"> <i class="fas fa-map-marker-alt"></i> kolkata </a>
   <a href="#"> <i class="fas fa-map-marker-alt"></i> chennai </a>
```

```
</div>
  <div class="box">
   <h3>quick links</h3>
   <a href="#"> <i class="fas fa-arrow-right"></i> home </a>
   <a href="#"> <i class="fas fa-arrow-right"></i> service </a>
   <a href="#"> <i class="fas fa-arrow-right"></i> about </a>
   <a href="#"> <i class="fas fa-arrow-right"></i> gallery </a>
   <a href="#"> <i class="fas fa-arrow-right"></i> price </a>
   <a href="#"> <i class="fas fa-arrow-right"></i> reivew </a>
   <a href="#"> <i class="fas fa-arrow-right"></i> contact </a>
  </div>
  <div class="box">
   <h3>contact info</h3>
   <a href="#"> <i class="fas fa-phone"></i> 91+9494240842</a>
   <a href="#"> <i class="fas fa-phone"></i> 91+9100769844 </a>
   <a href="#"> <i class="fas fa-envelope"></i> kpsi@gmail.com </a>
   <a href="#"> <i class="fas fa-envelope"></i> kpsii@gmail.com </a>
   <a href="#">
    <i class="fas fa-map-marker-alt"></i> bangalore, india - 560054
   </a>
  </div>
  <div class="box">
   <h3>follow us</h3>
   <a href="#"> <i class="fab fa-facebook-f"></i> facebook </a>
   <a href="#"> <i class="fab fa-twitter"></i> twitter </a>
   <a href="#"> <i class="fab fa-instagram"></i> instagram </a>
   <a href="#"> <i class="fab fa-linkedin-in"></i> linkedin </a>
  </div>
 </div>
<div class="credit">
  created by <span>KPSI</span> | all rights reserved
 </div>
</section>
```

```
<!-- Add more organizers as needed -->
 </div>
</section>
  <!-- theme toggler -->
  <div class="theme-toggler">
   <div class="toggle-btn">
    <i class="fas fa-cog"></i>
   </div>
   <h3>choose color</h3>
   <div class="buttons">
    <div class="theme-btn" style="background: #ccff33"></div>
    <div class="theme-btn" style="background: #d35400"></div>
    <div class="theme-btn" style="background: #f39c12"></div>
    <div class="theme-btn" style="background: #1abc9c"></div>
    <div class="theme-btn" style="background: #3498db"></div>
    <div class="theme-btn" style="background: #9b59b6"></div>
   </div>
  </div>
  </section>
  <!-- Swiper JS -->
  <script src="https://cdn.jsdelivr.net/npm/swiper@9/swiper-bundle.min.js"></script>
  <!--JS file-->
  <script src="app.js"></script>
 </body>
</html>
```

5.2 ABOUT ORGANIZERS-LEARNMORE

```
<!DOCTYPE html> <html lang="en">
```

```
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Ram - Organizer</title>
 <style>
  /* General styles */
  body {
   font-family: 'Arial', sans-serif;
   line-height: 1.6;
   margin: 0;
   padding: 0;
   background-color: #f4f4f4;
   color: #333;
  }
  header, footer {
   background-color: #333;
   color: #fff;
   text-align: center;
   padding: 1em 0;
  }
  header h1, footer p {
   margin: 0;
  /* Organizer details section */
  .organizer-details {
   background: linear-gradient(to right, #000000, #000000);
   color: #fff;
   padding: 2em;
   text-align: center;
   border-radius: 8px;
   margin: 2em auto;
   width: 80%;
   max-width: 1200px;
  }
```

```
.organizer-details img {
 border-radius: 50%;
 width: 150px;
 height: 150px;
 object-fit: cover;
 margin-bottom: 1em;
}
.organizer-details h2 {
 margin-top: 0;
 font-size: 2.5em;
}
.organizer-details p {
 font-size: 1.2em;
}
/* Events organized section */
.events-organized {
 background-color: #fff;
 color: #333;
 padding: 2em;
 border-radius: 8px;
 margin-top: 2em;
}
.events-organized h3 {
 margin-top: 0;
 font-size: 2em;
 color: #ff7e5f;
}
.event {
 display: flex;
 align-items: center;
 margin-bottom: 1.5em;
```

```
cursor: pointer;
}
.event img {
 border-radius: 8px;
 width: 300px;
 height: 200px;
 object-fit: cover;
 margin-right: 1em;
 transition: transform 0.3s ease;
}
.event img:hover {
 transform: scale(1.1);
}
.event-title {
 margin: 0;
 font-size: 1.5em;
 color: #feb47b;
}
/* Add pictures section */
.add-pictures {
 background-color: #fff;
 color: #333;
 padding: 2em;
 border-radius: 8px;
 margin-top: 2em;
}
.add-pictures h3 {
 margin-top: 0;
 font-size: 2em;
 color: #ff7e5f;
}
```

```
.add-pictures form {
 display: flex;
 flex-direction: column;
 align-items: center;
}
.add-pictures input[type="file"] {
 margin-bottom: 1em;
}
.add-pictures input[type="submit"] {
 background-color: #ff7e5f;
 color: #fff;
 border: none;
 padding: 0.5em 2em;
 font-size: 1em;
 cursor: pointer;
 border-radius: 8px;
 transition: background-color 0.3s ease;
}
.add-pictures input[type="submit"]:hover {
 background-color: #feb47b;
}
/* Modal styles */
.modal {
 display: none;
 position: fixed;
 z-index: 1;
 padding-top: 100px;
 left: 0;
 top: 0;
 width: 100%;
 height: 100%;
 overflow: auto;
 background-color: rgba(0, 0, 0, 0.9);
```

```
}
  .modal-content {
   margin: auto;
   display: block;
   width: 80%;
   max-width: 700px;
  }
  .modal-content img {
   width: 100%;
  .modal-close {
   position: absolute;
   top: 15px;
   right: 35px;
   color: #fff;
   font-size: 40px;
   font-weight: bold;
   transition: 0.3s;
  }
  .modal-close:hover,
  .modal-close:focus {
   color: #bbb;
   text-decoration: none;
   cursor: pointer;
  }
 </style>
</head>
<body>
 <header>
  <h1>Welcome to Ram's Event Organizer Page</h1>
 </header>
 <section class="organizer-details">
```

```
<img src="c:\Users\kanur\OneDrive\Desktop\rrp\examples\organizer1.jpg" alt="Ram">
<h2>Ram</h2>
```

Ram is a seasoned event planner with over a decade of experience in organizing corporate events and weddings. His meticulous attention to detail and creative approach ensures every event is unique and memorable.

```
<div class="events-organized">
 <h3>Events Organized by Ram</h3>
 <div class="event">
   <img src="ram event1.jpg" alt="Event Title 1" class="event-img">
   <h4 class="event-title">Event --</h4>
   Marriage
 </div>
 <div class="event">
   <img src="ram event2.jpg" alt="Event Title 2" class="event-img">
   <h4 class="event-title">Event--</h4>
   Consert
 </div>
 <!-- Add more events as needed -->
 </div>
 <div class="add-pictures">
 <h3>Add Pictures</h3>
 <form action="upload.php" method="post" enctype="multipart/form-data">
   <input type="file" name="file[]" multiple>
   <input type="submit" value="Upload">
 </form>
 </div>
</section>
<footer>
 © 2024 Ram's Event Organization. All rights reserved.
</footer>
<!-- Modal -->
<div id="myModal" class="modal">
<span class="modal-close">&times;</span>
 <img class="modal-content" id="img01">
```

```
</div>
 <script>
 // Get the modal
 var modal = document.getElementById("myModal");
 // Get the image and insert it inside the modal
 var modalImg = document.getElementById("img01");
 var images = document.querySelectorAll('.event-img');
  images.forEach(img => {
   img.onclick = function() {
    modal.style.display = "block";
    modalImg.src = this.src;
   }
 });
 // Get the <span> element that closes the modal
 var span = document.getElementsByClassName("modal-close")[0];
 // When the user clicks on <span> (x), close the modal
  span.onclick = function() {
   modal.style.display = "none";
 }
 </script>
</body>
</html>
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Siya - Organizer</title>
 <style>
 /* General styles */
 body {
 font-family: 'Arial', sans-serif;
 line-height: 1.6;
```

```
margin: 0;
 padding: 0;
background-color: #f4f4f4;
color: #333;
}
header, footer {
background-color: #333;
color: #fff;
text-align: center;
padding: 1em 0;
header h1, footer p {
margin: 0;
}
/* Organizer details section */
.organizer-details {
background: linear-gradient(to right, #000000, #000000);
color: #fff;
 padding: 2em;
text-align: center;
border-radius: 8px;
 margin: 2em auto;
width: 80%;
max-width: 1200px;
.organizer-details img {
border-radius: 50%;
width: 150px;
height: 150px;
object-fit: cover;
margin-bottom: 1em;
}
```

```
.organizer-details h2 {
 margin-top: 0;
font-size: 2.5em;
}
.organizer-details p {
font-size: 1.2em;
}
/* Events organized section */
.events-organized {
 background-color: #fff;
color: #333;
padding: 2em;
border-radius: 8px;
margin-top: 2em;
}
.events-organized h3 {
 margin-top: 0;
font-size: 2em;
color: #ff7e5f;
}
.event {
display: flex;
align-items: center;
 margin-bottom: 1.5em;
cursor: pointer;
}
.event img {
 border-radius: 8px;
width: 300px;
height: 200px;
object-fit: cover;
 margin-right: 1em;
```

```
transition: transform 0.3s ease;
}
.event img:hover {
 transform: scale(1.1);
.event-title {
 margin: 0;
 font-size: 1.5em;
 color: #feb47b;
/* Add pictures section */
.add-pictures {
 background-color: #fff;
 color: #333;
 padding: 2em;
 border-radius: 8px;
 margin-top: 2em;
}
.add-pictures h3 {
 margin-top: 0;
 font-size: 2em;
 color: #ff7e5f;
}
.add-pictures form {
 display: flex;
 flex-direction: column;
 align-items: center;
}
.add-pictures input[type="file"] {
 margin-bottom: 1em;
}
```

```
.add-pictures input[type="submit"] {
 background-color: #ff7e5f;
 color: #fff;
 border: none;
 padding: 0.5em 2em;
 font-size: 1em;
 cursor: pointer;
 border-radius: 8px;
 transition: background-color 0.3s ease;
}
.add-pictures input[type="submit"]:hover {
 background-color: #feb47b;
}
/* Modal styles */
.modal {
 display: none;
 position: fixed;
 z-index: 1;
 padding-top: 100px;
 left: 0;
 top: 0;
 width: 100%;
 height: 100%;
 overflow: auto;
 background-color: rgba(0, 0, 0, 0.9);
}
.modal-content {
 margin: auto;
 display: block;
 width: 80%;
 max-width: 700px;
}
```


```
.modal-content img {
  width: 100%;
 }
 .modal-close {
  position: absolute;
  top: 15px;
  right: 35px;
  color: #fff;
  font-size: 40px;
  font-weight: bold;
  transition: 0.3s;
 }
 .modal-close:hover,
 .modal-close:focus {
  color: #bbb;
  text-decoration: none;
  cursor: pointer;
 }
</style>
</head>
<body>
<header>
 <h1>Welcome to Siya's Event Organizer Page</h1>
</header>
</head>
<body>
 <header>
  <!-- Your header content here -->
 </header>
 <section class="organizer-details">
  <img src="c:\Users\kanur\OneDrive\Desktop\rrp\examples\organizer2.jpg" alt="Siya">
  <h2>Siya</h2>
```


Siya specializes in creating stunning visuals and decor for all types of events. Her artistic background and passion for design bring a touch of elegance to every occasion she manages.


```
<div class="events-organized">
 <h3>Events Organized by Siya</h3>
 <div class="event">
   <img src="siya event1.jpg" alt="Event Title">
   <h4 class="event-title">Event--</h4>
   MARRIAGE
 </div>
  <div class="event">
   <img src="siya event2.jpg" alt="Event Title">
   <h4 class="event-title">Event--</h4>
   PANDALA
 </div>
 <!-- Add more events as needed -->
 </div>
 <div class="add-pictures">
 <h3>Add Pictures</h3>
 <form action="upload.php" method="post" enctype="multipart/form-data">
   <input type="file" name="file[]" multiple>
   <input type="submit" value="Upload">
 </form>
</div>
</section>
<footer>
 <!-- Your footer content here -->
</footer>
<div id="myModal" class="modal">
<span class="modal-close">&times;</span>
<img class="modal-content" id="img01">
</div>
<script>
// Get the modal
```

```
var modal = document.getElementById("myModal");
 // Get the image and insert it inside the modal
 var modalImg = document.getElementById("img01");
 var images = document.querySelectorAll('.event-img');
  images.forEach(img => {
   img.onclick = function() {
    modal.style.display = "block";
    modalImg.src = this.src;
   }
 });
 // Get the <span> element that closes the modal
 var span = document.getElementsByClassName("modal-close")[0];
 // When the user clicks on <span> (x), close the modal
 span.onclick = function() {
   modal.style.display = "none";
 }
 </script>
</body>
</html>
```


6. SAMPLE OUTPUT







Welcome to Ram's Event Organizer Page



55

7:CONCLUSION:

Using an event organizer application offers several significant benefits for both organizers and clients alike. Firstly, it streamlines the entire event planning process by centralizing tasks such as scheduling, budgeting, and communication in one platform. This efficiency saves time and reduces the chances of miscommunication or overlooked details, ensuring smoother event execution. Secondly, these applications often provide access to a network of vetted vendors and venues, simplifying the selection process and potentially securing better deals through established partnerships. Thirdly, the application's digital nature facilitates real-time updates and collaboration, enabling organizers to adapt quickly to changes and client preferences. Moreover, features like attendee management and feedback collection enhance the overall attendee experience, fostering greater satisfaction and potentially increasing event attendance in the future. Ultimately, by leveraging technology to streamline operations and enhance client interaction, event organizer applications contribute to more successful, memorable, and professionally managed events.