

PR Case 02

1. Below are heights of students tabulated in grouped data, sampling is done on Univ. X. Determine: (a) **mean**, (b) **median**, (c) **mode**, (d) **fourths (*quartiles*)**, (e) **variance** and (f) **standard deviation**.

height (cm)	frequency
146 – 150	10
151 – 155	35
156 – 160	40
161 – 165	50
166 – 170	30
171 – 175	20
176 – 180	15

PR Case 02

2. Below are grade result of students who took statistics course in a university, tabulated in grouped data. Determine: (a) **mean**, (b) **median**, (c) **mode**, (d) **fourths** (*quartiles*), (e) **variance** and (f) **standard deviation**.

score	frequency
31 – 40	5
41 – 50	25
51 – 60	20
61 – 70	50
71 – 80	30
81 – 90	15
91 – 100	5

PR Case 02

3. Seventy new jobs are opening up at an IT company, and 1000 applicants show up for the 70 positions. To select the best 70 from among the applicants, the company gives a test that covers programming skill, analytical skill, and mathematical ability. The mean grade on this test turns out to be 60, and the scores have a standard deviation of 6. Can a person who scores 84 count on getting one of the jobs? [Hint: Use Chebyshev's theorem.] Assume that the distribution is symmetric about the mean.