UKE HAMBURG

NANYANG TECHNOLOGICAL UNIVERSITY SINGAPORE

16th Meeting of the Hamburg R-User-Group, 13th Feb 2019

Project „easystats“
Making R stats easier!

Daniel Lüdecke
d.luedecke@uke.de

https://github.com/easystats

Universitätsklinikum Hamburg-Eppendorf

UKE HAMBURG

NANYANG TECHNOLOGICAL UNIVERSITY SINGAPORE

easystats

https://github.com/easystats

UKE HAMBURG

NANYANG TECHNOLOGICAL UNIVERSITY SINGAPORE

easystats

https://github.com/easystats

Dominique

Neuropsychologist, psychotherapist, pizza lover

Postdoc at the Clinical Brain Lab (Singapore) on the neuroscience of deception

easystats

https://github.com/easystats

Dominique

Neuropsychologist, psychotherapist, pizza lover

Postdoc at the Clinical Brain Lab (Singapore) on the neuroscience of deception

Daniel

Gerontologist, kind of sociologist, prefers burgers

Postdoc at the Department of Medical Sociology (University Medical Center Hamburg)

Objectives

- Provide a set of packages that makes it easier to do statistical analysis and reporting with R.

  - Low-level (or „core“) packages
    - Target group: advanced users and developers
    - Aims (examples): accessor functions to access the internals of models, such as variables, formulas, model frame/data, random effects, their structure and so on...

Objectives

- Provide a set of packages that makes it easier to do statistical analysis and reporting with R.

  - Mid-level packages
    - Target group: end-user
    - Aims (examples): computation of model "performance" metrics (R2, ICC, CoD, AIC, BIC and whatnot), model comparison, Bayesian analysis, …

Objectives

- Provide a set of packages that makes it easier to do statistical analysis and reporting with R.

  - High-level packages
    - Target groups: non-experts/beginners who want fully-baked solutions to solve their problems and to experience the power of R
    - Aims: reporting, plotting

easystats

Objectives

- Provide a set of packages that makes it easier to do statistical analysis and reporting with R.

And most important!

- All packages, especially the low-level packages, should run with minimum dependencies!

```
Version: 0.1.0.0001
Date: 2019-01-29
Authors@R: c(person("Daniel", "Lüdecke", role = c("aut", "cre"), email = "d.luedecke@uke.de", comment =
c(ORCID = "0000-0002-8895-3206")),
             person("Dominique", "Makowski", role = c("ctb"), email = "dom.makowski@gmail.com", comment =
c(ORCID = "0000-0001-5375-9967")))
Maintainer: Daniel Lüdecke <d.luedecke@uke.de>
License: GPL-3
URL: https://github.com/easystats/insight
Depends: R (>= 3.2), stats
Suggests: brms, GLMMadaptive, glmmTMB, knitr, lme4, nlme, splines,
        testthat
Encoding: UTF-8
LazyData: true
RoxygenNote: 6.1.1
VignetteBuilder: knitr
Author: Daniel Lüdecke [aut, cre] (<https://orcid.org/0000-0002-8895-3206>),
  Dominique Makowski [ctb] (<https://orcid.org/0000-0001-5375-9967>)
Built: R 3.5.2; ; 2019-02-04 08:08:22 UTC; windows
```

and no imports!

A first low-level package…

insight

Model objects are terrifying

```
# model frame?

library(nlme)

m <- gls(
  follicles ~ sin(2*pi*Time) +
  cos(2*pi*Time), Ovary,
  correlation = corAR1(form = ~ 1 | Mare)
)

model.frame(m)
#> corStruct  parameters:
#> [1] 1.960656
```

Model objects are terrifying

```
# model family?

fm1 <- lme(
  distance ~ age, data = Orthodont
)

family(fm1)
#> Error in UseMethod("family") :
#>   no applicable method for 'family'
#>   applied to an object of class "lme"
```

Model objects are terrifying

```
# model terms?

library(MCMCglmm)
data(PlodiaPO)

m <- MCMCglmm(
  PO~1, random=~FSfamily, data=PlodiaPO,
  verbose=FALSE, nitt=1300, burnin=300,
  thin=1
)

all.vars(terms(m))
#> Error in terms.default(m) : no
#> terms component nor attribute
```

UKE HAMBURG

NANYANG TECHNOLOGICAL UNIVERSITY SINGAPORE

Gain insight into your models!

Gain insight into your models!

- Thanks to a stunning x-ray-technology, the *insight*-package allows to easily get insights into your model object!

Gain insight into your models!

- Simple, consistent API:
  - `get_*()` to retrieve data, `find_()*` to access model information.

Objectives

- The goal of this package is to provide tools that make it easy and intuitive to access information contained in various models.
- Although there are generic functions to get information and data from models, many modelling-functions from different packages do not provide such methods to access these information.
- *insight* aims at closing this gap by providing consistent functions that work for (almost) any models.

I‘m afraid of no model

```
library(insight)
library(nlme)

m <- gls(
  follicles ~ sin(2*pi*Time) +
  cos(2*pi*Time), Ovary,
  correlation = corAR1(form = ~ 1 | Mare)
)

get_data(m)
#>     Mare         Time follicles
#> 1      1 -0.13636360        20
#> 2      1 -0.09090910        15
#> 3      1 -0.04545455        19
#> ... (truncated)
```

I‘m afraid of no model

```
library(MCMCglmm)
data(PlodiaPO)
m <- MCMCglmm(
  PO~1, random=~FSfamily, data=PlodiaPO,
  verbose=FALSE, nitt=1300, burnin=300,
  thin=1
)

find_terms(m)
$response
[1] "PO"

$conditional
[1] 1

$random
[1] "FSfamily"
```

I‘m afraid of no model

```
library(GLMMadaptive)

m <- mixed_model(
  count ~ child + camper,
  random = ~ 1 | persons,
  zi_fixed = ~ child + livebait,
  zi_random = ~ 1 | persons,
  data = fish,
  family = zi.poisson()
)

find_predictors(m, component = "zi")
#> $zero_inflated
#> [1] "child"    "livebait"
```

easystats

Want to join us?

https://github.com/easystats

We are...

✓ waiting for your feedback
✓ open to opinions and ideas
✓ beginning-developers friendly

Dominique & Daniel