

*Updated 2024 Models

ESTIMATED CHARGE COMPLETION TIME BY SCHON CHARGERS									
VEHICLE DETAILS					LEVEL 2	DC FAST			
Make	Model	Charging Rate (kW), Level 2	Charging Rate (kW),DC Fast	Battery Capacity (kWh)	PowerUP 32 (Hours)	PowerUP 22 (Hours)	PowerUP 60 (Hours)	PowerUP 120 (Hours)	PowerUP 180 (Hours)
Acura	ZDX AWD	11.5	190	119.2	15.9	5.4	2.0	1.0	0.7
Alfa Romeo	Tonale eAWD	6.6	130	16	2.1	0.7	0.3	0.1	0.1
Audi	A3 E-Tron	3.3	-	8.8	2.7	-	-	-	-
Audi	e-tron GT	9.6	270	93	12.4	4.2	1.6	0.8	0.5
Audi	e-tron GT/RS e-tron GT	9.6	270	93	12.4	4.2	1.6	0.8	0.5
Audi	Q4 40 e-tron	11	125	82	10.9	3.7	1.4	0.7	0.7
Audi	Q4 50 e-tron quattro1	11	125	82	10.9	3.7	1.4	0.7	0.7
Audi	Q4 55 e-tron quattro1	11	125	82.4	11.0	3.7	1.4	0.7	0.7
Audi	Q4 e-tron	11	150	82	10.9	3.7	1.4	0.7	0.5
Audi	Q4 Sportback e-tron	11	150	82	10.9	3.7	1.4	0.7	0.5
Audi	Q5 TFSI e	7.4	-	17.9	2.4	-	-	-	-
Audi	Q8 e-tron Sportback (S)	9.6-19.2	170	106	14.1	4.8	1.8	0.9	0.6
Audi	Q8 e-tron (S)	9.6-19.2	170	106	14.1	4.8	1.8	0.9	0.6
Audi	Q8 e-tron quattro	11	125	114	15.2	5.2	1.9	1.0	0.9
Audi	Q8 Sportback e-tron quattro	9.6-19.2	170	114	15.2	5.2	1.9	1.0	0.7
Audi	Q8 Sportback e-tron ultra quattro	11	125	114	15.2	5.2	1.9	1.0	0.9
Bentley Motors	Flying Spur Hybrid	7.2	-	17	2.4	-	-	-	-
BMW	330e	3.6	-	7.6	2.1	-	-	-	-
BMW	330e Sedan	3.7	-	12	1.6	-	-	-	-
BMW	330e xDrive	3.7	-	12	1.6	-	-	-	-
BMW	530e	3.6	-	9.2	2.6	-	-	-	-
BMW	740e	3.6	-	9.2	2.6	-	-	-	-
BMW	750 xDrive	3.7	-	12	1.6	-	-	-	-
BMW	ActiveE	7	-	32	4.6	-	-	-	-
BMW	i3 2014-2016	7.4	50	23	3.1	1.0	0.5	0.5	0.5
BMW	i3 2017 (60 Ah battery)	7.4	50	23	3.1	1.0	0.5	0.5	0.5
BMW	i3 2017 (90 Ah battery)	7.4	50	32	4.3	1.5	0.6	0.6	0.6
BMW	i4	11	195	81	10.8	3.7	1.4	0.7	0.5
BMW	i4 eDrive35 Gran Coupe3	11	195	84	11.2	3.8	1.4	0.7	0.5
BMW	i4 eDrive40 Gran Coupe3	11	195	84	11.2	3.8	1.4	0.7	0.5
BMW	i4 M50 Gran Coupe4	11	196	105	14.0	4.8	1.8	0.9	0.6

ESTIMATED CHARGE COMPLETION TIME BY SCHON CHARGERS

VEHICLE DETAILS					LEVEL 2	DC FAST			
Make	Model	Charging Rate (kW), Level 2	Charging Rate (kW),DC Fast	Battery Capacity (kWh)	PowerUP 32 (Hours)	PowerUP 22 (Hours)	PowerUP 60 (Hours)	PowerUP 120 (Hours)	PowerUP 180 (Hours)
BMW	i5 eDrive40 Sedan5	11	205	84	11.2	3.8	1.4	0.7	0.5
BMW	i5 M60 xDrive Sedan5	11	205	84	11.2	3.8	1.4	0.7	0.5
BMW	i7	11	195	106	14.1	4.8	1.8	0.9	0.6
BMW	i7 eDrive50 Sedan5	11	195	105	14.0	4.8	1.8	0.9	0.6
BMW	i7 M70 xDrive Sedan6	11	195	111	14.8	5.0	1.9	0.9	0.6
BMW	i7 xDrive60 Sedan5	11	195	105	14.0	4.8	1.8	0.9	0.6
BMW	i8	3.6	-	7.1	2.0	-	-	-	-
BMW	iX	11	195	112	14.9	5.1	1.9	0.9	0.6
BMW	iX M60	11	195	111	14.8	5.0	1.9	0.9	0.6
BMW	iX xDrive40	11	150	111	14.8	5.0	1.9	0.9	0.7
BMW	iX xDrive50	11	200	111	14.8	5.0	1.9	0.9	0.6
BMW	The XM	7.4	150	25.7	3.4	1.2	0.4	0.2	0.2
BMW	X5 xDrive50e	7.4	-	24	3.2	-	-	-	-
BMW	XM	7.4	-	29	3.9	-	-	-	-
BMW	XS xDrive-40e	3.6	-	9	2.5	-	-	-	-
Cadillac	CT6	3.6	-	18.4	5.1	-	-	-	-
Cadillac	ELR	3.3	-	16.5	5.0	-	-	-	-
Cadillac	Lyric	11.5-19.2	190	119	15.9	5.4	2.0	1.0	0.7
Cadillac	Lyric AWD	11.5-19.2	190	119.2	15.9	5.4	2.0	1.0	0.7
Cadillac	Lyriq	11.5-19.2	190	102	13.6	4.6	1.7	0.9	0.6
Chevrolet	Blazer EV (85 KWh)	11.5	150-190	85	11.3	3.9	1.4	0.7	0.5
Chevrolet	Blazer EV (102 KWh)	11.5	150-190	102	13.6	4.6	1.7	0.9	0.6
Chevrolet	Blazer EV AWD	11.5	150	99	13.2	4.5	1.7	0.8	0.7
Chevrolet	Blazer EV RWD	11.5	150	119.2	15.9	5.4	2.0	1.0	0.8
Chevrolet	Equinox EV (85 KWh)	11.5	150	85	11.3	3.9	1.4	0.7	0.6
Chevrolet	Equinox EV (102 KWh)	11.5	150	102	13.6	4.6	1.7	0.9	0.7
Chevrolet	Equinox EV AWD	11.5	150	99.8	13.3	4.5	1.7	0.8	0.7
Chevrolet	Equinox EV FWD	11.5	150	99.8	13.3	4.5	1.7	0.8	0.7
Chevrolet	Silverado EV (208 KWh)	11.5-19.2	350	208	27.7	9.5	3.5	1.7	1.2
Chevrolet	Silverado EV (168 KWh)	11.5-19.2	350	168	22.4	7.6	2.8	1.4	0.9
Chevrolet	Silverado EV RST	19	350	215	28.7	9.8	3.6	1.8	1.2

ESTIMATED CHARGE COMPLETION TIME BY SCHON CHARGERS

VEHICLE DETAILS					LEVEL 2	DC FAST			
Make	Model	Charging Rate (kW), Level 2	Charging Rate (kW),DC Fast	Battery Capacity (kWh)	PowerUP 32 (Hours)	PowerUP 22 (Hours)	PowerUP 60 (Hours)	PowerUP 120 (Hours)	PowerUP 180 (Hours)
Chevy	Spark	3.3	50	23	7.0	1.0	0.5	0.5	0.5
Chevy	Volt	3.3	-	16.5	5.0	-	-	-	-
Chevy	Volt 2016-2018	3.6	-	18.4	5.1	-	-	-	-
Chevy	Volt 2019 LT	3.6	-	18.4	5.1	-	-	-	-
Chevy	Volt 2019 LT Upgrade	7.2	-	18.4	2.6	-	-	-	-
Chevy	Volt 2019 Premier	7.2	-	18.4	2.6	-	-	-	-
Chrysler	Pacifica Hybrid (PHEV)	6.6	-	16	2.1	-	-	-	-
Coda		6.6	-	31	4.7	-	-	-	-
Dodge	Hornet PHEV AWD	7.4	-	15	2.0	-	-	-	-
Dodge	Hornet R/T	6.6	-	16	2.1	-	-	-	-
Ferrari	SF90 Spider	3.5	-	6	1.7	-	-	-	-
Ferrari	SF90 Stradale	3.5	-	6	1.7	-	-	-	-
Fiat	500e	11	85	42	5.6	1.9	0.7	0.5	0.5
Ford	C Max Energi	3.3	-	7.6	2.3	-	-	-	-
Ford	Escape PHEV	5	-	14.4	1.9	-	-	-	-
Ford	F-150 Lightning (98 kWh)	11.6-19.6	150	98	13.1	4.5	1.6	0.8	0.7
Ford	F-150 Lightning (131 kWh)	11.6-19.6	150	131	17.5	6.0	2.2	1.1	0.9
Ford	F150 Lightning 4WD	11.6-19.6	150	124	16.5	5.6	2.1	1.0	0.8
Ford	F150 Lightning 4WD Plat/Ext. Range9	11.6-19.6	150	165.2	22.0	7.5	2.8	1.4	1.1
Ford	Focus EV 2013-2015	6.6	-	23	3.5	-	-	-	-
Ford	Focus EV 2017-2018	6.6	50	33.5	5.1	1.5	0.7	0.7	0.7
Ford	Fusion Energi	3.3	-	7.6	2.3	-	-	-	-
Ford	Mustang Mach-E (72 kWh)	11	115-150	72	9.6	3.3	1.2	0.6	0.4
Ford	Mustang Mach-E (91 kWh)	11	115-150	91	12.1	4.1	1.5	0.8	0.5
Ford	Mustang Mach-E AWD	11	150	91.4	12.2	4.2	1.5	0.8	0.6
Ford	Mustang Mach-E AWD Extended	11	150	116.4	15.5	5.3	1.9	1.0	0.8
Ford	Mustang Mach-E GT/Rally	11	150	116.4	15.5	5.3	1.9	1.0	0.8
Ford	Mustang Mach-E RWD10	11	150	116.4	15.5	5.3	1.9	1.0	0.8
Genesis	Electrified G70	11	230	77	10.3	3.5	1.3	0.6	0.4
Genesis	Electrified G80	11	230	87	11.6	4.0	1.5	0.7	0.5
Genesis	Electrified GV70	11	230	77	10.3	3.5	1.3	0.6	0.4

ESTIMATED CHARGE COMPLETION TIME BY SCHON CHARGERS

VEHICLE DETAILS					LEVEL 2	DC FAST			
Make	Model	Charging Rate (kW), Level 2	Charging Rate (kW),DC Fast	Battery Capacity (kWh)	PowerUP 32 (Hours)	PowerUP 22 (Hours)	PowerUP 60 (Hours)	PowerUP 120 (Hours)	PowerUP 180 (Hours)
Genesis	GV60 Performance	11	230	77	10.3	3.5	1.3	0.6	0.4
Genesis	GV60 Standard	11	230	77	10.3	3.5	1.3	0.6	0.4
GMC	Hummer EV Pickup	19	300	205	27.3	9.3	3.4	1.7	1.1
GMC	Hummer EV Pickup12	19.2	350	199	26.5	9.0	3.3	1.7	1.1
GMC	Hummer EV SUV	19	300	205	27.3	9.3	3.4	1.7	1.1
GMC	Hummer EV SUV12	19.2	300	199	26.5	9.0	3.3	1.7	1.1
Honda	Clarity EV	6.6	-	25.5	3.9	-	-	-	-
Honda	Prologue	11	150	85	11.3	3.9	1.4	0.7	0.6
Honda	Prologue AWD Elite	11.5	150	100.1	13.3	4.6	1.7	0.8	0.7
Honda	Prologue AWD Touring	11.5	150	100.1	13.3	4.6	1.7	0.8	0.7
Honda	Prologue FWD	11.5	150	100.1	13.3	4.6	1.7	0.8	0.7
Hyundai	Ioniq	6.6	350	28	4.2	1.3	0.5	0.2	0.2
Hyundai	Ioniq 5	11	199	77.4	10.3	3.5	1.3	0.6	0.4
Hyundai	Ioniq 5 Long range AWD	11	199	77	10.3	3.5	1.3	0.6	0.4
Hyundai	Ioniq 5 Long range RWD	11	199	77	10.3	3.5	1.3	0.6	0.4
Hyundai	Ioniq 5 Standard range RWD	11	199	58	7.7	2.6	1.0	0.5	0.3
Hyundai	Ioniq 6 (58 KWh)	11	221	58	7.7	2.6	1.0	0.5	0.3
Hyundai	Ioniq 6 (77 KWh)	11	221	77	10.3	3.5	1.3	0.6	0.4
Hyundai	Ioniq 6 Long range AWD13	11	350	77	10.3	3.5	1.3	0.6	0.4
Hyundai	Ioniq 6 Long range RWD13	11	350	77	10.3	3.5	1.3	0.6	0.4
Hyundai	Ioniq 6 Standard range RWD	11	350	53	7.1	2.4	0.9	0.4	0.3
Hyundai	Kona	7.2	100	64	8.9	2.9	1.1	0.6	0.6
Hyundai	Kona Electric (49 KWh)	11	100	49	6.5	2.2	0.8	0.5	0.5
Hyundai	Kona Electric (65 KWh)	11	100	65	8.7	3.0	1.1	0.7	0.7
Hyundai	Kona Electric14	11	100	48	6.4	2.2	0.8	0.5	0.5
Hyundai	Tucson PHEV	7.2	-	13.8	1.8	-	-	-	-
Jaguar	I-PACE	9.6	100	90	12.0	4.1	1.5	0.9	0.9
Jaguar	I-Pace	7	100	90	12.9	4.1	1.5	0.9	0.9
Jaguar	I-PACE EV400	7	100	86	11.5	3.9	1.4	0.9	0.9
Jeep	Grand Cherokee 4xe	7.7	-	17.4	2.3	-	-	-	-
Jeep	Wrangler 4xe	7.7	-	17.4	2.3	-	-	-	-

ESTIMATED CHARGE COMPLETION TIME BY SCHON CHARGERS

VEHICLE DETAILS					LEVEL 2	DC FAST			
Make	Model	Charging Rate (kW), Level 2	Charging Rate (kW),DC Fast	Battery Capacity (kWh)	PowerUP 32 (Hours)	PowerUP 22 (Hours)	PowerUP 60 (Hours)	PowerUP 120 (Hours)	PowerUP 180 (Hours)
Kia	EV6 AWD GT	11	200	77	10.3	3.5	1.3	0.6	0.4
Kia	EV6 Long Range AWD4	11	200	77	10.3	3.5	1.3	0.6	0.4
Kia	EV6 Long Range RWD	11	200	77	10.3	3.5	1.3	0.6	0.4
Kia	EV6 Standard Range RWD	11	200	77	10.3	3.5	1.3	0.6	0.4
Kia	EV9 (76 kWh)	11	200	76	10.1	3.5	1.3	0.6	0.4
Kia	EV9 (100 kWh)	11	200	100	13.3	4.5	1.7	0.8	0.6
Kia	EV9 Long Range AWD15	11	250	99	13.2	4.5	1.7	0.8	0.6
Kia	EV9 Long Range RWD	11	250	99	13.2	4.5	1.7	0.8	0.6
Kia	EV9 Standard Range RWD	11	250	76	10.1	3.5	1.3	0.6	0.4
Kia	Niro	7.2	100	64	8.9	2.9	1.1	0.6	0.6
Kia	Niro Electric	7.2	75	64	8.5	2.9	1.1	0.9	0.9
Kia	Niro EV	7.2	75	64	8.5	2.9	1.1	0.9	0.9
Kia	Niro PHEV	3.3	-	11.1	1.5	-	-	-	-
Kia	Optima	3.3	-	9.8	3.0	-	-	-	-
Kia	Sorento PHEV	7.2	-	13.8	1.8	-	-	-	-
Kia	Sorento Plug-in Hybrid	7.2	-	13	1.7	-	-	-	-
Kia	Soul	6.6	100	27	4.1	1.2	0.5	0.3	0.3
Kia	Soul 2019	7.2	100	64	8.9	2.9	1.1	0.6	0.6
Kia	Sportage PHEV	7.2	-	13.8	1.8	-	-	-	-
Land Rover	Range Rover PHEV	7.4	-	12.4	1.7	-	-	-	-
Land Rover	Range Rover Sport PHEV	7.4	-	12.4	1.7	-	-	-	-
Lexus	NX 450h+	3.3-6.6	-	18.1	2.4	-	-	-	-
Lexus	NX 450h+ AWD	3.3-6.6	-	18	2.4	-	-	-	-
Lexus	RX 450h+	6.6	-	18.1	2.4	-	-	-	-
Lexus	RZ 300e	7	150	72.8	10.4	3.3	1.2	0.6	0.5
Lexus	RZ 450e	6.6	100-150	72	9.6	3.3	1.2	0.6	0.4
Lexus	RZ 450e13	6.6	100-150	71.4	9.5	3.2	1.2	0.6	0.4
Lincoln	Corsair Grand Touring (PHEV)	6.6	-	14.4	1.9	-	-	-	-
Lucid	Air	19	300	118	15.7	5.4	2.0	1.0	0.7
Lucid	Air G Touring XR AWD5	19	300	136.8	18.2	6.2	2.3	1.1	0.8
Lucid	Air Pure RWD4	19	300	86	11.5	3.9	1.4	0.7	0.5

ESTIMATED CHARGE COMPLETION TIME BY SCHON CHARGERS

VEHICLE DETAILS					LEVEL 2	DC FAST			
Make	Model	Charging Rate (kW), Level 2	Charging Rate (kW),DC Fast	Battery Capacity (kWh)	PowerUP 32 (Hours)	PowerUP 22 (Hours)	PowerUP 60 (Hours)	PowerUP 120 (Hours)	PowerUP 180 (Hours)
Mitsubishi	i-M iEV	3.3	40	16	4.8	0.7	0.4	0.4	0.4
Maserati	Granturismo Folgore	22	300	92.5	12.3	4.2	1.5	0.8	0.5
Maserati	Grancabrio Folgore	22	300	92.5	12.3	4.2	1.5	0.8	0.5
Mazda	CX-90	7.2	-	18	2.4	-	-	-	-
Mercedes	B Class B250e	9.6	50	28	3.7	1.3	0.6	0.6	0.6
Mercedes	C350 Hybrid	3.3	-	6.2	1.9	-	-	-	-
Mercedes	EQB SUV	9.6	100	71	9.5	3.2	1.2	0.7	0.7
Mercedes	EQE Sedan	9.6	170	91	12.1	4.1	1.5	0.8	0.5
Mercedes	EQE SUV	9.6	171	91	12.1	4.1	1.5	0.8	0.5
Mercedes	EQS Sedan	9.6	200	108	14.4	4.9	1.8	0.9	0.6
Mercedes	EQS SUV	9.6	200	108	14.4	4.9	1.8	0.9	0.6
Mercedes	GLC 350e	3.7	60	8.7	2.4	0.4	0.1	0.1	0.1
Mercedes	GLE 550e	3.3	-	8.8	2.7	-	-	-	-
Mercedes	S550 Hybrid	3.3	-	8.7	2.6	-	-	-	-
Mercedes	s580e	9.6	60	22.7	3.0	1.0	0.4	0.4	0.4
Mercedes- Benz	AMG EQE 4MATIC+	9.6	170	95.8	12.8	4.4	1.6	0.8	0.6
Mercedes- Benz	AMG EQE 4MATIC+ (SUV)	9.6	170	95.8	12.8	4.4	1.6	0.8	0.6
Mercedes- Benz	AMG EQS 4MATIC+	9.6	170-200	111	14.8	5.0	1.9	0.9	0.6
Mercedes- Benz	EQB 250+	9.6	100	72.2	9.6	3.3	1.2	0.7	0.7
Mercedes- Benz	EQB 350 4MATIC (72 kWh)	9.6	100-170	72.2	9.6	3.3	1.2	0.6	0.4
Mercedes- Benz	EQE 350 4MATIC (95 kWh)	9.6	100-170	95	12.7	4.3	1.6	0.8	0.5
Mercedes- Benz	EQE 350 4MATIC (SUV)	9.6	171	88.9	11.9	4.0	1.5	0.7	0.5
Mercedes- Benz	EQE 350+	9.6	170	95	12.7	4.3	1.6	0.8	0.6
Mercedes- Benz	EQE 350+ (SUV)	9.6	171	101.6	13.5	4.6	1.7	0.8	0.6
Mercedes- Benz	EQE 500 4MATIC	9.6	170	88	11.7	4.0	1.5	0.7	0.5
Mercedes- Benz	EQE 500 4MATIC (SUV)	9.6	171	95.7	12.8	4.4	1.6	0.8	0.6
Mercedes- Benz	EQS 450 4MATIC	9.6	200	107	14.3	4.9	1.8	0.9	0.6
Mercedes- Benz	EQS 450/580 4MATIC (SUV)	9.6	200	122	16.3	5.5	2.0	1.0	0.7
Mercedes- Benz	EQS 450+	9.6	200	111	14.8	5.0	1.9	0.9	0.6
Mercedes- Benz	EQS 450+ (SUV)	9.6	200	122	16.3	5.5	2.0	1.0	0.7
Mercedes- Benz	EQS 580 4MATIC	9.6	200	107	14.3	4.9	1.8	0.9	0.6

ESTIMATED CHARGE COMPLETION TIME BY SCHON CHARGERS

VEHICLE DETAILS					LEVEL 2	DC FAST			
Make	Model	Charging Rate (kW), Level 2	Charging Rate (kW),DC Fast	Battery Capacity (kWh)	PowerUP 32 (Hours)	PowerUP 22 (Hours)	PowerUP 60 (Hours)	PowerUP 120 (Hours)	PowerUP 180 (Hours)
Mini	Cooper SE	7.4	50	33	4.4	1.5	0.7	0.7	0.7
Mini	Cooper SE Hardtop 2 door	7.4	50	32	4.3	1.5	0.6	0.6	0.6
MINICooper	SE Countryman ALL4	3.3	-	7.6	2.3	-	-	-	-
Mitsubishi	Outlander PHEV	3.7	22	20	2.7	0.9	0.9	0.9	0.9
Nissan	Ariya (63 kWh)	7.2	130	63	8.4	2.9	1.1	0.5	0.5
Nissan	Ariya (87 kWh)	7.2	130	87	11.6	4.0	1.5	0.7	0.7
Nissan	ARIYA EVOLVE+	7.2	130	90.8	12.1	4.1	1.5	0.8	0.7
Nissan	ARIYA EMPOWER+	7.2	130	90.8	12.1	4.1	1.5	0.8	0.7
Nissan	ARIYA VENTURE+	7.2	130	90.8	12.1	4.1	1.5	0.8	0.7
Nissan	ARIYA ENGAGE e-4ORCE 63kWh	7.2	130	65.8	8.8	3.0	1.1	0.5	0.5
Nissan	ARIYA ENGAGE FWD 63kWh	7.2	130	65.8	8.8	3.0	1.1	0.5	0.5
Nissan	ARIYA ENGAGE+ e- 4ORCE 87kWh	7.2	130	90.8	12.1	4.1	1.5	0.8	0.7
Nissan	ARIYA EVOLVE+ e- 4ORCE 87kWh	7.2	130	90.8	12.1	4.1	1.5	0.8	0.7
Nissan	ARIYA PLATINUM+ e-4ORCE 87kWh4	7.2	130	90.8	12.1	4.1	1.5	0.8	0.7
Nissan	Leaf (40 kWh)	6.6	70	40	5.3	1.8	0.7	0.6	0.6
Nissan	Leaf (62 kWh)	6.6	70	62	8.3	2.8	1.0	0.9	0.9
Nissan	Leaf 2011-12	3.3	50	24	7.3	1.1	0.5	0.5	0.5
Nissan	Leaf 2013-16 S J-dwi	3.3	50	24	7.3	1.1	0.5	0.5	0.5
Nissan	Leaf 2017	3.3-6.6	50	30	4.0	1.4	0.6	0.6	0.6
Nissan	Leaf 2018-19	6.6	50	40	6.1	1.8	0.8	0.8	0.8
Nissan	Leaf Plus 2019	6.6	100	62	9.4	2.8	1.0	0.6	0.6
Nissan	Leaf S 2013-16	6.6	50	24	3.6	1.1	0.5	0.5	0.5
Nissan	LEAF SV	6.6	70	60	8.0	2.7	1.0	0.9	0.9
Polestar	2 (78 kWh)	11	155-205	78	10.4	3.5	1.3	0.7	0.4
Polestar	2 (82 kWh)	11	155-205	82	10.9	3.7	1.4	0.7	0.5
Polestar	Polestar 2 Dual Motor Performance Pack	11	150	77	10.3	3.5	1.3	0.6	0.5
Polestar	Polestar 2 Dual Motor4	11	150	77	10.3	3.5	1.3	0.6	0.5
Polestar	Polestar 2 Single Motor4	11	150	81	10.8	3.7	1.4	0.7	0.5
Porsche	918 Spyder	3.6	-	6.8	1.9	-	-	-	-
Porsche	Cayenne E-hybrid	3.6-7.3	-	17.9	2.4	-	-	-	-

ESTIMATED CHARGE COMPLETION TIME BY SCHON CHARGERS

VEHICLE DETAILS					LEVEL 2	DC FAST			
Make	Model	Charging Rate (kW), Level 2	Charging Rate (kW),DC Fast	Battery Capacity (kWh)	PowerUP 32 (Hours)	PowerUP 22 (Hours)	PowerUP 60 (Hours)	PowerUP 120 (Hours)	PowerUP 180 (Hours)
Porsche	Panamera 4 E-Hybrid	3.6	150	14.1	3.9	0.6	0.2	0.1	0.1
Porsche	Panamera 4 E-Hybrid Upgrade	7.2	150	14.1	2.0	0.6	0.2	0.1	0.1
Porsche	Panamera E-hybrid	3.6-7.2	150	17.9	2.4	0.8	0.3	0.1	0.1
Porsche	Panamera S E-Hybrid	3.6	-	9.4	2.6	-	-	-	-
Porsche	Panamera SE- Hybrid Upgade	7.2	150	9.4	1.3	0.4	0.2	0.1	0.1
Porsche	Taycan (79 KWh)	11	270	79	10.5	3.6	1.3	0.7	0.4
Porsche	Taycan (93 KWh)	11	270	93	12.4	4.2	1.6	0.8	0.5
Porsche	Taycan 4S Cross Turismo	11	270	109.7	14.6	5.0	1.8	0.9	0.6
Porsche	Taycan 4S Perf Battery/Plus16	11	270	109	14.5	5.0	1.8	0.9	0.6
Porsche	Taycan Cross Turismo17	11	270	109	14.5	5.0	1.8	0.9	0.6
Porsche	Taycan GTS Sport Turismo18	11	270	109	14.5	5.0	1.8	0.9	0.6
Porsche	Taycan Perf Battery/Plus16	11	270	109	14.5	5.0	1.8	0.9	0.6
Porsche	Taycan Turbo/Turbo S	11	270	109	14.5	5.0	1.8	0.9	0.6
Range	Rover P400e	7	32	13.1	1.9	0.6	0.4	0.4	0.4
Rivian	R1S (93 KWh)	11.5	210	93	12.4	4.2	1.6	0.8	0.5
Rivian	R1S (142 KWh)	11.5	210	142	18.9	6.5	2.4	1.2	0.8
Rivian	R1S All-Terrain Quad Large (20in)	11.5	200	144	19.2	6.5	2.4	1.2	0.8
Rivian	R1S Dual Max20	11.5	209	149.7	20.0	6.8	2.5	1.2	0.8
Rivian	R1S Dual19	11.5	209	144	19.2	6.5	2.4	1.2	0.8
Rivian	R1S Quad Large21	11.5	209	144	19.2	6.5	2.4	1.2	0.8
Rivian	R1T (93 KWh)	11.5	210	93	12.4	4.2	1.6	0.8	0.5
Rivian	R1T (142 KWh)	11.5	210	142	18.9	6.5	2.4	1.2	0.8
Rivian	R1T Dual Max23	11.5	210	149.7	20.0	6.8	2.5	1.2	0.8
Rivian	R1T Dual22	11.5	210	144	19.2	6.5	2.4	1.2	0.8
Rivian	R1T Quad Large24	11.5	210	144	19.2	6.5	2.4	1.2	0.8
Rolls-Royce	Black Badge Spectre25	11	200	105	14.0	4.8	1.8	0.9	0.6
Rolls-Royce	Spectre25	11	200	105	14.0	4.8	1.8	0.9	0.6
Smart	Car 2023	7.4	150	66	8.9	3.0	1.1	0.6	0.4
Smart	Fortwo ED 2017	7.2	22	17.6	2.4	0.8	0.8	0.8	0.8
Subaru	Crosstrek	3.3	-	8.8	2.7	-	-	-	-
Subaru	Solterra	6.6	100-150	72	9.6	3.3	1.2	0.6	0.4

ESTIMATED CHARGE COMPLETION TIME BY SCHON CHARGERS

VEHICLE DETAILS					LEVEL 2	DC FAST			
Make	Model	Charging Rate (kW), Level 2	Charging Rate (kW),DC Fast	Battery Capacity (kWh)	PowerUP 32 (Hours)	PowerUP 22 (Hours)	PowerUP 60 (Hours)	PowerUP 120 (Hours)	PowerUP 180 (Hours)
Tesla	Model S 100 & P100D	17.2	250	100	13.3	4.5	1.7	0.8	0.6
Tesla	Model X 75 Single	11.5	150	75	10.0	3.4	1.3	0.6	0.5
Tesla	Model X 90 Dual	17.2	150	90	12.0	4.1	1.5	0.8	0.6
Tesla	Model 3 (60 kWh)	11.5	170	60	8.0	2.7	1.0	0.5	0.4
Tesla	Model 3 (75 kWh)	11.5	250	75	10.0	3.4	1.3	0.6	0.4
Tesla	Model 3 Long Range	11.5	250	70	9.3	3.2	1.2	0.6	0.4
Tesla	Model 3 Long Range AWD	11.5	250	81.4	10.9	3.7	1.4	0.7	0.5
Tesla	Model 3 RWD	11.5	250	60.2	8.0	2.7	1.0	0.5	0.3
Tesla	Model S	11.5	250	104.4	13.9	4.7	1.7	0.9	0.6
Tesla	Model S 60 Dual	19.2	120	60	8.0	2.7	1.0	0.5	0.5
Tesla	Model S 60 Single	9.6	120	60	8.0	2.7	1.0	0.5	0.5
Tesla	Model S 70 Dual	19.2	120	70	9.3	3.2	1.2	0.6	0.6
Tesla	Model S 70 Single	9.6	120	70	9.3	3.2	1.2	0.6	0.6
Tesla	Model S 75 & 75D	11.5	150	75	10.0	3.4	1.3	0.6	0.5
Tesla	Model S 85 Dual	19.2	120	85	11.3	3.9	1.4	0.7	0.7
Tesla	Model S 85 Single	9.6	120	85	11.3	3.9	1.4	0.7	0.7
Tesla	Model S 90 Dual	19.2	135	90	12.0	4.1	1.5	0.8	0.7
Tesla	Model S 90 Single	9.6	135	90	12.0	4.1	1.5	0.8	0.7
Tesla	Model S Plaid27	11.5	250	105	14.0	4.8	1.8	0.9	0.6
Tesla	Model X	11.5	250	100	13.3	4.5	1.7	0.8	0.6
Tesla	Model X 100 & P100D	17.2	145	100	13.3	4.5	1.7	0.8	0.7
Tesla	Model X 60 Dual	17.2	120	60	8.0	2.7	1.0	0.5	0.5
Tesla	Model X 60 Single	11.5	120	60	8.0	2.7	1.0	0.5	0.5
Tesla	Model X 75 Dual	17.2	120	75	10.0	3.4	1.3	0.6	0.6
Tesla	Model X 90 Single	11.5	135	90	12.0	4.1	1.5	0.8	0.7
Tesla	Model X28	11.5	250	105	14.0	4.8	1.8	0.9	0.6
Tesla	Model Y	11.5	250	75	10.0	3.4	1.3	0.6	0.4
Tesla	Model Y Long Range AWD	11.5	250	83.4	11.1	3.8	1.4	0.7	0.5
Tesla	Model Y Performance	11.5	250	83.4	11.1	3.8	1.4	0.7	0.5
Tesla	Roadster	17.2	50	56	7.5	2.5	1.1	1.1	1.1
Toyota	bZ4X	6.6	100-150	72	9.6	3.3	1.2	0.6	0.4

ESTIMATED CHARGE COMPLETION TIME BY SCHON CHARGERS

VEHICLE DETAILS					LEVEL 2	DC FAST			
Make	Model	Charging Rate (kW), Level 2	Charging Rate (kW),DC Fast	Battery Capacity (kWh)	PowerUP 32 (Hours)	PowerUP 22 (Hours)	PowerUP 60 (Hours)	PowerUP 120 (Hours)	PowerUP 180 (Hours)
Toyota	Prius	3.3	-	4.4	1.3	-	-	-	-
Toyota	Prius Prime	3.5	-	10.9	1.5	-	-	-	-
Toyota	Prius Prime/SE1	3.5	-	13	1.7	-	-	-	-
Toyota	Rav4	9.6	-	41.8	5.6	-	-	-	-
Toyota	RAV4 Prime AWD	3.3-6.6	-	18	2.4	-	-	-	-
Toyota	RAV4 Prime	3.3-6.6	-	18.1	2.4	-	-	-	-
VIA	Motors Truck	17.3	50-100	23	3.1	1.0	0.4	0.2	0.1
VIA	Motors Van	17.3	50-100	23	3.1	1.0	0.4	0.2	0.1
VinFast	VF 9 Eco/Plus30	11	100	93	12.4	4.2	1.6	0.9	0.9
Volkswagen	ID.4 AWD Pro/Pro S	11	170	81	10.8	3.7	1.4	0.7	0.5
Volkswagen	ID.4/S/Pro S31	11	170	81	10.8	3.7	1.4	0.7	0.5
Volkswagen	ID4 (62 kWh)	11	170	62	8.3	2.8	1.0	0.5	0.4
Volkswagen	ID4 (82 kWh)	11	170	82	10.9	3.7	1.4	0.7	0.5
Volvo	C40 Recharge	11	149	77	10.3	3.5	1.3	0.6	0.5
Volvo	XC40 Recharge	11	149	77	10.3	3.5	1.3	0.6	0.5
Volvo	C40 Recharge Twin	11	149	77	10.3	3.5	1.3	0.6	0.5
Volvo	XC40 Recharge Twin	11	149	77	10.3	3.5	1.3	0.6	0.5
Volvo	S60 Recharge	3.6	-	18.8	2.5	-	-	-	-
Volvo	S60 T8 AWD Recharge	3.6	-	18	2.4	-	-	-	-
Volvo	S90 Recharge	3.6	-	18.8	2.5	-	-	-	-
Volvo	S90 T8	3.6	-	10.4	2.9	-	-	-	-
Volvo	V60	3.3	-	11.2	3.4	-	-	-	-
Volvo	XC40 Recharge	11	150	78	10.4	3.5	1.3	0.7	0.5
Volvo	XC60 Recharge	3.6	-	18.8	2.5	-	-	-	-
Volvo	XC60 T8	3.6	-	10.4	2.9	-	-	-	-
Volvo	XC60 T8 AWD Recharge	3.6	-	18	2.4	-	-	-	-
Volvo	XC90 Recharge	3.6	-	18.8	2.5	-	-	-	-
Volvo	XC90 T8	3.3	-	9.2	2.8	-	-	-	-
Volvo	XC90 T8 AWD Recharge	3.6	-	18	2.4	-	-	-	-
VW	e-Golf 3	3.6	50	24	6.7	1.1	0.5	0.5	0.5