None-Indrand Muthaga - BEN-58-1921074 - P3-1 And It < 5 mil version = 1.0" encoding . " ut 1 = 2" ? > Candraid support. constraint. Contraint Layout Almos: android o " help: Il achemos, and rold, com laft I res landredde Almos : aft a " hup: 11 schmas. androld. com lape loves - auto-Almes: tools = " help: 11 schemas; android can I tools" and vid : layout - width 2 " match - parent" android bysut-hight - "notch - parent" truls: combent = ". Main Activity"> (! - add an extend edithent to input text --> (Edet Tut android: 1d= '@ + id/edst Turt 1' andwid: layout\_width = "Odp" android: layout - height - "wrap - costent" androld: legout solign Parent Top = "true" endroid: byout \_ centre Horizontal 2 "true" android: layout - margin Top = "136 df" androld ieus 2 10" app: layout - constraint Evid : to End of 2 porent app: layout - constraint short to slowly = " povent" app: layout - constraint Top\_ to Top of = "parent" 1)

Pg-2

<! -- add: a button for dicte -->

(Budlon

android: 12 = "@+10/ dullon!" /"/

androld: layout - width 2 " words - cordend"

android: layout - height? " unap - content."

android: layout - lilous = "@ +id | odet Tent!"

android: layout - certore Horizontal 24 True

and rold ! layout \_ margin Top 2 "49 dp"

android: layout - mengen End 2 4132dp

android: dust 2" Click"

app: layout\_constraint End\_ to End of = 1@ +(d) edet Ter!

app: layout - constraint Top- to bottom of = @ + id | elect Text 1

(! - add a button to move do next activity ->

Bullon

android: 1d = "@+ 1d [Button 62"

and roid: layout - width = "map - content"

android layout - height = "broap\_ content"

android: layout - align Parent teft? "true"

androld: by out - margin top 2 4 209 dfg

and rold: layout \_ Below 2 " @ + id | Text Veur!

android: onclick 2" On Click "

android : text ? "Go to other Activity"

T.I

app: layout - constraint Emol \_ to Emol of " posent"

app: layout - constraint other - to Strated 2" posent"

app: layout - constraint Top - to Top of = "parent"

toold: (grove = "On Click")

1- add a Tent View to write some kent on addirect y--->

< Test View

android: id = "@ + 1d / Tent View 01"

android: layout - width = "vorap- content"

android: layout - huight = "hrap- content"

android: layout - align Left = "@ + 1d/ Bulton L"

android: layout - align Peopent Top = "true"

androld: layout-margin top = "44dp"

android: min Height = "60 dip"

and rold ! stered: "This is fourt testinety"

android: testitize = "20 sp"

app: layout - constraint End - to End of = "parent"

App: layout - constraint start - to steer of = "parent"

App: layout - constraint Top - do Top of - "parent"

<a href="#">Clandroid : support : constraint : Constraint layout > -

Indianil Mulhuyee - BCA - 5B - 19210 idn: 2) -< ? 2 ml union = "10" encoding = " ulf = 8"? Connoid . constopentlayout - . ustelyet . constitution langout umlns: antold = amins: Vool= vantaid: layout - wilth - "match i powent" vantaid: dayout - thought " moth - powers" dood : context " wound distilly < Yestliew conraid: id = (a + 1d / ctent wiew) varioud: Mayout - width = " 156 dp " rannoid: Voyant - treight " "48 dp" correcid: dell - saul destanas Indianil Mullhoya 1921011 Smaid: Jeit Colon = #03A9FA varroid : vert size = "25 dp" vantaid: Veit alife - "lookd"

ispp: dougust- iconstraint Boltom ... Vi Bullom of - "powent" upp: dayouti ! constiaint Ender 15 End of - "parent" copp: dayout - contiaint 11011300001 - bias = "0-266"

rapp! vayout convicient, splo top of - "pount" spp: vaijout\_ constaint vertical. lelar = "0.218 /1

carrorda. continuillayout widget. Combaint Layout

package com. example a 26 sep 05; umport cannoid n . cappicampat. app. idop camp and clienty; impart vanvoid . es . Burolle g umpont canvoid util . Log public clas Main edicity extends edpp compat delively 1 public 1 static final string status Main delively class get Simple Name 1) @ Quer ro rocole publicles usuid on Create (Bundle caucal Inclance State) 1 super on Create ( vaved Instance State); (111) sul Content View (R. dayout . vatively - main); dog.i ( atalia "In metrod on Oreale "); "West of the second @ Override on 18 18 18 18 protected usid on Start () ( super . on store () in dog i ( statta " In method On start "); Minns W @ Override . . profected word on Resume 125 unper . on Reumi (); dog. [ (status " In method on Rew me ");

@ overule ! priotected would on clop () [ super : on orlop (); dog. i ( status , "In method on slop 1); @ Override prestected word on Derbroy () [ usuper on Destroy (); dagi ( dali , " In method on Destroy "); The few for put of The French de Sura March Briain

## INDRANIL MUKHERJEE

19041126