



We Reduce 'Operation Cost' With **Quality Output**



ALL TYPES OF INDUSTRIAL CHEMICALS & FILTER MANUFACTURING COMPANY



CUSTOMER SATISFACTION



INTEGRITY



QUALITY SERVICE



COMMITMENT



Welcome to LUMIPRO INDIA PRIVATE LIMITED

About Us

Lumipro India Pvt Ltd is prime manufacturer and Supplier of industrial Chemical, Lubricants & Filter. We have taken a long stride in the field, due to quality of our product. We have sound and sophisticated infrastructure which is equipped with latest & modern machine to ensure the quality of product.

All our products are carefully formulated and developed by having close consultation with our customers, to solve their problems. Our products confirm to the international & Indian Standard.



Our Mission

To educate the customer in scientific methods for selecting of Chemical, Lubricants & Filter its usage and preservation to provide the right chemical under all types of extreme conditions of speed, load, temperature and environment.

Our Vision

- To be leading solutions provider for industry in Chemical, Lubricants & Filter
- Delivering innovative and quality products and services
- Promoting Eco friendly products

Research & Development

"R & D" Centre has highly skilled and experienced Scientists & Engineers capable of developing various types of Chemical, Lubricants & Filter products, innovatively, using modern technology.

Our main focus is on development of new products, new application of products, alternate formulations, conducting field trials and offering prompt technical service to customers and marketing function. Lumipro India "committed to give quality products with on time delivery."

Our Team

Our strength lies in our team of conducive and capable personnel's motivated by the vision to deliver the best products every time. Everyone works as a team with the utmost dedication to achieve the highest quality standard products within the stipulated time.

Quality Assurance

We ensure the highest quality of our products and pass them through a quality check before their packaging. The quality standard of our products has enabled our company to grow from a small manufacturing unit to a large business empire within a very short span of time.

100% EXCELLENT LUBRICATION

100% HIGH OXIDIZATION STABILITY

100% LOW VOLATILITY

100% HYGIENIC PROCESSING

100% FREE FROM CONTAMINANTS






LUMIPRO RR - 72 (ECO FRIENDLY RUST REMOVER)

LUMIPRO PATENTED PRODUCT

Lumipro RR - 72, is a food grade weak acid base rust remover solution, which removes rust.

Lumipro RR - 72, is an environmental friendly product. Lumipro RR - 72, is easy to handle compared with other rust removers.

Lumipro RR - 72, will not change the nature & size of material. Lumipro RR - 72, removes heavy rust, even in cracks & crevices. Lumipro RR - 72, is easy to dispose after long uses. Lumipro RR - 72, is used in Ferrous and Non-Ferrous metals.



LUMIPRO - CUTTING OIL

LUMICUT - 150, 250 & 450



Long life combined with good milky Emulsion stability, multipurpose in application.

Lumicut -150, 250 & 450, is a versatile, compounded, water soluble cutting oil designed primarily as a lubricant and coolant for cutting & grinding operations on both ferrous & non ferrous metals.

Lumicut - 150, 250 & 450, has proven outstanding as a coolant for heavy duty machining operations, as an emulsifiable hydraulic oil and as a rust preventive.

LUMIPRO - RUST PREVENTIVE OIL

RPO - 202, 205, 207, 209, 210

RPO - 202 : It is widely used for protection of parts or components during process, prevent from rust, Indoor protection normal 2 to 3 months.

RPO - 205 : It has the property of displacing water & moisture from metal surface & it deposits a thin oily rust protective film. Indoor protection 5 to 6 months.

RPO - 207 : It has the property of displacing water & moisture from metal surface & it deposits a thin oily rust protective film. It is widely used for protection of parts or components during process. It possesses dewatering properties. Indoor protection min. 1 year. Suitable for export.

RPO - 209 : It has the property of displacing water & moisture from metal surface & it deposits a thin oily rust protective film. It is widely used for protection of parts or components during process. It possesses dewatering properties. Indoor protection min. 2 year. Suitable for export.

RPO - 210 : It has the property of displacing water & moisture from metal surface & it deposits a thin oily rust protective film. It is powerful solvent deposited corrosion preventive with good dewatering properties. The solvent after evaporation, leaves a film for protection from rust. It is used before PT Line no effect on any paint layer.



LUMIPRO EPO - 120

High Performance Speciality Lubricant.

Net cutting oil, fully synthetic oil, minimum quantity lubrication with higher flash point. suitable for Machining, Forming application including Punching, Bending, Stamping, Drawing etc. Provide cooling & lubrication which lead to good to life and appropriate surface finish of the components being machine. It protect from rust & corrosion.



LUMIPRO EP Lube S - 46

Mixture of fatty acid esters and EP additives. High performance neat lubricant oil, This has lead to MQL being used in many machining operations Like milling, lathing, thread cutting, drilling, deep hole drilling, fine boring, rolling, thread molding, tapping etc, It is based on selected mineral oils satisfying the growing requirements and increasing power density of modern gears. Enabling maximum performance in the lubrication of all gear components.

Benefits of the EP Lube S 46



Excellent Lubricity, Superior Heat Transfer Characteristics, Outstanding Water Demulsibility, Longer Tool, life, Faster cutting speed, shorter machining time production efficiency, Quality & Safety. High micro pitting resistance, excellent aging and oxidation resistance, low foaming tendency. Excellent wear protection for gears and rolling bearing.

LUMIPRO OC - 90

Cleaner and Degreaser

High Performance water soluble cleaning media Lumipro OC - 90. Base is Dearomatized aliphatic hydrocarbon. It is sulphur free obtained by petroleum refining with Non Ionic surfactant. Use for maintenance and repair work, proper cleaning of metals prior to surface treatment. easily proper cleaning of oil, grease, wax, dirty part, mill scale etc.

Easy to use, Deep or Spray method and wash with water jet. It is not effect on plastic pvc.



LUMICLEAN - 990

Water Soluble Cleaning Media

Lumiclean - 990 is a a high Alkaline versatile liquid formulated to remove light grease, oil, dirt will scale contaminations etc.

It is used for ultrasonic cleaning machines and regular manual cleaning processes PH value above 10. It is preparation of 5 to 10% with soft hot water temp 50-60° C.




SUPRIMO POWER ENGINE OIL LUMIPROW - 16 / Multigrade Engine Oil

All Types Engine Oil

5W - 30, 15W - 30, 20W - 40, 10W - 40, 10W - 30, 10W - 50, 15W - 50, 15W - 40 etc.

High performance formulated suprimo power engine oil as per standard grade to lubricate the engine parts. Which are in constant friction. It thus reduces friction which tends to increase wear & tear of engine parts. The energy is lost through combustion causes the engine temperature to rise. Suprimo power varieties synthetic oil, high mileage oil & conventional oil. Suprimo Power engine oil specially base oil with required viscosity for added resistance to oxidation and provide excellent low temperature properties.

Available 1 Ltr., 3.5 Ltr., 210 Ltr.



LUMIPRO - CHAIN LUBE OIL HT - 700

A new technology significantly improves the lubrication performance and thermal stability. Lumipro HT - 700 based on highly polar bio degradable ester base formulated with synthetic additives and is inhibited against oxidation to give a long wet film life at high temperature, high load carrying capacity.

Application - Lumipro HT - 700 Chain Lube is designed for the lubrication of conveyor chains & bearings running continuously at high temperature. Lumipro HT - 700 Chain Lube process outstanding anti wear capacity and will reduce wear on chains.

- Benefits** -
- ▶ Good load and anti wear properties.
 - ▶ Long fluid life at high temperature.
 - ▶ Does not form hard carbon deposits.
 - ▶ Peak temp. of 300° C.
 - ▶ Excellent thermal Stability.



LUMIPROL - RF089 (Rolling Fluid)

Type - Straight Type

It is formulated of refined mineral oil, high quality base fluids includes complex esters, EP additives as well as polyolesters and anti corrosion additives with neutralizing agent. Lumiprol RF089 Lubricants are materials applied in the metal rolling process to facilitate the reduction in thickness of any variety of metals.

Function - Control of friction and wear control of the temperature of the rolls and the suspension of wear debris for subsequent removal from the fluid. It is impart good oxidation stability and provide controlled lubrication. Outstanding Cooling Properties Reduce oxidation of product enhanced temperature.



LUMIPRO - ACCULUBE LB - 2000


Type - Metal Working Lubricant

Lumipro offers a complete line of natural based metal working lubricants for micro - lubrication cutting and grinding for near dry machining.

Features - Biodegradable vegetable based MQL Lubricant.

Applications - For medium to heavy duty machining, Drilling, Tapping, stamping. Moderate to heavy duty operations, Large diameter tapping, Broaching, Spine Rolling.

Material Capability - Recommended for ferrous and non - ferrous metals.



LUMIPRO RPH - 250 A

Zero Foam Cleaning Media

Powerful zero Foam Cleaning Agent - The colorless cleaning liquid removes all type of oil and grease, light mill scale & contaminations. use to 5 to 10%. In Hot soft water (Temp - 50° to 60° C). RPH 250 A is alkaline in odor free and create a safe work environment. Having a lower evaporation rate being more stable. reduces the over all cleaner consumption rate. Environment friendly a biodegradable industrial degraser having minimum waste disposal risk. It is non harmful human health.


RPH 250 A being versatile in nature, compatible with Ferrous and Non Ferrous metals including plastic. It is used for washing machine, regular manual cleaning increases, immersion bath and ultrasonic machines.

LUMIPRO RUSTLIN - 100

Multipurpose Rust Cleaner (3 in 1 Solution)

RUSTLIN - 100 is a versatile solution formulated to remove light grease, oil, mill scale, rust, from iron and steel surfaces. It is converts the surface to a complex iron phosphate oxidation. Use 30 to 50% Dilution.

RUSTLIN - 100 is a versatile solution formulated to remove light grease, oil, mill scale, rust, from iron and steel surfaces. It is converts the surface to a complex iron phosphate compound which is totally passive to oxidation. It is 3 in 1 solution which is a single stage pre-treatment solution for metals such as iron, steel and aluminum etc. This leave a thin film that clings to metal for months that Coates and protects from rust.



LUMIPRO HYDRAULIC OIL VG - 32, 46, 68

A Hydraulic oil is formulated of a base oil synthetic and additives, Non - compressible, thermally stable withing a range of operating temperatures. Fine resistance Non - corrosive to its system. Anti wearing to its system. Anti wearing to its system. This useful fluid is commonly used in the transfer of power, hydraulic oil fluid can act as a sealant, coolant and lubricant within machinery and equipment.


- ▶ Non-compressible
- ▶ Stable in terms of viscosity & in a range of operating and climatic temperatures (high and low)
- ▶ Fire-resistant
- ▶ Non-corrosive & Anti-wearing
- ▶ Resistant to water contamination
- ▶ Durable.

WATER SOLUBLE ANTIRUST (LUMIPRO DW - 725)

It is water based VCI liquid that can be applied by means of brush, dip or spray (10 to 15 % solution in water) it offers multiple advantages over rust preventive oils in terms of costs & offers seamless protection during manufacturing process there is no need to remove coolant layers since it is water soluble. It is short period to medium term indoor production this can be use as a leak testing additive can be added to re-circulated cooling water, boilers, heat exchanger, cutting oil tank & any others water systems to avoid corrosion caused due to water.



LUMICLEAN - 955



Lumiclean - 955 is a water soluble variable combination of paraffinic and cyclic hydrocarbons, it is biodegradable.

Neutral cleaners generally have a pH-value between 8.5 and 9.5.

They are used for cleaning and degreasing steel, cast iron, light metal alloys, non-ferrous heavy metals, glass, ceramics and plastics.


Neutral cleaners are not generally as effective as alkaline cleaners for degreasing. Product use for oil, grease, dirt, & rust cleaner etc.

CLEANING MEDIA - OIL & GREASE CLEANER

LUMICLEAN - 60

Lumiclean - 60 innovates with its new Lumipro technology for industrial parts cleaning: Based on the high cleaning power of dry and wet steam vapor, the Lumipro technology patented. Lumiclean -60 is able to deeply and rapidly.

Lumiclean - 60 is a water insoluble variable combination of paraffinic and cyclic hydrocarbons. Use for removal of oil, grease, Ink, dirt, etc. Automotive engine, transmission parts, Automotive systems, Vehicle construction parts, Aircraft and military components.



WATER SOLUBLE VCI LIQUID (LUMIPRO - VCIS 3031)




Lumipro -VCI 3031 is a water soluble variable combination of paraffinic and cyclic hydrocarbons, it is biodegradable.

It is water based VCI liquid that can be applied by means of brush, dip or spray and wip it use 5 to 6% solution in water only.

This product substituted for thinner solvent. Use for removal of oil, grease, dirt, etc. & protect from rust & corrosion for short period before PT Line.

PAINT STRIPPER (LUMIPRO PR 100)

Paint Stripper - Lumipro PR 100 : It is a designed to remove paint & to clean the underlying surface. Apply a thick coat of remover uniformly over the surface of a section with an inexpensive paint brush or in a dip tank leave the coating undisturbed for about 10 to 20 minutes, until paint begins to bubble up remove the softened paint with a plastic scraper if necessary. **Lumipro PR 100 use for heavy duty strength & Easy to use.**



DE-SCALING PRODUCT - LUMICLEAN - DC-120

Lumiclean DC -120 : It is a mixture of descaler with anti-rust & property additives, easy to use. Lumiclean DC -120 it is descaler, cleaner, rust & limescale remover. It is use to remove scale from metal surface in contact with hot water such as in boilers, Heat-Exchanger, water heater, no side effect on metal as ferrous & non-ferrous like copper, aluminum, brass. It is use for removing of welding black scale.



ANTISCALANT (LUMIPRO SS-6663)

An Antiscalant lumipro SS-6663 is a pretreatment injected in to the feed water before the feed water enters the RO membranes, it's presence delays the reaction between calcium, magnesium & bicarbonate. This results as the water is being purified by the RO, scale formation is prevented. Antiscalant is used for Hardness which is dissolved in the water.



RUBBER LUBRICANT EMULSION: RL 365

LUMIPRO - RL-365 Emulsion: A biodegradable blend of synthetic esters and water.


LUMIPRO - RL-365 Emulsion provides a thin film of lubrication to significantly reduce friction.

LUMIPRO - RL-365 Emulsion Temporary Assembly Lubricant is a biodegradable assembly aide that eases installation of tight-fitting rubber and plastic parts by reducing the force needed for insertion.



LUMIPRO - ANTI-SPATTER WATER BASED ANTI - SPATTER GEL

This Water Based Anti-Spatter Gel works well on dry and wet surfaces which attracts the clients. Also, this Anti Spatter Gel is suitable for welding steel and other metals which rising its demand. With the aid of hi-tech advancements, we are instrumental in providing high quality Lumipro Welding Anti Spatter. Lumipro Anti Spatter can be used for any welding & any metal. Lumipro Anti Spatter can be applied with paint brush or pressurized spray bottle or automated spray system. Time - consuming chipping or grinding operations totally to remove weld spatters and obtain better weld joint quality.



WATER BASED ANTI - SPATTER PEST



This Water Based Anti-Spatter Pest works well on dry and wet surfaces which attracts the clients. Also, this Anti Spatter Pest is suitable for robotic welding steel and other metals which rising its demand. With the aid of hi-tech advancements, we are instrumental in providing high quality Lumipro Welding Anti Spatter. Lumipro Anti Spatter Pest can be used for any welding & any metal. Lumipro Anti Spatter Pest can be applied with paint brush system. Time - consuming chipping or grinding operations totally to remove weld spatters and obtain better weld joint quality.


LEAKAGE TEST SOLUTIONS (LUMIPRO LIKT-100)

LUMIPRO LIKT-100 : It is a designed for leakage test like a oil tank, fuel tank, cylinder. The basic principle of bubble test consists of creating a pressure differential across a leak to detection liquid that causes more and smaller bubbles to appear.

Lumipro LIKT - 100 protected to rust and corrosion upto short period indoor production.



LUMICLEAN - 880



LUMICLEAN - 880 : It is use for industrial parts cleaning, based on the high cleaning power of product. It is water insoluble variable combination of cyclic hydrocarbons products substituted for thinner, flash point is above 80°C.

Easy to use. It is use for removal of oil, dirt & grease etc.

LUMICLEAN OC - 90

Cleaner and Degreaser

High Performance water soluble cleaning media Lumipro OC - 90. Base is Dearomatized aliphatic hydrocarbon. It is sulphur free obtained by petroleum refining with Non Ionic surfactant. Use for maintenance and repair work, proper cleaning of metals prior to surface treatment. easily proper cleaning of oil, grease, wax, dirty part, mill scale etc.

Easy to use, Deep or Spray method and wash with water jet. It is not effect on plastic pvc.



LUMIPRO RUSTLIN - 100

Multipurpose Rust Cleaner (3 in 1 Solution)

RUSTLIN - 100 is a versatile solution formulated to remove light grease, oil, mill scale, rust, from iron and steel surfaces. It is converts the surface to a complex iron phosphate oxidation.

RUSTLIN - 100 is a versatile solution formulated to remove light grease, oil, mill scale, rust, from iron and steel surfaces. It is converts the surface to a complex iron phosphate compound which is totally passive to

oxidation. It is 3 in 1 solution which is a single stage pre-treatment solution for metals such as iron, steel and aluminum etc. This leave a thin film that clings to metal for months that Coates and protects from rust.

LUMIPRO - CHAIN LUBE

High Performance

It is versatile lubrication formulated. It has antistatic properties built in the formulation protects the chain from rust and corrosion. It is wax and drop free lubricant between the pins and bushings in the chain joints and to smooth the chain's engagement with the sprocket.

- ▶ Anti-corrosion property
- ▶ Reduces friction and loss of power
- ▶ Water and rust resistant
- ▶ Very good thermal resistance and stability



LUMIPRO - SPRAY PRODUCT

LUMIPRO – 40 (MULTI USE PRODUCT)

Lumipro - 40 multi-use product protect metal from rust and corrosion. Lumipro - 40, is a powerful multiuse lubricant, Penetrant, drives out Moisture, Removes and Protects Surfaces from Corrosion. Lumipro - 40 lubricates moving parts such as hinges, wheels, rollers, chains & gears. It protects against rust & corrosion & items like tools & spotting equipments. It displaces moisture to restore water flooded equipments such as engines, spark plugs & power tools. Dries out moisture of the material. Cleans & protects from rust. Frees sticky mechanism. It stops squeaks. Loosens rusted parts very quickly.



LUMIPRO – ELECTRONIC CONTACT CLEANER

Lumipro Contact Cleaner - Is fast penetrating, low-odor highly refined proprietary blend of nonchlorinated safe solvents (Hexane, Dimethyl pentanes & Butanes) for cleaning ultra precision electronic components. Lumipro Electronic Component Cleaner is an excellent cleaner that provides flushing action to remove contaminants, evaporate quickly, and without leaving a film or residue. Benefits : This low odor formulation is safe on most plastics and metal. Safe on plastics and metals Quick, penetrating action leaves no residue Effectively removes grease, oil, dirt and other contaminants. Includes extension tube for precision application.



LUMIPRO – 60 (CLEANING MEDIA)

Lumiclean - 60 innovates with its new Lumipro technology for industrial parts cleaning: Based on the high cleaning power of dry and wet steam vapor, the Lumipro technology patented. Lumiclean - 60 is able to deeply and rapidly.

Lumiclean - 60, is a water in soluble variable combination of paraffinic and cyclic hydrocarbons. Use for removal of oil, grease, Ink, dirt, etc. Automotive engine, transmission parts, Automotive systems, Vehicle construction parts, Aircraft and military components



LUMIPRO – ANTI SPATTER SPRAY

This is Oil Based Anti-Spatter Spray works well on dry and wet surfaces which attracts the clients. Also, this Anti Spatter Spray is suitable for welding steel and other metals which rising its demand. With the aid of hi-tech advancements, we are instrumental in providing high quality Lumipro Welding Anti Spatter. Lumipro Anti Spatter can be used for any welding & any metal. Lumipro Anti Spatter can be applied with pressurized spray bottle or automated spray system. Time - consuming chipping or grinding operations totally to remove weld spatters and obtain better weld joint quality.



LUMIPRO - FILTER PRODUCT

FILTER PAPER ROLLS



Media - Thermal Bonded, Visocus, PE Felt, Needle Punch, Spun less etc.

Micron Rating - Depend on Media GSM & Application GSM 20 to 300.

Sizes : 100 mm to 3200 mm

Usage : Oil, Coolant, Water Based Coolant, hot Water, Compact Band, Centralized Coolant System, Grinding Machine etc.

DUST COLLECTING FILTER BAGS / SHOT BLASTING BAGS

Media - Polyester, Polypropylene, Meta-Aramide, homo Polymer (Actylic), Polyimide, antistatic, Nylon, Glass Fibre, HDPE, Poly Phenylene Suphide (PPS),

Micron Rating - Any Micron Rating depend upon Media.

Weight Range - 200 to 900 GSM etc.



FILTER FABRIC ROLL

Manufactured from high grade raw material, we bring forth an exclusive assortment of Filter Synthetic Fabrics Rolls. These rolls are widely admired for their chief attributes like durability and high strength. We make available these rolls in a wide range of specifications to suit the diverse customer requirements. Our gamut of Filter Fabrics Rolls is used as coolant, honing oil and cutting oil.

We supplies all types of filter fabrics/ Paper for Grinding Coolant, Honing oil, Wash water consisting of Viscose fabrics, PP spunbonded & spunless fabrics , Polyester felt media from 20 GSM to 250 GSM on Gravity band & compact band filter unit as per application in 100 mtr to 25 mtr Roll form as per required width of paper.

Fitting in full compliance to the needs and desires of our customers, we provide a full-proof collection of Filter Synthetic Fabric Roll. Cellulose Filter Elements

LUMIPRO INDIA™ filter media is made from resin-impregnated cellulose filter media. The filter media is pleated and then assembled into an economical disposable filter media. Cellulose filter elements are low cost, disposable, and nominally rated.





OUR CUSTOMER



Mercedes-Benz






OUR CUSTOMER





OUR CUSTOMER



OUR PRODUCT CATEGORY

AUTOMOBILE INDUSTRIAL CHEMICAL

- ECO FRIENDLY RUST REMOVERS
- CUTTING OIL'S
- OIL & GREASE CLEANER
- RUST PREVENTIVE OIL'S
- CLEANING MEDIA
- WELDING ANTI SPATTER
- RUBBER LUBRICANT EMULSION
- SPECIALITY HIGH PERFORMANCE LUBRICANT

POWER & STEEL CHEMICAL

- LUMIPRO BOILER AID 9495
- ANTISCALANT

SUGAR CHEMICAL

- LUMIPRO BOILER AID
- MILL SANITATION
- VISCOSITY REDUCER
- ANTISCALANT

FILTER SYSTEM

- FILTER PAPER WITH FILTER SYSTEM
- FILTER ELEMENT & HOUSING
- SHOT BLASTING BAG
- AIR-PANEL-FILTERS
- MESH FILTER MICRON
- AIR -FILTER
- OIL-FILTER

WATER TREATMENT CHEMICALS

- ANTISCALANT
- BIOCIDES

AEROSOL SPRAY PRODUCT

- Lumiclean 60: Cleaning Media Spray
- Lumipro 40: Multiuse Lubricates Spray
- Lumipro: Anti Spatter Spray
- Lumipro: Electrical Contact Cleaner Spray

HEAT EXCHANGER CLEANING PRODUCT



LUMIPROTM

We Reduce 'Operation Cost' With **Quality Output**



Gat No. 350, Moi Kuruli Road, Phalke Wasti, Moi, Tal. Khed
Dist. Pune 410501



+91 9764434442, 8605854130



020 - 6520 9595



info@lumiproindia.com  lumiproindia.com