
IOP

INDUSTRIAL OPERATIONS PLATFORM

Maintenance and Operational Tracking

Connect daily reports, people, technical work and operational evidence.

Team Leader / Task Force / Technician



Current capabilities, practical workflows and real application views.

Contents

1. Business purpose 3

2. One connected operational workflow 4

3. Workspaces by profile 5

4. Modules and existing views 7

5. Shift-end meeting on a shared display 11

6. Planned company integrations 12

7. Practical demonstration 13

8. Operational introduction 14

9. Application views 15

- Access . . . 16
- Start . . . 20
- Workforce . . . 29
- Shift Handover . . . 42
- Formal Handover . . . 58
- Maintenance . . . 66
- Data Analysis . . . 79
- Improvements . . . 90
- Asset Locator . . . 98
- Assets . . . 109
- Asset Management . . . 116
- Operational Context . . . 124
- Administration . . . 126
- Data Administration . . . 128
- User Administration . . . 135
- Integrations . . . 138

1. Business purpose

IOP brings daily technical reports, maintenance, workforce planning and operational analysis into one shared platform. Individual accounts give Team Leaders, Task Force members and Technicians the views and actions appropriate to their responsibilities.

The proposal is to centralize operational knowledge, make responsibility and follow-up visible, and use information recorded throughout the day to prepare a focused shift-end meeting.

The current shift-end discussion relies on a physical board and the explanations of the people present. IOP creates a persistent operational record before, during and after that discussion. A colleague returning from leave, joining another department or receiving a maintenance assignment can recover the context without relying on an individual explanation.

The system helps answer practical questions:

- What happened today, and which earlier issues remain open?
- Where was a problem reported, and which equipment reference is involved?
- What intervention is planned, who is responsible, and when is the next action due?
- Who is scheduled for each shift and zone?
- Which faults recur, and where should Task Force investigate?
- What improvement was implemented, and what result was observed afterwards?

Operational need	IOP capability	Intended benefit
Information scattered across conversations and boards	Shared reports with author, date, location and follow-up	Preserve context between people and shifts
Open matters difficult to track	Explicit state, responsibility, action date and feedback date	Make the next step visible
Manual preparation of the shift-end meeting	Daily topic view and a separate view of older pending issues	Reduce preparation and repeated explanations
Repeated technical problems	Frequency, accumulated alarm duration and period analysis	Support investigation and prioritization
Coordination of people	Personal schedules, shifts, zones and operational duties	Make planned distribution visible
Technical history difficult to retrieve	Linked reports, maintenance outcomes and equipment references	Retain knowledge for future work

The objective is a shorter, better-prepared shift-end meeting and greater continuity of work. Recording the facts during the day allows the meeting to focus on safety, exceptions, blocked operation, decisions and unresolved matters.

2. One connected operational workflow

An observation can move through the platform without losing its original context:

1. A Technician records the observation, location and equipment reference when known.
2. The report becomes available to the team and to shift handover.
3. The Team Leader reviews priority, responsibility and the need for maintenance.
4. The assigned worker performs the intervention and records the outcome.
5. Completion review identifies which related reports are resolved and which remain outside the repair.
6. Task Force investigates recurrence and tracks improvement actions.
7. The incoming team receives the relevant context and continues the pending work.

Analysis may also initiate an investigation before a manual report exists. Where explicit links are available, the user can open the original source record rather than duplicate its narrative.

Three records serve different purposes:

Record	Main question	Retained information
Shift report	What happened or needs to be communicated?	Observation, context, author and follow-up
Maintenance work	What intervention will be performed?	Scope, priority, assignment, progress and outcome
Improvement action	What change should be tested or evaluated?	Hypothesis, objective, owner, evidence and comparison

A single problem can lead to both maintenance and an improvement. Linking these records preserves the relationship while each keeps its own lifecycle.

3. Workspaces by profile

Team Leader

The Team Leader combines the daily operational picture with people planning and maintenance coordination. The profile can prepare the meeting, publish current information, plan availability and zone assignments, assign maintenance, investigate analytical results and manage improvements.

The main views are Start, the daily Handover overview, personal Journal, Department matrix, formal Shift records, My day, My team, Weekly plan, Weekly schedules, Maintenance board and records, My work, all six analysis templates, Improvements, read-only Asset Locator, Area overview and global search.

Practical use: review the day's reports, check earlier open issues, confirm maintenance responsibilities and discuss only the matters needing a decision. Record the responsible person and next step while the relevant evidence is available.

Task Force

Task Force combines analytical investigation with reports from the operational team. Members can consult schedules, contribute reports, manage formal shift records, propose maintenance, update their own or assigned work, manage improvement actions and use the read-only Locator.

The analysis workspace supports investigation from a Halle or area down to a source equipment code and message. Improvement Tracking keeps a hypothesis, target and observed result attached to an action.

Practical use: identify a recurrent message, inspect the period and equipment context, review previous reports and interventions, and create a measurable improvement action. Task Force consults workforce planning; maintenance assignment remains a Team Leader or Administrator responsibility.

Technician

The Technician workspace concentrates on the current working day: assignment, team information, departmental issues, personal reporting and assigned maintenance.

Available views include Start, My day, Meeting preparation, personal Journal, Department matrix, permitted Area overview and search. Maintenance assignments are opened from Start; the Technician does not have a separate Maintenance item in the sidebar.

Practical use: record a fault when it is observed, add the equipment code when known, document the measure taken and retain follow-up if the issue remains open. Open assigned maintenance from Start and document progress or the outcome within the record's permissions.

Administrator

The Administrator maintains users, data imports and preparation, workforce configuration, maintenance priorities, equipment identities, asset models, plant schematics and integration settings.

Capability	Team Leader	Task Force	Technician
Personal Start and daily schedule	Yes	Yes	Yes
Read and contribute shift reports	Yes	Yes	Yes
Coordinate reports and Start highlights	Yes	Ordinary contribution	Ordinary contribution
Publish Information announcements	Yes	No	No
Manage formal shift transfers	Yes	Yes	No
Edit schedules and workplace distribution	Yes	Read only	Read only
Update own or assigned maintenance	Yes	Yes	Yes, entered from Start
Assign maintenance to people or teams	Yes	No	No
Consult Data Analysis	Yes	Yes	No
Manage improvement actions	Yes	Yes	No
Consult Asset Locator	Read only	Read only	No
Administer assets, models, users or integrations	Administrator only	Administrator only	Administrator only

Access also depends on current permissions and the authorized site. A work assignment does not grant administration rights.

4. Modules and existing views

Start and in-app activity

Purpose: give each person a useful entry point for the current day.

Start combines profile and home-team context, scheduled day or week, current information, unfinished maintenance assignments and departmental reports needing attention. Personal statistics identify their reporting period and distinguish planned work from resolved assigned reports.

Existing views: profile-specific Start, assignment period selection, current Information, departmental attention and open reports, maintenance assignment cards, compact analytical snapshot where authorized, account menu and in-app activity notifications.

Example: a Technician starts the day, checks the planned zone, reads the Team Leader's announcement and opens an assigned inspection.

Shift Handover - journal and meeting preparation

Purpose: preserve what happened during the shift and make it useful for the next team.

A report starts with a concise summary and department. Optional context includes area, exact equipment reference, details, reported condition, Ultimo reference, challenge, known cause, measure, responsibility, due date and feedback deadline. An unknown cause must not prevent an initial report.

Existing views: Meeting preparation or Team Leader Daily overview, personal Journal, Department matrix, historical search, Department status, report detail and revisions, new and corrected reports, follow-up, and category-specific publication forms.

Meeting topic	Content
Safety	Hazards and near misses
Information	Team Leader announcements with display dates and supporting images
Successes	Outcomes linked to selected reports or reviewed maintenance work
People	Existing Workforce distribution for the selected day
Performance	Reported blocked or nonoperating plant requiring action
Problems	Technical issues, known causes, measures and follow-up

The daily canvas shows the chosen day's reports. Department status separately carries forward unresolved Problems and Performance issues. The Journal remains personal; the matrix provides shared departmental follow-up and historical filtering.

Example: a report about intermittent drive vibration stays available with its responsible person and feedback date. A routine completed inspection can remain in history without occupying the meeting. Marking a subject for discussion and highlighting it on Start are separate choices.

Formal Shift records

Purpose: retain a structured transfer between responsible people using actual planned shifts.

Existing views: transfer list, planned shift selection, new draft and record editor, draft review, published record and closing outcome, closed evidence, incoming acknowledgement, previous-shift context and retained history.

A transfer carries selected report revisions and the evidence reviewed at closure. A different incoming manager can acknowledge receipt with a note. Closing the transfer does not resolve the technical issues it carries.

Example: the outgoing manager selects the relevant reports for the early shift and location, reviews them, publishes the transfer and records the closing outcome. The incoming manager receives the preserved evidence and acknowledges it.

Workforce and shifts

Purpose: distinguish when a person is available from where and in what function they are assigned.

Existing views: My day, shift leaders, My team, Weekly plan and its compact seven-day distribution, Weekly schedules, assignment form, assignment and schedule details, Schedule import, manual schedule entry, and configuration of shifts, zones, phones, teams, technical levels and worker profiles.

Personal schedules describe availability, training and absence. Assignments describe zone work, floating support, maintenance duties and phone responsibility. The system checks compatible working intervals and conflicting responsibilities.

Example: the Team Leader reviews the week, finds an available worker without a destination and assigns support in another zone. The worker remains visible in their primary team's view.

Company planning integration: the current administrator import accepts supported schedule input, including the admitted email format. The next integration should incorporate the planning currently communicated by email, show recognized people and shifts, and allow review before confirmation. A later connection to the company's source system should handle updates. Imported availability does not automatically decide zone and phone assignments.

Maintenance

Purpose: turn a technical need into an intervention with scope, priority, responsibility and an outcome.

Existing views: Board, Records, My work, new work, detail, edit, status actions, blocked reason, completion review, reopening reason, related-report review, revision history and administrator priority configuration.

Work can be Corrective, Preventive or Inspection. The record may include location, a registered asset, exact related equipment identifiers, manual repair target, person or team, deadline and external reference. Open, In progress, Blocked and Done are explicit states. Blocking requires a reason; completion requires an outcome and review.

Related pending reports must be included or explicitly excluded before completion. Included reports are resolved with the authorized maintenance outcome. Exclusions retain their explanation and leave those reports outside the repair.

Example: a roller intervention refers to nearby sensor codes as evidence. The assigned worker documents the result and closes only the reviewed reports covered by that repair. A different issue stays open with its exclusion reason.

Data Analysis

Purpose: investigate operational patterns and present historical results from imported source data.

Existing templates: Executive Overview, Halle analysis, Bereich analysis, Equipment analysis, Error analysis and Daily / monthly. Associated views include period and source filters, rankings, source-group Pareto, trends, monthly comparisons, heatmaps, frequency-versus-duration plots and source evidence where applicable.

The executive template presents the selected month, configured priority indicators, area rankings, an area/day matrix and daily frequency and alarm-minute series. Team Leaders and Task Force consult and filter; administrators maintain the input and reporting settings.

Example: Task Force selects a Halle and several months, identifies a recurrent equipment code and narrows the investigation to its messages. The Team Leader presents the monthly executive view to management.

Frequency, alarm duration and reporting-date coverage help teams assess recurring faults and compare periods.

Improvement Tracking

Purpose: maintain an improvement from initial hypothesis through implementation and evaluation.

Existing views: action list and filters, new action, action detail, edit, notes and result evidence, evidence corrections, before/after selection and results, saved comparison evidence and action revision history.

An action records context, location, owner, objective and dates, with optional equipment or issue links. A quantitative target can use reported frequency or accumulated alarm seconds. Planned, In progress, Implemented, Evaluated, Blocked and Cancelled describe the lifecycle.

Example: Task Force proposes reviewing a cleaning practice, records the hypothesis and implementation date, and compares periods for the same equipment. The result and supporting observations remain linked to the action.

Asset Locator

Purpose: provide visual orientation and equipment context through plant and equipment schematics.

Existing views: Plant overview, scene cards and filtering, area scene, component selection, Asset search and placement results, read-only equipment context, administrator scene creation and model editing, component properties, revision history and prepared-model review.

Team Leaders and Task Force use Locator in read-only mode. Administrators manage scene geometry and explicit asset placements. Report and maintenance markers represent dated operational evidence rather than live health.

Example: open an equipment scene, inspect nearby components and follow linked reports or maintenance work.

Assets and Asset Management

Purpose: maintain stable equipment identities and recover the available technical history.

Assets views: directory, registration and edit, lifecycle and validation fields, exact source aliases, Digital Asset Record and linked-source timeline.

Asset Management views: Inventory model, model detail and editor, Type catalog and structured field definitions, Source mappings, mapping review and history, and Canonical Pareto with mapping coverage.

The standalone registry, Digital Asset Record and model administration are Administrator-only. Advanced operational profiles use compact equipment references within their workflows and the read-only Locator.

Example: an administrator checks an equipment record and links its references so reports, maintenance and analytical history can be consulted together.

Area overview and global search

Purpose: gather the available context of a location and find original records across modules.

Existing views: global search input and grouped results, area/date selection, current pending reports, selected-day journal, unfinished maintenance, compact asset references, analytical coverage and exact formal-shift context when authorized and configured.

Example: the Team Leader opens a department, reviews pending work and the selected day's reports, and follows a result to its original record. Each profile sees the information available to its role.

Administration, data and integrations

Purpose: keep shared data, access and operating configuration usable.

Existing data views: Administration overview, Import files, import date confirmation and results, import review, Files & source rows, source filters and lines, Data preparation, and KPI settings & goals.

Existing user views: user directory and profile information, create account, user details and access editor, own display-name editor, sign-in and initial password replacement.

Existing integration views: connection settings and change history for WinCC, Ultimo and Microsoft Entra. These planned connections extend the current analysis, maintenance and access workflows.

Example: an administrator imports a daily CSV, checks the retained result and source rows, and allows authorized analysts to consult the admitted period. Local backup and audit operations support the platform but are not additional general-purpose user views.

5. Shift-end meeting on a shared display

The intended Ausgabe workflow starts during the working day. Technicians record meaningful observations and results as they occur. Before the meeting, the Team Leader reviews the daily canvas, checks earlier unresolved issues and selects what requires discussion.

During the meeting, a room display presents the relevant view while the Team Leader navigates from their computer. Routine work stays in history. Shared time is used for safety, current information, staffing, blocked operation, decisions, responsibilities and important results.

Stage	Working method
During the shift	Record observations, measures and results
Before the meeting	Review the day, earlier pending work and discussion topics
During the meeting	Present the important subjects and open detail when needed
When an action is agreed	Record the responsible person, date and next step
At transfer	Preserve the context and use formal transfer/receipt when appropriate
Next shift	Recover the evidence and continue pending work

The first display option is to show the Team Leader's computer on a compatible room screen, potentially using a wireless connection. A second option is a screen-connected device opening the shared application once hosting and authorized access are prepared. The choice depends on the company's room equipment and network.

The planned room display will let the Team Leader use these views to guide the discussion and record decisions during the meeting.

6. Planned company integrations

Integration	Why it matters for IOP	Current capability and planned connection
WinCC	Bring alarm information into IOP to identify recurring faults and prioritize technical investigation	Daily CSV import is available. A direct connection is planned to automate data collection.
Ultimo	Connect daily technical follow-up with the company's maintenance process and keep work references together	Maintenance references can be recorded. A direct connection is planned to share work-order information.
Microsoft Entra ID	Let employees use corporate work accounts and support centralized access management	Connection settings are available. Corporate sign-in is a planned integration.
Company shift-assignment system	Reuse the official shift plan, reduce repeated entry and keep operational planning aligned with company schedules	Manual schedule import is available. Automatic email intake and a connection to the planning system are planned.

With company schedules available in Workforce, the Team Leader can focus on assigning zones, support duties and phones. Schedule changes can be reviewed before updating the operational plan.

7. Practical demonstration

Case A - from a reported fault to maintenance follow-up

A motor roller issue in **LB-Puffer / Halle A T3** illustrates how **Burak Kiliç**, as Team Leader, and **Asam Amiti**, as assigned Technician, can coordinate work in IOP.

1. **Technician / report:** record the observed vibration, department, area and exact source code when known. Leave the cause unknown until investigated.
2. **Team Leader / daily overview:** review the new report with the day's other events and the earlier pending issues.
3. **Team Leader / Maintenance:** define the intervention, priority, responsible worker and deadline.
4. **Assigned worker / My work:** open the scope, perform the inspection and document findings.
5. **Authorized completion review:** confirm the outcome and decide which related reports are included or excluded.
6. **Task Force / Data Analysis:** review recurrence by period, source equipment and message, retaining the limits of aggregate data.
7. **Task Force / Improvements:** record a hypothesis, owner, target and implementation date. Compare suitable periods and retain the observed evaluation.
8. **Team Leader / shared meeting view:** present the important result and the work still requiring continuity. Use a formal shift record when a structured transfer is needed.

Case B - company planning received by email

The company sends the week's shift assignments. The intended integration brings that planning into IOP, identifies matched people and shift types and shows changes or unresolved mappings for review. After confirmation, the Team Leader uses the imported availability to plan zones, support and phone responsibility.

The existing schedule import provides a starting point for the planned automatic email intake and connection to the company's scheduling system.

8. Operational introduction

A focused pilot should select a department, Team Leader, Technicians and Task Force participants; review real people, zones, shifts and equipment references; agree what gets recorded and when; and test the meeting workflow on the room display.

Topic	Decision or preparation needed
People and operating context	Confirm teams, authorized profiles, zones and current schedules
Reporting method	Agree concise summaries, required context and follow-up practice
Company planning	Confirm the email format, source system and update/review process
Shared access	Define company hosting, authorized access and room display setup
Equipment context	Validate identity and physical placement before relying on precise location
Provider connections	Coordinate access with IT and the owners of connected systems
Evaluation	Agree how to review preparation time, meeting time, continuity and user feedback


IOP provides a shared operational record for decisions, planning and follow-up across shifts.

9. Application views

Module	Main views and actions
Access	Sign in, account details and personal profile
Start	Daily and weekly assignments, team information and notifications
Workforce	My day, My team, weekly planning, schedules and assignments
Shift Handover	Daily overview, Journal, Department matrix, reports and follow-up
Formal Handover	Drafts, published transfers, closure and receiving acknowledgement
Maintenance	Board, Records, My work, assignment, progress and completion review
Data Analysis	Executive Overview, area and equipment analysis, faults and period comparisons
Improvements	Actions, objectives, evidence and before/after comparisons
Asset Locator	Plant overview, area scenes, equipment search and component details
Assets	Equipment directory, Digital Asset Record and technical history
Asset Management	Equipment models, type definitions and equipment-reference mapping
Operational Context	Area overview and global search
Administration	Account activity and latest data imports
Data Administration	Import review, source records, data preparation and KPI settings
User Administration	Accounts, profiles and access management
Integrations	WinCC, Ultimo and corporate sign-in settings

Public welcome page


Access | All



The signed-out introduction presents the three main capabilities and the entry to the application.

Platform overview


Access | All



The About dialog explains the platform and its connected operational modules.

Individual account sign-in


Access | All



The local sign-in dialog uses individual accounts and passwords. Corporate identity is a future integration.

My profile


Access | All



The personal dialog allows the signed-in person to update their display name.

Technician Start


Start | Technician



Personal profile, scheduled work, current information, departmental issues and maintenance assignments are combined on Start. **Example:** At the beginning of a shift, check the assignment and open work requiring attention.

Technician Start - operational updates


Start | Technician



The lower part of Start provides the departmental pending reports and the compact analytical snapshot where authorized.

Account, language and appearance


Start | All



The account menu provides language and appearance choices and the account actions.

In-app notifications


Start | All



Activity is presented inside IOP, including report mentions and maintenance assignment events.

Team Leader Start


Start | Team Leader



Personal profile, scheduled work, current information, departmental issues and maintenance assignments are combined on Start. **Example:** At the beginning of a shift, check the assignment and open work requiring attention.

Team Leader Start - operational updates


Start | Team Leader



The lower part of Start provides the departmental pending reports and the compact analytical snapshot where authorized.

Task Force Start


Start | Task Force



Personal profile, scheduled work, current information, departmental issues and maintenance assignments are combined on Start. **Example:** At the beginning of a shift, check the assignment and open work requiring attention.

Start - daily assignment and maintenance


Start | All



The assignment panel shows the current date, working hours, zone and duty, with unfinished maintenance assigned to the person. **Example:** Open a maintenance card to review its scope.

Start - weekly assignment


Start | All



The compact weekly selection presents Monday-to-Sunday planned assignments and the work due in that period. **Example:** Check the next working days without changing the saved plan.

My day


Workforce | All



Daily schedules and assignments show colleagues by zone, support duties and shift leaders.

My team


Workforce | Team Leader



The Team Leader sees the staff in their configured primary teams, with the current saved weekly availability and assignments. **Example:** Review colleagues, shifts and work outside the home zone.

Weekly plan


Workforce | Team Leader, Administrator



The weekly distribution presents planned shifts, zones, support and phone responsibility.

Weekly plan - shift columns


Workforce | Team Leader, Administrator



The alternative layout groups the weekly distribution by shift.

Weekly schedule editor


Workforce | Team Leader, Administrator



Seven dated cards support applying a configured shift or absence to selected days and reviewing individual exceptions.

New workplace assignment


Workforce | Team Leader, Administrator



The assignment form separates the person, date, shift, function, zone, hours and phone responsibility.

Schedule import and daily entry


Workforce | Administrator



The administrator can paste an admitted CSV or email format and review personal schedule data. **Example:** The future company integration will build on this entry workflow and reduce repeated transcription.

Schedule import - manual schedule and records


Workforce | Administrator



Manual daily entry and the retained schedule list are available within the import workspace.

Workforce configuration - shifts and zones


Workforce | Administrator



Shift definitions, working hours, active days, zones and phone labels are configured here.

Workforce configuration - teams and worker profiles


Workforce | Administrator



Team leadership, technical levels and a worker's home zone are managed independently of access profiles.

Assignment detail and history


Workforce | Authorized readers



The assignment detail displays person, shift, location, responsibility and retained revisions.

Email schedule import


Workforce | Administrator



The admitted email import is associated with an exact person before its schedule can be previewed.

Schedule import preview


Workforce | Administrator



A preview shows the proposed dated schedule and revision decision before committing the import.

Daily overview


Shift Handover | Team Leader



The daily overview organizes reports into Safety, Information, Successes, People, Performance and Problems. **Example:** Review the daily topics alongside the open issues that need follow-up.

Personal Journal


Shift Handover | All



The Journal shows the authenticated author's entries for the chosen day, with access to earlier history.

Department matrix


Shift Handover | All



The shared table exposes dates, report details, external references, due dates, responsibility and state.

Search handover history


Shift Handover | All



Historical filters retrieve earlier dates, categories, equipment references and resolved issues.

Report detail


Shift Handover | All



The original narrative, technical context, responsibility and follow-up remain available together.

Report follow-up and revision history


Shift Handover | Authorized contributors



The report detail provides updates, state changes and attributed revision evidence.

New technical issue


Shift Handover | All contributors



A concise report can be created with location and equipment context. The condition determines the technical workflow.

Technical issue - expanded detail and deadlines


Shift Handover | All contributors



The expanded technical form provides details, Ultimo reference, problem analysis, responsibility and action or feedback deadlines.

Safety report


Shift Handover | All contributors



Record a hazard or near miss, identify its area and add the information needed for follow-up.

Information announcement


Shift Handover | Team Leader



Announcements can have an inclusive display-through date, supporting images and explicit people mentions.

Success publication


Shift Handover | Authorized contributors



A success selects the reports or maintenance work whose result is being recorded and reviewed.

Add follow-up and coordinate a report


Shift Handover | Authorized contributors



Add an attributed note, change the issue state or coordinate responsibility within the current permissions.

Assign report responsibility


Shift Handover | Team Leader, Administrator



The coordination form selects the responsible person and retains a note explaining the update.

Correct a published report


Shift Handover | Author or coordinator



Corrections preserve the original content and require the current report revision and a reason.

Current department status


Shift Handover | All



Problems and blocked-operation reports remain available across days until resolved. **Example:** Review older pending work separately from today's reports.

Meeting preparation


Shift Handover | Task Force, Technician



The shared meeting canvas brings daily reports and discussion topics together for shift handover. **Example:** Prepare the subjects that need a decision or continuity in the next shift.

Formal shift records


Formal Handover | Team Leader, Task Force, Administrator



Transfers are linked to actual Workforce intervals and retain distinct draft, published and closed states.

Draft shift transfer


Formal Handover | Advanced operational profiles



Review the selected report evidence before publishing the transfer.

Shift record editor


Formal Handover | Advanced operational profiles



Choose the planned shift, write a concise transfer summary and select the reports to carry.

Published shift transfer and closure


Formal Handover | Advanced operational profiles



The open record accepts a closing outcome while preserving the report review.

Closed transfer and incoming acknowledgement


Formal Handover | Advanced operational profiles



Frozen selected and pending evidence is shown with the receiving acknowledgement workflow.

Previous shift and retained transfer history


Formal Handover | Advanced operational profiles



The previous shift and current pending issues are displayed separately from immutable closed-transfer evidence.

New formal shift record


Formal Handover | Advanced operational profiles



Create a draft for an actual planned shift and location and choose the reports to transfer.

Incoming manager acknowledgement


Formal Handover | Incoming manager



The receiving acknowledgement is appended to the closed transfer with actor and time. **Example:** Confirm receipt without changing the retained transfer evidence.

Technician - assigned maintenance


Maintenance | Technician



A Technician opens an assigned maintenance record directly from Start and uses the authorized work actions.

Maintenance board


Maintenance | Team Leader, Task Force, Administrator



Work cards are organized by Open, In progress, Blocked and Done, with filters and supported status movement.

Maintenance records


Maintenance | Authorized readers



The list provides a searchable and filterable alternative to the board.

My work


Maintenance | Assigned workers



The personal work view focuses on the authenticated worker's assignments. Technicians enter assigned maintenance from Start.

Maintenance detail and repair scope


Maintenance | Authorized readers



The record retains the chosen intervention, location, responsible person or team and related handover reports.

Completion review


Maintenance | Assigned worker or coordinator



Finalization requires an outcome, task and workplace confirmation, and review of the related pending issues.

Completion review - included and excluded reports


Maintenance | Assigned worker or coordinator



Pending reports in scope must be included or explicitly excluded with a retained explanation.

Edit maintenance


Maintenance | Author, assignee or coordinator



The form captures category, repair target, exact identifiers, priority, due date and intervention details.

Maintenance priority configuration


Maintenance | Administrator



Priority labels and ranks are configured by the administrator.

New maintenance work


Maintenance | Authorized contributors



Create a corrective, preventive or inspection record. Team Leaders and administrators may assign the work.

Block a maintenance job


Maintenance | Author, assignee or coordinator



Moving work to Blocked requires a reason, so the team can see why the intervention cannot progress.

Maintenance revision history


Maintenance | Authorized readers



Attributed revisions retain the record content, actor, timestamp and reason for material changes. **Example:** Recover an earlier work scope without overwriting the current record.

Reopen completed maintenance


Maintenance | Authorized editors



Reopening requires an explanation and preserves the previous recorded outcome.

Executive Overview


Data Analysis | Team Leader, Task Force, Administrator



The monthly overview combines priority indicators, area rankings and daily trends for management review. **Example:** Present the selected month to management.

Executive Overview - area matrix and daily trends


Data Analysis | Analytical readers



The monthly overview combines area rankings, an area/day matrix and daily frequency and accumulated alarm duration.

Halle analysis


Data Analysis | Team Leader, Task Force, Administrator



Compare Halles by fault frequency and alarm duration to focus technical investigation. **Example:** Compare sectors and focus the investigation.

Bereich analysis


Data Analysis | Team Leader, Task Force, Administrator



Compare areas within the selected Halle and identify where reported faults concentrate. **Example:** Find affected areas within the selected sector.

Equipment analysis


Data Analysis | Team Leader, Task Force, Administrator



Investigate recurring equipment faults using rankings, trends and period filters. **Example:** Review recurring behavior for exact source equipment codes.

Error analysis


Data Analysis | Team Leader, Task Force, Administrator



Review alarm messages, types and groups to identify recurring fault patterns. **Example:** Investigate messages, types and groups.

Daily / monthly


Data Analysis | Team Leader, Task Force, Administrator



Compare daily and monthly behavior to understand how fault frequency and alarm duration change over time. **Example:** Compare daily or monthly behavior with consistent filters.

Analytical filters


Data Analysis | Analytical readers



Period, sector, area and equipment constraints are available through the template's filter panel.

Equipment analysis - historical trend table


Data Analysis | Analytical readers



The expanded data tables retain period totals for the applied equipment investigation.

Source-group Pareto charts


Data Analysis | Analytical readers



Frequency and accumulated-duration rankings show cumulative shares against the complete selected source total. **Example:** Use the rankings to prioritize an investigation.

Daily / monthly - investigation detail


Data Analysis | Analytical readers



Period trends and the contributing source groups remain available with the applied selection.

Improvement actions


Improvements | Team Leader, Task Force, Administrator



Actions retain their owner, location, target, status and evidence count.

New improvement action


Improvements | Advanced operational profiles



Record a hypothesis, objective, owner and due date, with optional quantitative target and source links.

Improvement detail


Improvements | Advanced operational profiles



The action combines its hypothesis, target, state, attribution and links to original evidence.

Improvement evidence


Improvements | Advanced operational profiles



Notes and results retain their authorship, references and correction history.

Before and after comparison


Improvements | Advanced operational profiles



Choose non-overlapping periods and the same exact source selection to evaluate observed changes. **Example:** Missing imports and unequal coverage remain visible.

Edit improvement action


Improvements | Advanced operational profiles



Changes retain a reason and revision; implementation and evaluation require their corresponding evidence.

Observed comparison and data coverage


Improvements | Advanced operational profiles



Compare periods, review data coverage and check whether enough information is available to evaluate an improvement. **Example:** Check the available data before assessing the result.

Comparison data and coverage


Improvements | Advanced operational profiles



Review reporting dates, the analysis period and equipment references behind a comparison.

Plant overview


Asset Locator | Team Leader and Task Force read; Administrator manages



Navigate between plant areas through a visual overview of equipment schematics. **Example:** Open an area to inspect its retained components.

Plant overview - area group


Asset Locator | Advanced operational profiles



Filter the overview to a group of areas and open the scene relevant to the investigation. **Example:** Use the selected group to locate Pick Tower 2.

Area scene


Asset Locator | Advanced operational profiles



Inspect an area schematic, its conveyors, sensors and equipment context.

Edit scene model


Asset Locator | Administrator



Administrators can organize an area scene and maintain component details and positions.

Component properties and asset placement


Asset Locator | Administrator



Each component has explicit geometry, identity, elevation and verification fields.

Scene revision and component controls


Asset Locator | Administrator



Changes are saved with a revision note; earlier scene revisions remain retained.

Asset placement search results


Asset Locator | Advanced operational profiles



Search registered equipment by code or name and review its recorded scene placement.

Create a scene


Asset Locator | Administrator



An empty scene can be configured and populated with reusable components.

Prepared area model review


Asset Locator | Administrator



Model candidates indicate what can be prepared and which scenes require manual review. **Example:** Review candidate preparation without modifying the scene.

Scene revision history


Asset Locator | Administrator



The retained history records former schematic revisions and the note associated with each change.

Read-only Locator scene


Asset Locator | Team Leader, Task Force



Team Leaders and Task Force can inspect area scenes and equipment details during operational follow-up.

Asset directory


Assets | Administrator



The registry lists stable equipment identities, locations and lifecycle states.

Digital Asset Record


Assets | Administrator



The equipment record brings together identification, location, maintenance, reports and analytical history.

Asset timeline and source evidence


Assets | Administrator



The timeline supports tracing a retained observation back to its owning source module.

Asset registration and editing


Assets | Administrator



The asset form maintains exact identifiers, location, lifecycle and explicit source aliases.

Equipment references and identity


Assets | Administrator



Connect equipment codes used by different sources to the appropriate equipment record.

Original alarm record


Assets | Administrator



Open the original alarm information behind an equipment timeline entry.

Register an equipment identity


Assets | Administrator



Choose a reported identifier or enter an exact manual code with its configured location and initial identity state.

Inventory model


Asset Management | Administrator



The model inventory distinguishes configured types, parent relationships and survey decisions.

Asset model detail


Asset Management | Administrator



Structured equipment data includes manufacturer, model, serial, composition, controllers and attributed survey evidence.

Asset model editor


Asset Management | Administrator



Maintain typed metadata and explicit composition or controller relationships without rewriting source facts.

Reusable type catalog


Asset Management | Administrator



Type definitions configure containment, controller capabilities and additional structured fields.

Source mapping review


Asset Management | Administrator



Imported tuples and reviewed candidate mappings remain explicit, including pending and ambiguous cases.

Equipment-reference mapping


Asset Management | Administrator



Link an imported equipment reference to its registered asset and record the review decision.

Canonical asset Pareto


Asset Management | Administrator



Rank equipment by fault frequency and alarm duration, with unlinked equipment references visible for review.

Structured asset type fields


Asset Management | Administrator



A reusable type can define required or optional text, number, boolean and date metadata fields.

Area overview


Operational Context | All, with profile-specific sources



The selected location combines the journal date, current pending issues, maintenance and independently authorized analytical or formal-shift context.

Global search


Operational Context | All, with profile-specific sources



Current search results for Halle are grouped by their original source and open exact records within the user's access.

Administrator landing - personal context


Administration | Administrator



The administrator landing retains personal context and current information above the account and data activity panels.

Administration - accounts and source activity


Administration | Administrator



Account totals, recent account changes and the latest source file support daily platform administration. **Example:** Check access changes and the last received dataset.

Import files


Data Administration | Administrator



Submit a daily CSV, confirm its reporting date and review the retained import history.

Import review


Data Administration | Administrator



Review imported and rejected records and identify data that needs attention.

Original source rows and filters


Data Administration | Administrator



Filter and inspect source columns and physical lines while retaining their original import references.

Data preparation


Data Administration | Administrator



Define how imported equipment, areas and alarm descriptions are grouped for analysis.

KPI settings and goals


Data Administration | Administrator



Select executive message KPIs, frequency or duration and optional daily-average goals.

Source-file column filters

Data Administration | Administrator




Line	Sector	Bereich	Betriebsmittelkennzeichen	Meldetext	Typ	Meldegruppe	Häufigkeit	Dauer · minutes
2	Halle B Sh	Lager VZ Block2	=MS09	Sammelstörung	Störung	B4201	173	281.33
3	Halle A T3	WE Müll	=15+15.42.09-A207	Müllpresse: Sammelstörung	Störung	B1503	143	49.73
4	Halle A T2	Abzug VR Halle A	=CCM+36.59.86	Volumenreduzierer: Sammelstörung	Störung	B3601	142	133.63

Narrow imported records by equipment, area, message or other source fields. **Example:** Narrow a file to the equipment or message supporting an investigation.

Expanded preparation rules and corrections


Data Administration | Administrator



Maintain area groupings and naming corrections so reports use consistent terminology.

Users and profiles


User Administration | Administrator



Individual accounts are listed with current profile and access state.

Create an individual account


User Administration | Administrator



The account form captures a person's display name, username and selected access profile.

User details and profile access


User Administration | Administrator



An account's display name, profile and active state can be managed with retained history.

Integration readiness


Integrations | Administrator



Review the connection settings for WinCC analysis, Ultimo maintenance information and corporate sign-in.

Provider configuration history


Integrations | Administrator



Review who changed an integration setting and when.

WinCC configuration


Integrations | Administrator



Prepare the connection used to bring WinCC information into operational analysis.

Microsoft Entra configuration

Integrations | Administrator



Prepare corporate sign-in so employees can access IOP with their work accounts.