REVIEWED
By QUINN FITZPATRICK at 11:04 am, Jul 19, 2021

Completion Instructions:

1. **For Danone R&I**
   a. All sections with a **Blue background** need to be completed by R&I or the R&I Spec Team.
      i. Header
      ii. Danone Purchasing Code
      iii. Danone Artemis Code
      iv. Specification Versions
      v. Danone Signatures
      vi. Relevant Category Specific Requirements and CSR Code #
   b. Provisional or Operational status
      i. R&I to indicate in the version table on page 2 in the purpose of update column
   c. Once the document is signed by both Danone & Supplier, a copy is to be sent back to supplier for their records

2. **For Supplier**
   a. All sections with a **Green background** need to be filled in completely.
      Section 1. Composition, Certifications & Claims
      Section 2. Physico-Chemical Characteristics
      Section 3. Microbiological & Food Safety Characteristics
      Section 4. Organoleptic Characteristics
      Section 5. Nutritional Characteristics
      Section 6. Packaging/Transport/Storage/Delivery/Employee Safety
      Section 7. Category Specific Attributes
         7.1 Fruit Preps & Slurries
         7.2 Flavors
         7.3 Cultures
      Section 8. Confidentiality, Approval and Conditions of Modification
         Note: Must be signed or stamped; cannot be typed per Legal Dept.
   b. Use the Category Specific Requirements (SPE-CiS-xxx) as a reference for Danone requirements, such as for Physico-Chemical and Microbiological Requirements.
   c. The supplier must provide the releasing test results (R) in the certificate of analysis (CoA) for every batch prior to or within each shipment/delivery.
   d. Where noted:
      i. **R/I = (R) releasing analysis or (I) indicative analysis**.
      ii. **R**eleasing analysis are done for each batch produced and are mentioned on the certificate of analysis (COA).
      iii. **I**ndicative analysis are carried out at least once a year or at a predetermined frequency.
   e. All Methods of analysis & criteria must be in conformity with the DANONE TGR or CSR if defined, otherwise standard methods are followed
   f. Supplier can add any additional lines to tables, if needed, to include any additional information.
   g. Requested documents, such as label pdf, fermentation kinetics, should be imbedded directly to this MSR document so that they are part of the signed specification.

The Material shall adhere to the general requirements of the Transversal General Requirements RE-QFS-STD-001 and Category Specific Requirements SPE-QiS-XXX. Any local regulation that is stricter than this Specification shall prevail.

Specification version	Date of update	Purpose of update
1	6/17/2021	Place in new spec template

Material Category (Sweetener, Texturizing, Flavor, etc.)	Other

Material Delivered to Danone	
Geographical origin	Biological origin
Phillipines, Sri Lanka	Coconut
GRAS Status - Yes	

DANONE Purchase code (SAP #)	201775 (10347444)
Danone Finished Product Intended Use (check all that apply):	☒ HTST ☒ UHT ☒ Aseptic ☒ Added Pre Heat Treatment ☐ Added Post Heat Treatment ☐ Added to Products without Heat Treatment ☐ Other please specify:
Key processing parameters: i.e. roasting or brewing time & temp, etc.	Thermal Processing

DANONE Approvals (insert screenshot here)

1 COMPOSITION

All material compositions to be entered here, except for the following materials, please complete composition in the referenced sections (not in this section): **7.1 Fruit Preps & Slurries, 7.3 Cultures.**

1.1 Raw material (material delivered to Danone) description / definition

Description / Definition	An off-white to light beige solid with melting point of 75-50°F. At temperatures above 90°F, when homogenous, the product is free flowing. Product has odor and flavor characteristic of toasted coconut.

1.2 Composition

Component	Legal category (1) / Function	Biological Source/Origin	Geographical Origin	Code (2)	Quantity %
Organic Coconut		Coconut	Phillipines, Sri Lanka		100

Important :
** All the fields must be completed*
** The biological origin of the raw material must be known (i.e : glucose of wheat, sunflower oil…)* The sum of the quantity % must be equal to 100*
** All the ingredients including the sub-components, such as processing aids, flavor carriers must be mentioned*

(1) Legal category (additive, processing aids, etc.) according to the national legislation; please quote the regulation or legal references.

(2) Legislation or registry code (I.e. JECFA, GSFA/Codex #, CAS, FEMA, CFR or Code "E" for EEC).

1.3 Certifications and Claims

Certification	Certified (Yes/No)	Certifying Body	Comments (add any details such as Made with, Segregated, Kosher OU, etc.)
Kosher	Y	Orthodox Union	
Gluten Free	N		Gluten Free Documentation Available
Organic	Y	NOP	
Rainforest Alliance	N		
Vegan	N		Vegan Affidavit Available
Non-GMO Project Verified	N		Non-GMO Documentation Available
Other (Please specify) :	N		

Finished product Claim* (directly relating to this ingredient)	Testing needed (i.e. quantity confirmation)	Test frequency	Sampling plan (i.e. beginning or end of material shelf life)	Testing Method
N/A				

'Includes items such as claims related to functional ingredients levels such as: antioxidants, Omega 3, fiber, etc.

USDA National Bioengineered Food Disclosure Standard:

US: The GMO question refers to the USDA National Bioengineered Food Disclosure Standard (NBFDS) as defined in 7 CFR 66. Does the raw material require bioengineered food disclosure under the USDA National Bioengineered Food Disclosure Standard as codified in 7 CFR 66?	**Yes** ☐	**No** ☒
Please add the substantiation such as attaching testing or reports if answer is "No":	**Product is certified Organic which requires ingredients to be Non-GMO in nature. Bioengineering statement is not required.**	

2 PHYSICO-CHEMICAL CHARACTERISTICS

All materials' physico-chemical to be completed here, except for the following materials: Fruit Preps & Slurries, Flavors and Cultures. Please complete physico-chemical in the referenced sections: **7.1 Fruit Preps & Slurries, 7.2 Flavors, 7.3 Cultures.**

Parameter*	Tolerance min	Target	Tolerance max	Unit	Method	R/I	Frequency of analysis
pH	5	6	7		pH Meter		Per lot
Particle Size			40	Um	Sieve		

(*) This section should include criteria such as: pH, Water Activity, Brix, Granulation size(s), etc.

3 FOOD SAFETY & MICROBIOLOGICAL CHARACTERISTICS

The Food Safety & Microbiological testing criteria should be based on a scientific rationale, such as a regulation (ie. Prop 65), peer reviewed publications, published monitoring data, and the supplier's internal assessment. Applicable Danone Standards for the material category will also be considered.

3.1 Microorganisms & Pathogens

Method of analysis & criteria: in conformity with the DANONE TGR or CSR if defined, otherwise industry standard methods.

Microorganisms	n	m	M	c	Unit	Method	R/I	Frequency of analysis
Coliforn			<800		cfu/g	Petrifilm	R	Start, Hourly
Total Aerobic Plate Count			<50000		cfu/g	Petrifilm	I	
Yeast			<5000		cfu/g	Petrifilm	I	
Mold			<5000		cfu/g	Petrifilm	I	

n = number of sample units,
c = maximum number of results accepted between "m" and "M",
m = separates "acceptable counts" from "marginally acceptable counts"
M = separates "marginally acceptable counts" from "unacceptable counts".
Those 4 figures are mandatory for a 3-class sampling plan

Pathogens	Presence/Absence	Unit	Method	R/I	Frequency of analysis
N/A					

3.2 Toxicology

Heavy metals	CAS number	MAX	Unit	Method	Frequency of analysis
N/A					

Veterinary drugs (if animal origin)	CAS number	MAX	Unit	Method	Frequency of analysis
N/A					

Natural Toxins	CAS number	MAX	Unit	Method	Frequency of analysis
N/A					

Environmental contaminants	CAS number	MAX	Unit	Method	Frequency of analysis
N/A					

Process contaminants	CAS number	MAX	Unit	Method	Frequency of analysis
N/A					

Disinfection & By-Products	CAS number	MAX	Unit	Method	Frequency of analysis
N/A					

3.3 Foreign bodies

Means of control	Target/Unit	Tolerance/Unit	Check frequency
Sieves (size)		10 mesh	Visual inspection twice daily
Magnets		10.3 lbs of force	Vision inspection weekly with CIP
Metal detector			
X-Ray			
Other			

3.4 Allergens

This section is specific to wording on the material label/packaging. All allergens in the raw material must be listed below and on the label. For additional details refer to Food Safety Visas.

Allergen Labeling	Precautionary Labeling	Other allergen related labeling
Contains Coconut	N/A	N/A

4 ORGANOLEPTIC CHARACTERISTICS

Description of the organoleptic characteristics targeted in the raw material:

Characteristics	Description	R/I	Frequency of analysis
Appearance (powder, liquid, etc.)	Product will be solid and off white in color at room temperature. Ingredient will separate into oil and solid fractions upon tempering.	R	Start, Hourly
Colour	White to Dark Ivory	R	Start, Hourly
Taste	Typical mild coconut flavor	R	Start, Hourly
Odor	Typical milk coconut aroma	R	Start, Hourly
Other			

5 NUTRITIONAL CHARACTERISTICS /100g

1. **Nutrients in bold are mandatory - if no value exists please input a value of zero.** Please input as much data as possible for all nutrients. If no value has been measured for optional nutrients, please maintain a blank space.
2. It is mandatory that suppliers provide values of naturally occurring and synthetic forms if material contains both forms of these nutrients.

NOTE: All values must be input to the nearest 0.00

NUTRIENTS	VALUE per 100g	UNIT OF MEASURE	NUTRIENTS	VALUE per 100g	UNIT OF MEASURE
Total Solids	97.0	%	Riboflavin (B2)	0.1	MG
Moisture		%	Niacin (B3)	0.6	MG NE
Calories	660	kCAL	Vitamin B6	0.3	MG
Total Fat	64.53	G	*Folate (naturally occurring)* [6]	9.0	MCG DFE
Saturated Fat	57.21	G	*Folic Acid (synthetic)* [6]		MCG
Trans Fat	0.00	G	Vitamin B12	0	MCG
Polyunsaturated Fat	0.7	G	Biotin		MCG
Monounsaturated Fat	2.7	G	Pantothenic Acid	0.8	MG
Cholesterol	0	MG	Phosphorus	206.0	MG
Sodium	37.0	MG	Iodine		MCG
Total Carbohydrates	23.6	G	Magnesium	90.0	MG
Dietary Fiber (total)[1]	16.3	G	Zinc	2.0	MG
Insoluble Fiber[1]		G	Selenium	18.5	MCG
Soluble Fiber[1]		G	Copper	0.8	MG
Other Non-Digestible Carbohydrates[1]		G	Manganese		MG
Total Sugars	7.4	G	Chromium		MCG
Added Sugars[2]	0.0	G	Molybdenum		MCG
Naturally Occurring Sugars[3]	7.7	G	Chloride		MG
Other Carbohydrates[4]		G	Choline		MG
Protein	6.9	G	Caffeine	0	MG
Vitamin D	0	MCG	Alcohol	0	G
Calcium	26.0	MG	Sugar Alcohols	0	G
Iron	3.3	MG	Ash		G
Potassium	543	MG	**OTHER NUTRIENTS**	**VALUE per 100g**	**UNIT OF MEASURE**
Vitamin A (as retinol – please use the additional lines below to include Beta-Carotene amount, if applicable)	0	MCG RAE	Enter nutrient.		Click here to enter unit.
Vitamin C	1.5	MG	Enter nutrient.		Click here to enter unit.
Naturally Occurring Vit. E (RRR-alpha tocopherol) [5]	0.4	MG	Enter nutrient.		Click here to enter unit.
Synthetic Vit. E (All-rac-alpha tocopherol) [5]		MG	Enter nutrient.		Click here to enter unit.
Vitamin K		MCG	Enter nutrient.		Click here to enter unit.
Thiamin (B1)		MG	Enter nutrient.		Click here to enter unit.

Dietary fiber, Added Sugar, and any other nutrient definitions are based on US FDA New Nutrition Facts Panel regulation, effective May 20, 2016. Please consult with your regulatory department on any questions about this regulation. More information:

https://www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/LabelingNutrition/ucm385663.htm?utm_source=msn

1 Dietary Fiber Definition: 21 CFR § 101.9(c)(6)(i) – "*Dietary fiber is defined as non-digestible soluble and insoluble carbohydrates (with 3 or more monomeric units), and lignin that are intrinsic and intact in plants; isolated or synthetic non-digestible carbohydrates (with 3 or more monomeric units) determined by FDA to have physiological effects that are beneficial to human health*."

The following isolated or synthetic carbohydrates fall under the definition of "*Dietary Fibers*" by the FDA: *"…[beta]-glucan soluble fiber (as described in § 101.81(c)(2)(ii)(A)), psyllium husk (as described in § 101.81(c)(2)(ii)(A)(6)), cellulose, guar gum, pectin, locust bean gum and hydroxypropylmethylcellulose. Mixed plant cell wall fibers, arabinoxylan, alginate, inulin and inulin-type fructans, high amylose starch (resistant starch 2), galactooligosaccharide, polydextrose, resistant maltodextrin/dextrin*"

"*Insoluble Fiber*" and "*Soluble Fiber*" shall meet the above mentioned "*Dietary Fiber*" definition and shall be separated as each individual fiber is scientifically designated, currently by solubility. The total "*Insoluble Fiber*" and "*Soluble Fiber*" shall equal total for "*Dietary Fiber*" and reported on the Danone Nutrition Data Form, as applicable.

All other fiber that does not meet the FDA's definition for "*Dietary Fiber*" will be designated as "*Other Non-Digestible Carbohydrates*" and will need to be designated on the provided Danone Nutrition Data Form, as applicable. This value shall NOT be included in the total for "*Dietary Fiber*" on the Danone Nutrition Data Form.

2 *Added Sugars* Definition: 21 CFR § 101.9(c)(6)(iii) – "*Added Sugars are either added during processing of foods, or are packaged as such, and include sugars (free, mono- and disaccharides), sugars from syrups and honey, and sugars from concentrated fruit or vegetable juices that are in excess of what would be expected from the same volume of 100 percent fruit or vegetable juice of the same type*…"

3 All natural sugars shall be added under "Naturally Occurring Sugars" on the Danone North America Material Specific Requirements form provided. The total of "*Added Sugars*" and "Naturally Occurring Sugars" shall be calculated and reported under "*Total Sugars*" on the Danone Nutrition Form, as applicable.

4 Please use this line for "Other Carbohydrates" as defined by 21 CFR § 101.9(c)(6)(iv), "…as the difference between total carbohydrate and the sum of dietary fiber, sugars, and sugar alcohol, except that if sugar alcohol is not declared (even if present), it shall be defined as the difference between total carbohydrate and the sum of dietary fiber and sugars."

5 Please report Vitamin E as either or both Naturally Occurring in mg RRR-alpha-tocopherol AND/OR Synthetic Vitamin E in mg *all-rac*-alpha tocopherol.

6 Please report Folate (naturally occurring source) in micrograms Dietary Folate Equivalents (DFE) AND/OR Folic Acid (synthetic source) in micrograms.

This document shall be used for the record keeping purposes in accordance with 21 § CFR 101.9(g). All information provided in accordance with 21 § CFR 101.9(g) must be accurate and verifiable by the supplier and Danone North America.

6 PACKAGING / STORAGE / TRANSPORT / DELIVERY / SAFETY


Each delivery must be made with a delivery notice (i.e. Bill of Lading) and a completed certificate of analysis (COA) which contents have to be defined beforehand with DANONE. These documents are required to be provided prior the shipment arriving or upon arrival.

A pallet must, if it is possible, include only one batch of products. If several batches are present on the same pallet, the label of the pallet must include every batch number.
Pallets must be protected with a slip sheet or plastic layer between the product and the pallet and must be covered with foil or cardboard or plastic layer.

Bulk transport must be done under seals. The seal number must be present on the delivery document. Batch number must be present on the delivery document.

Each batch/lot of finished product is required to be identified by a specific code allowing it to be traced back within 24 hours to the raw materials used product batches/lots delivered to DANONE. A batch size must not exceed 24hrs.

Batch/Lot numbering: Description (code explanation; maximal and average size)	Lot Code is in the format YYJJJ; where YY = 2 digit year, JJJ = 3 digit Julian Date
Labelling:	• Name of the supplier • Product name • Production date • Batch/Lot number • Temperature of storage • Shelf life • Production site • Net weight • Allergen Information • Ingredient declaration



Shelf life	
Shelf life of material	365 Days
Remaining shelf life when delivered to Danone plant *This must be defined between Supplier and Danone*	

Packaging:			
Type (bags, tanker, other...)	Material (paper, plastic, ...)	Net weight (indicative)	
Packaged in 55 gallon drums	Drum with Blue Poly Liner	418.2	

Returnable Packaging(*): i.e.totes, barrels, supersacks, etc.			
Description	Type	Weight	Quantity
Returnable:			
Non-Returnable:			

** Returnable Packaging Criteria and Logistics must be agreed upon between Danone and Supplier*

Storage Condition Requirements:	
Temperature (specify °C or °F)	34-80 F
Relative Humidity	N/A
Other	

Transport Condition Requirements:	
Temperature (specify ºC or ºF)	34-80 F
Relative Humidity	N/A
Other	

Delivery Conditions:	
Pallet Net Weight	420 lbs per drum
Pallet Gross Weight	
Extra Packaging Material(s) (ex. Slip sheet on top layer of pallet)	
Special Protection: i.e. dunnage, load bars, etc	N/A

Delivery Transport and Delivery:	
Pallet Type (ex. CHEP 40" X 48", soft wood 40" X 48", Gaylord 40" X 48"	Wood 40" X 48")
Pallet Height (Including possible restrictions for safety)	40"
# Cases / Pallet	Based on Order

Pallet / Container Identification:	
Conditioning Overwrap / Pallet	Stretch Wrapped
Supplier Name	Danone North America
Material Reference / Name	Cond Cnt Crm Org Med 55gal SLB
Ingredient declaration	Coconut
Danone's SAP Code	201775 (10347444)
Number of lbs or kg/Pallet (specify unit of measure)	4 drums per pallet -1680 lbs/pallet
Delivery Reference (PO number) example	
Production date code example	N/A
Lot Number code example	Ex: 21169 – Pallets will be labelled as mixed lot if applicable

Specific to Fruit Preps:	
Net Weight :	
Container Pressure	
Filter under the tote lid (please indicate type if present): Brix below 40 without Sorbate or specific requirement.	YES ☐ - Size of filter: NO ☐

Occupational Health and Safety	
Potential Risks linked with handling of ingredients *The Supplier will provide, if necessary, what are the potential risks for people while using the materials (corrosive, pulverulent, carrying precautions, etc). The supplier will provide digital copy of GHS compliant Safety Data Sheet to include Kst Value, Boiling Point, Flash Point, GHS Hazard Pictograms and Warnings, and composition.*	**Precautions to be taken** • Liquids 73.4 °F (23 °C) and having a boiling point at or below 95 °F (35 °C) are prohibited. • Flagged Health Warning pictogram, Target Organ Carcinogenicity, and other potential carcinogen warnings are unfavourable and will require further study. • FEMA High Priority use in amounts >1% will require further study. • Use of Diacetyl is prohibited.

Personal Safety Conditions of use *The Supplier will describe (if necessary) the particular conditions of use to apply to the ingredient at DANONE plant (personal protective equipment, engineering design recommendations).*

The rest of this page intentionally left blank

7 CATEGORY SPECIFIC ATTRIBUTES

7.1 FRUIT PREP & SLURRY SPECIFIC ATTRIBUTES

7.1a FRUIT PREP COMPOSITION

Fruits, Vegetables, Cereals & Fruit Juices or Concentrates						
Ingredient (*)	Process Type	Shape	Size or concentration rate	Georgraphic origin (**)	Quantity % (***)	Fruit specification reference (Artemis TS)

(*) Hydrated raw material: detail the quantity of fresh material processed per kg
(**) Additionally, include specific variety of fruits if agreed to by Danone and supplier
(***) In case of concentrate: put equivalent of single fruit coming from concentrate and indicate the factor of concentration. The right level of water shall be specified in the table other ingredient (water used to reconstitute concentrated ingredients)

ADDED SUGARS & SWEETENERS						
Ingredient	Geographic Origin	Biological Origin or Extracted from	Brix of solution	Quantity %	Tolerance (*) ±	Supplier and reference

(*) in % of target quantity to adjust brix. Artificial Non-nutritive sweeteners quantities cannot not be adjusted so acceptable tolerance is 0 for those items

OTHER INGREDIENTS							
Ingredient	Geographic Origin	Biological Origin or Extracted From	Legal Category (1)	Chemical Name / Code (2)	Quantity %	Tolerance (*) ±	Supplier and Reference

(*) in % of target quantity - flavor and color amounts cannot be changed so tolerance is 0 for those

(1) legal category (additive, processing aids, flavor denomination, etc) according to the national legislation; please quote the legal references.
(2) Legislation or registry code (I.e. JECFA, GSFA/Codex #, CAS, FEMA, CFR or Code "E" for EEC).

Important:
- *The sum of the ingredients must equal to 100%.*
- *Origin of the ingredients:*
  - *The biological origin of the raw materials shall be known (e.g. sugar from sugar cane, starch from maize).*
  - *The origin of the raw materials "extract from" shall be known (e.g. flavors).*
  - *The geographical origin of the raw material shall be known*
  - *In addition for fruits, the variety is mandatory in case of specific need (e.g. Apricot from Roussillon, Granny Smith for apple).*
- *Additives:*
  - *Flavor status shall be indicated according to Local regulation*
  - *Flavor modifier shall be declared and shall respect Danone recommendations about their use.*

7.1b PHYSICO-CHEMICAL CHARACTERISTICS

Parameter	Target	Tolerance (*)	Unit	Method	R/I	Frequency
pH		+/- 2,0	/	MTH 02-58	R	
°Brix		+/- 4,0	°Brix	MTH 02-59	R	
Bostwick viscosity / Cenco (if<10)		+/- 2,0	cm/60 s – 20°C	MTH 98-62	R	
Bostwick viscosity / Cenco (if>10)		+/- 2,5	cm/60 s – 20°C		R	
Color (*)		-	Pantone or RHS (range possible)		R	
Titrable acidity		-	G citric acid/100g	MTH 02-61	I	
Total solids		-	%	Calculation or internal measurement	I	
Density		-	g/mL	Calculation	I	
Water Activity		-	/	Internal measurement	I	
Bostwick viscosity / Cenco (if<10)			cm/60 s – 4°C	MTH 98-62	I	
Total fruit residual		+/- 4	% on 1 mm sieve	MTH 04-99	R	
Big pieces on 3 sieves		+/- 5	% on big sieves	MTH 04-110 (manual) OR MTH 04-60 (auto)	I	
Medium Pieces on 3 sieves			% on medium sieves		I	
Small pieces in 3 sieves			% on small sieves		I	

** **Color D+0**: Mixing in white mass at fruit preparation dosage and analyse after 30 minutes, max 2h. Danone R&I department, together with the fruit preparation supplier, guarantee that the target and tolerance on colour will be respected until the end of the finished products shelf life.*

7.1c ENDOGENOUS OBJECTS SPECIFIC TO FRUITS

Any additional requirements or stricter target concerning the foreign objects shall be specified in table below.

Fruit	Type of extraneous object	Tolerance / unit	Rejection limit

Packout Screen Size	

7.1d METHOD FOR ORGANOLEPTIC / COLOR EVALUATION

White mass recommended by Danone = Danone 0% fat and sugars (ex: Light N Fit / Vitalinea)
If other white mass is used precise characteristics in the table below:

White mass characteristics	Fat:		Protein content:	
	Sugars:		pH:	
	White mass used:		% fruit dosage in white mass:	
	Blended or FOB?		Other?	

7.2 FLAVOR SPECIFIC ATTRIBUTES

General Information on the Flavoring	
Characteristic aromatic/taste note and/or functionality	
Legal denomination (*)	
Intended use(s)	☐ Impart Flavor ☐ Flavor modifier
If a fanciful flavor (i.e. birthday cake) please list the defining characterizing ingredients and tastes	

** According to FDA CFR 101.22, European Regulation and other Regulatory references if relevant.*

7.2a VANILLA FLAVORS

In the specific case of Natural vanilla flavor (i.e. Vanilla from natural origin), at least one of the rows of the following table will have to be filled-in in order to guarantee the authenticity of Vanilla:

	Select One	Target	Tolerance Min.	Tolerance Max.	Unit	Method	Frequency of analysis
Ratio Vanilla beans/vanilla flavour *(or)*							
Radioisotopic ratio C12/C13 *(or)*							
Vanillin content *(or)*							
Supplier Statement							

7.2b PHYSICO-CHEMICAL CHARACTERISTICS

Physico-chemical analyses presented in this section are analyses carried out at least once a year on the Flavoring delivered to DANONE. If the physico-chemical parameters are not relevant, please indicate NA in the second column. If needed, other parameters will be added to the list.

Physico-chemical characteristics	A/NA (*)	Target (**)	Reject value		Unit	Method	R/I (***)
			Min.	Max.			
Physical state (powder, emulsion, liquid…)							
Visual appearance (colour range)							
Density at 20°C or 25°C (for liquid flavors only)							
Dry Extract / Total Solid (for powder flavors, 0 for liquid flavors)							
Refractive index (at 20°C) (for liquid flavors)							
Particle size (for powder)					µm or mm		
Particle size (for emulsions)					µm or mm		
Solubility (if relevant)							
Alcoholic degree (if relevant)					vol/vol		
Other (please identify the other Parameters:colorimetry							

(*) Please indicate if the requested parameter is applicable (A) or not applicable (NA) depending on the physical state of the material.
(**) Note: target is not mandatory if the min. and max. are clearly defined.

(***) If the frequency is "less than each batch", please define the period when the certificate of analysis will be shared.

7.3 CULTURE SPECIFIC ATTRIBUTES

7.3a CULTURE DESCRIPTION

Type of microorganisms	Type of species, subspecies	Type of product	Type of inoculation	Physical form	Application temperature
e.g. Lactic acid bacteria	*e.g. Streptococcus thermophilus, Lactobacillus bulgaricus*	*e.g. concentrated, unconcentrated*	*e.g. direct inoculation, indirect inoculation*	*e.g. liquid, frozen, freeze-dried, pellet form, powder*	*e.g. mesophilic strains, thermophilic strains*

7.3b CULTURE COMPOSITION

Official code	Strain (Code/name)	Identification (species, subspecies)	Origin	Quantity % (w/w)
		e.g. Streptococcus thermophilus	*e.g. DANONE*	
			TOTAL	100%

Total Ingredient Composition (incl. Additives, Processing aids)	Incorporation (%)
Cultures	
e.g. Sodium formiate 50%	
TOTAL	100%

7.3c CULTURE POPULATION REQUIREMENTS & ACTIVITY / FUNCTIONALITY

This section **is mandatory for Danone Proprietary cultures**

Species	Target	Reject Min.	Reject Max.	Unit	Method	R/I	Frequency of analysis

Each batch of finished product must be controlled for the conformity of activity/functionality.

Method for Culture Activity Quality Control		
Parameter	Unit	Value
Test Media:		

Media characteristics: *e.g. Reconstituted milk or plant based matrix at 9.5 of dry matter*	-	
Indications for reconstitution: *e.g. 112 g of Skimmed Milk Powder batch agreed by DANONE + 1000 g distilled water*	-	
Additives:		
- Yeast extract	%	
- Flurofamide	%	
- Other (specify)	%	
Heat treatment:		
- Time	min	
- Temperature	°C	
Fermentation temperature	°C	
Inoculation rate	%	
Analysis time CINAC	h	
Sample preparation		
- Thawing temperature	°C	
- Thawing time	min	
- Volume of sample	g	

Activity / Functionality Criteria – CINAC Descriptors							
Parameter	**Target**	**Reject Min.**	**Reject Max.**	**Unit**	**Method**	**R/I**	**Frequency of analysis**
e.g. TpH 5.00							

7.3d FERMENTATION KINETICS

The Supplier to insert graph of Fermentation Kinetics of culture here:

8 CONFIDENTIALITY, APPROVAL & CONDITIONS OF MODIFICATION

The Supplier and DANONE are committed and bound to respect and keep the confidentiality of all information present in this specification.

- The raw material approval takes place once both parties have signed the present specification. A copy is kept by each party.
- Any modification of origin, formula, processing steps, or packaging must be submitted to Danone in advance of and prior to implementing the change for approval and specification update.
- In case DANONE approves the modification, an update of the present Material Specific Requirements will have to be signed by DANONE and the supplier before the first production. The supplier will have to provide to DANONE updated versions of Supplier Technical Data Sheet and Food Safety Visa if they are impacted by the changes.

Supplier Specificities and Acknowledgment of DANONE Specification

Supplier Name:	Production Site:	Supplier's raw material reference number:
Danone North America	4660 Main St. # 460, Springfield, OR 97478	201775 (10347444)

Name of Representative:	Representative's Function:
Heather Jones	Supply and Design -Raw and Packaging Manager
Date:	**Signature:** *Note: Must be signed or stamped, not typed.*
6/17/2021	Heather Jones DANONE NORTH AMERICA Certified B Corporation DANONE ONE PLANET. ONE HEALTH
Comments:	

This form must be returned to DANONE completely filled in and signed