


Build a medieval hut

A visual student guide adapted from Polygon Runway's narrated tutorial.

TRANSCRIPT EDITION



Original teaching diagram. Layout and proportions are classroom choices.

Build the structure. Repeat the shingles. Give it character.

Practise mesh editing, mirrors, linked duplicates, UVs and materials while making a small stylised diorama.

For: Code Club students aged roughly 11-15, with a little Blender experience.

Pace: about five 60-minute sessions for the core build and first render. Allow extra time for the advanced material and lighting pages.

Based on the transcript you supplied


The narrated techniques are covered through about 38:21. Timestamp links open the relevant part of the video. Some screen-dependent selections are replaced with labelled classroom shortcuts. The final music-backed timelapse is not reconstructed from captions.

Source: Polygon Runway, Full Blender Tutorial - Textured Medieval House.


Choose a good stopping point

Progress is measured by a saved model, not by keeping up with the video.


COACH + STUDENT ROADMAP




1 Shape + openings



2 Structure + details



3 Terrain + roof



4 Colour + picture

Suggested five-session route

1: setup, silhouette and openings (pp. 3-6). **2:** mirrored structure and stone band (pp. 7-9). **3:** door, window, gable and terrain (pp. 10-13). **4:** shingles and ridge caps (pp. 14-16). **5:** camera, colour and first render (pp. 17-18, then p. 24).

Return for a challenge: procedural materials and UVs (pp. 19-22), then atmospheric lighting (p. 23). These are best demonstrated by a coach before students try them.

CHECK BEFORE MOVING ON



Use the diagram as a target, then read the actions. Save at every checkpoint. Exact sizes are not the goal.

Controls, axes and selection

Default Blender keymap. Keep the pointer over the editor where you want the shortcut to act.

KEEP THIS PAGE OPEN BESIDE BLENDER

Tab: whole object / mesh editing



In this guide: the door faces -Y; the window faces +X.

- 1 Navigate:** middle-mouse drag = orbit; Shift + middle-mouse = pan; scroll = zoom. Without a middle button, use the axis gizmo and the hand / magnifier icons.
- 2 Views:** Numpad 1 = Front, 3 = Right, 7 = Top, 0 = Camera. Laptop alternative: **View > Viewpoint**, or **View > Cameras > Active Camera**.
- 3 Transform:** G moves, R rotates, S scales. Then press X, Y or Z for an axis. Enter confirms; Esc cancels. **G, Z, 1, Enter** means four presses in sequence.
- 4 Edit Mode:** Tab switches modes. Number-row 1 / 2 / 3 selects vertices / edges / faces. A selects all; Alt + A deselects. Alt + Z toggles X-ray. Turn it off again after selecting through a mesh.
- 5 Useful habits:** F2 names an object; F3 searches for a command; Ctrl + Z undoes; Ctrl + S saves. Keep the House origin at the centre of the ground grid for mirroring.

CHECK BEFORE MOVING ON


The number row chooses mesh selection modes. The numpad changes the view. They are different keys.

Turn the cube into a hut


Keep the default cube and camera. Delete the default light.

TUTORIAL METHOD / SAMPLE CLASSROOM DIMENSIONS


Middle image: split both highlighted top edges. The ridge joins their midpoints.



1 Lower the top



2 Split two top edges



3 Lift the ridge

- 1 Select the cube, name it **House**, then Tab into Edit Mode. Press A, then **G, Z, 1, Enter**. Tab out and scale the object with **S, 2, Enter**. Its origin stays on the ground.
- 2 **Classroom addition:** apply scale with **Ctrl + A > Scale**. In Edit Mode, Face Select, click the top face. Lower it with **G, Z, -1.4, Enter**. These values give a useful starting proportion.
- 3 In Edge Select, select the top front edge running along X, then Shift-select the matching top back edge. Right-click **Subdivide** with one cut. This creates a centre edge along Y across the top.
- 4 Select only that new centre edge. Press **G, Z, 1.6, Enter** to raise the ridge. In Front View the silhouette is now a rectangle with a triangular top.
- 5 In Vertex Select, select the left and right shoulder vertices on the front wall and press **J**. This cuts off the triangle. Repeat on the back wall. Save as **Medieval_Hut.blend**.


CHECK BEFORE MOVING ON

The roof ridge runs front to back. Each end has a separate triangular face above a rectangular wall.

Separate the main pieces

Different parts need different materials and modifiers.

FOLLOW THE TUTORIAL



- 1 Stay in Edit Mode. In Face Select, orbit underneath and select the bottom face. Press **X** > **Faces**. The tutorial removes this hidden underside.
- 2 Select both sloping roof faces. Press **P** > **Selection**. This moves them into a new object; it does not make a duplicate.
- 3 Select the front and back triangular gable faces and use **P** > **Selection** again. Return to Object Mode.
- 4 Use the Outliner to name the three objects **House**, **Roof** and **Gables**. Click each one and check which part gets an outline. Leave their origins in place.
- 5 The diagram pulls the parts apart just to explain them. **Keep your parts touching in Blender**. Save the project.

CHECK BEFORE MOVING ON


You can select walls, roof and gables separately. No piece should be duplicated on top of itself.

Make recessed openings


The door and window sit inside the walls, with a little shadow around their edges.

CLUB SHORTCUT / INSET FACES REPLACE THE VIDEO'S LOOP-CUT LAYOUT

Chosen classroom layout: one front door and one window on the right wall.



1 Shape a smaller face



2 Push it into the wall

- 1** Select House, enter Edit Mode and Face Select. Select the front wall. Press **I** and create a small inset. Keep the inner face selected.
- 2** Use **S, X** to narrow this face into a door shape. Adjust S, Z and G, Z so it is tall, with its bottom just above ground. Keep all four corners inside the wall.
- 3** Select the right wall. Inset it too. Use **S, Y** for its width, **S, Z** for its height, then G, Z to raise it. Aim for a broad, roughly square window.
- 4** Shift-select just the two inner faces. Use **Alt + E > Extrude Faces Along Normals** and move a small negative distance, about **-0.15**, into the house. Keep the inset back faces.
- 5** Orbit around both openings. The short surrounding faces form the sides of each recess. Save; later we will put the door and window within them.

CHECK BEFORE MOVING ON

There are two shallow pockets. Inset makes a border; extrusion makes depth. They are not the same operation.


Mirror the roof supports

Make one piece, then let Blender reflect it around the house centre.

TUTORIAL MIRRORS / CLUB SHORTCUT: CUBE BEAMS REPLACE EXTRACTED ROOF STRIPS

X: left / right

Y: front / back



For the roof surface: Mirror X, then Solidify. For the trim: mirror a separate solid beam.

- 1 Select Roof, enter Edit Mode and delete one sloping face with **X > Faces**. Tab out. Add a **Mirror** modifier on X with Merge and Clipping enabled. The ridge must remain at X = 0.
- 2 In Edit Mode widen the roof slightly along Y; move only the outer eave edge outward along X for an overhang. Add a **Solidify** modifier after Mirror, with a little outward thickness.
- 3 Select Gables. In Edit Mode delete the back triangle. Add a Mirror modifier with **Y only** enabled, using **House** as the Mirror Object. This rebuilds the back gable.
- 4 For a front roof beam, add a cube. Shape, rotate and position its mesh **in Edit Mode** along one front roof slope. Let it protrude beyond the wall. Keep the object origin at the house centre.
- 5 Add a Mirror modifier to that beam: choose House as Mirror Object and enable **X and Y**. Keep Merge off for these separate timbers. You should get one sloping beam at each front/back corner.


CHECK BEFORE MOVING ON

Do not mirror both original halves: that creates overlapping geometry. Mirroring uses the origin, not the visible centre of the mesh.

Stand up the corner posts

Snap a new cross-section into place, then extrude it into a beam.

FOLLOW THE TUTORIAL



- 1 On House in Edit Mode, select one bottom corner vertex. Use **Shift + S > Cursor to Selected**. Tab out, then add **Mesh > Plane**. It appears at that corner.
- 2 In Edit Mode scale the plane into a small square, then **E, Z** to extrude it up to the roof beam. Use **S, Shift + Z** to adjust the post thickness without changing its height.
- 3 Tab out. Add a Mirror modifier with House as Mirror Object, and enable **X and Y**. One post now supplies all four corners. Name it **Corner_Posts**.
- 4 For the horizontal support, add another plane, rotate its mesh **R, X, 90**, and shape it into a long thin rectangle beneath the front gable. Extrude a little along Y to give it thickness.
- 5 Mirror this crossbeam on **Y only**, again around House. **Optional:** the video shears the post tops around 5:29 to match the roof. For the club build, flat tops tucked into the roof beam are sufficient.


CHECK BEFORE MOVING ON

All four posts stand outside the wall corners, and both end gables have a horizontal support underneath.

Wrap the foot in stone

Reuse a narrow strip from the walls to make a slightly uneven stone base.

TUTORIAL IDEA / CLUB CUT LAYOUT SHOWN BELOW



- 1 Select House in Edit Mode. Add a horizontal cut just above ground level on each wall. **Ctrl + R** works on a clean quad strip; where it stops at an inset, use the **Knife (K)** to continue the line and confirm with Enter.
- 2 In Face Select, select the low wall faces all around the house, leaving the doorway clear. Use **Shift + D**, right-click, then **P > Selection** to create a copy named **Stone_Base**.
- 3 Edit the new object. Select all and use **Alt + E > Extrude Faces Along Normals** a little outward. Toggle the operation's **Offset Even** option if corners need a more even thickness.
- 4 Select a few top vertices or short top edges and use **G, Z** for small height changes. Keep the changes subtle. You want old stonework, not spikes.
- 5 **If the band is difficult to select:** the club fallback is a row of shallow cube blocks around the foot of the walls. Leave a door gap and vary a few heights. Save.


CHECK BEFORE MOVING ON

The stone band is visible beyond the plaster and posts. There is no stone block across the doorway.


Frame a planked door

The recessed face becomes the door. Separate boards make the bevels visible.

ALSO 12:16 - 12:47 / CLUB SHORTCUTS: CUBE FRAME + FACE SPLIT



1 A frame around the recess



2 Three separate boards

- 1 On House in Face Select, select the recessed back face of the door opening and use **P > Selection**. Tab out and name the new object **Door**. Leave it sitting in the recess.
- 2 Make the frame from three shallow cubes: two uprights and a top bar. Shape each mesh in Edit Mode, then place it around the opening. This replaces the video's extracted edge-loop frame.
- 3 Select Door and enter Edit Mode. Press **Ctrl + R**, hover until the cut is vertical, and scroll to two cuts. Left-click, then right-click to centre them. You now have three board faces.
- 4 In Face Select, select one board and press **Y** to split it from its neighbours. Repeat for the other boards. This is a simpler alternative to the video's **V** edge-ripping step.
- 5 Select all door boards. Use **Alt + E > Extrude Faces Along Normals** a little towards the outside. Press **A**, then **Shift + N** to recalculate normals. Bevels on page 12 will reveal the board seams.


CHECK BEFORE MOVING ON

The door sits behind the frame. Its three boards have thickness, and the frame remains clear of their edges.

Build the window and sill

Keep the pane, frame and crossbars as separate pieces so they can have different materials.

CLUB SHORTCUT / SIMPLE FRAME PIECES REPLACE THE VIDEO'S FACE SLICING



- 1 Select the recessed back face of the window on House. Use **P > Selection** and name it **Window_Pane**. Leave it in place inside the recess.
- 2 Add four shallow cube pieces for the outer frame. On this right wall, **Y** controls the width, **Z** the height, and **X** how far the frame projects from the wall.
- 3 Add a horizontal bar and a vertical bar across the pane. Give them a little thickness, and keep them inside the outline of the outer frame. Check the depth from Top View.
- 4 Add a shallow cube beneath the window for a sill. Make it a little wider than the frame and bring it farther out from the wall. Name the parts clearly in the Outliner.
- 5 The pane will become warm and luminous later. For now, check that the bars stand in front of it and that you can select the pane on its own. Save.


CHECK BEFORE MOVING ON

The opening reads as a window from an angled view: recess at the back, pane, crossbars, then a projecting sill.

Board the gable; bevel edges

Small separated panels and softened corners give the hut its stylised character.

CLUB SHORTCUT / STRAIGHT GABLE BOARDS; VIDEO USES A MORE INTRICATE CUT PATTERN



Knife cuts create three panels.



A narrow bevel catches light.

- 1** Select Gables. In Edit Mode and Front View, use **K** to cut a vertical line from the base edge to a sloping edge. Confirm with Enter. Repeat on the other side, making three panels as shown.
- 2** In Face Select, select each panel in turn and use **Y** to split it from its neighbours. Select all and extrude slightly along normals. The existing Y Mirror supplies the back gable. Recalculate normals with **Shift + N**.
- 3** For each solid timber or door object, apply Object Mode scale before bevelling. Add a **Bevel** modifier after its Mirror modifiers. The video uses **3 segments**; reduce Amount until the edge is narrow.
- 4** The video chooses **Geometry > Miter Outer: Arc**, enables **Harden Normals**, and uses Shade Smooth. Labels vary by version. If flat surfaces shade poorly, keep the bevel and use Shade Flat as the simple fallback.
- 5** To reuse only the bevel, select the target objects, select the source last, then use the Bevel modifier menu's **Copy to Selected**. Use smaller amounts for tiny frame pieces. Do not replace unrelated mirror setups.


CHECK BEFORE MOVING ON

Board seams are visible and edges remain crisp. Leave separate board pieces unmerged; keep Merge only where a continuous roof needs a centre seam.


Shape a small terrain tile

A gently uneven ground surface makes the hut feel settled in its surroundings.

FOLLOW THE TUTORIAL



1 Subdivide and lift a few points



2 Give the edges a base

- 1 In Object Mode use **Shift + S > Cursor to World Origin**. Add a plane and scale its mesh wider than the hut. Keep the ground under the house close to $Z = 0$.
- 2 In Edit Mode select all, right-click **Subdivide**, then repeat with **Shift + R** a few times to make a modest grid. Use Vertex Select and choose a few points outside the house footprint.
- 3 Enable **Proportional Editing (O)**. Use G, Z and the mouse wheel to adjust the influence circle. Add small bumps away from the walls. **Turn Proportional Editing off afterwards.**
- 4 Select the outer boundary edges. Extrude down with **E, Z**, flatten the new lower loop with **S, Z, 0**, then move it to a common bottom height. The tutorial adds another downward extrusion to shape the base.
- 5 In Object Mode, **Ctrl + 2** adds a level-2 Subdivision Surface modifier. Shade Smooth. If the rim shrinks too much, add a support loop close to it or reduce subdivision. Save.


CHECK BEFORE MOVING ON

The ground reaches beyond the eaves. Bumps do not bury the door or leave a gap beneath the house.

Make one chunky shingle

Get one tile right before you repeat it across the whole roof.

TUTORIAL METHOD / SIMPLIFIED TILE SHAPE



- 1 Add a plane and name it **Shingle**. In Edit Mode scale it down to one tile. Tab out. In the snapping dropdown choose **Face** or **Face Project**, with **Align Rotation to Target** enabled.
- 2 With snapping normally off, press **G** and hold **Ctrl** as you move the tile onto one roof slope. Confirm when it lies on the roof. A little more than half a dozen tiles should fit along the eave.
- 3 Enter Edit Mode. Select the lower edge that faces the eave and extrude it a short distance to extend the tile. From Front View give that lip a small downward bend. Do not bend the whole tile.
- 4 Add two or three loop cuts if you want to taper or nudge the lower corners. Keep the upper part broad and fairly flat so it can overlap the next row.
- 5 Select all and use **Alt + E > Extrude Faces Along Normals** a small distance outward. Recalculate normals. Add a small Bevel modifier, as on page 12. Inspect it from an angle.


CHECK BEFORE MOVING ON

One shingle follows the roof slope, has a slight bend at the eave end, and has visible thickness.

Repeat rows; mirror the slope

Linked duplicates let you improve every shingle by editing just one mesh.

FOLLOW THE TUTORIAL



- 1 In Object Mode select the shingle near the lower edge of the +X roof slope. Use **Alt + D**, then **Y** to make a linked copy next to it along the eave. Confirm.
- 2 Immediately press **Shift + R** to repeat that duplication and movement. Build one row. The video settles on about **seven tiles** across; fit the number to your roof.
- 3 Select only that row. Use **Alt + D** to copy it up the slope. In Front View position it a little towards the ridge and upward, or use Face Project snapping. The higher row should overlap the lower row slightly.
- 4 Continue until one slope is covered. Unlike a straight row, snapping onto each new slope position may not repeat reliably with Shift + R; position those rows one by one.
- 5 Select all the shingles on that slope, **excluding Roof and the beams**. On the active tile add Mirror on **X only**, set Mirror Object to House and keep Merge off. Use that modifier's **Copy to Selected** for the other tiles.


CHECK BEFORE MOVING ON

The other slope is covered too. Alt + D shares mesh edits; each tile still has its own position and rotation.


Cap the ridge; vary the roof

Curved caps cover the join along the top. Small variations keep it from looking machine-made.

CLUB SHORTCUT / HALF-CYLINDER + SOLIDIFY FOR THE RIDGE CAPS



Front view: remove the lower half.



- 1 Add a cylinder with about **16 vertices**. In Edit Mode rotate it **R, X, 90** so its length runs along Y. Scale it into a short tube segment for the ridge.
- 2 Delete the two circular end faces. In Front View with X-ray enabled, select vertices below the cylinder centre and delete them. Keep the upper half of the curved wall and both side endpoints.
- 3 Give the curved wall a small thickness with **Solidify**, then add a Bevel. Place it over the ridge. Use Alt + D, Y and Shift + R to repeat. The video eventually favours roughly **four larger caps**.
- 4 For variation, select only the shingles. Use **View > Local View > Toggle Local View** to isolate them. Set the pivot to **Individual Origins**. Rotate a few tiles very slightly around Y, with small differences.
- 5 **Video extension:** use Proportional Editing with Random falloff for varied rotations. When finished, restore **Median Point**, Smooth falloff, Proportional Editing off and Local View off. Save.

CHECK BEFORE MOVING ON


The caps cover the ridge seam. Variation is subtle: no large gaps, floating tiles or tips poking through neighbours.

Frame the diorama

Set up one view that shows the door, the window and the roof.

FOLLOW THE TUTORIAL

CAMERA VIEW



- 1 In Object Mode add a large plane beneath the terrain tile. Name it **Background**. Scale it large enough to cover the camera view.
- 2 Use the default camera kept from the start. Enter Camera View. Open the N sidebar, then **View > View Lock > Camera to View**. Orbit, pan and zoom until the front and right side are visible.
- 3 Disable **Camera to View** when the framing works, so you do not move it accidentally. If you deleted the camera, add a new one and use **View > Align View > Align Active Camera to View**.
- 4 For the tutorial's render path, choose **Cycles** in Render Properties and enable denoising. Use GPU Compute only if a compatible device is configured in Preferences; CPU is a valid fallback.
- 5 Add a **Sun** light. Rotate it to light the front and one side, using a strength around **3** as a starting point. Its position does not affect its illumination. Switch to Rendered viewport shading for a test.


CHECK BEFORE MOVING ON

The entire tile fits inside the camera frame. Leave margin around the ridge and the ground edges.

Choose colours; warm the window

A first coloured render is a complete club milestone. Procedural textures can follow later.

CLUB FIRST-RENDER ROUTE / WINDOW GLOW AT 30:50; PALETTE AT 32:12 - 35:22



- 1 Select a timber object. In Material Properties click **New**, name it **Wood**, and set a muted brown Base Color. Reuse that material from the dropdown on the other timber pieces.
- 2 Make separate materials for stone, plaster walls, roof, ground and background. Use warm plaster, grey stone and a muted roof colour. Keep the background subtle and fairly rough.
- 3 For several pieces with the same material, select the targets, then Shift-select the correctly coloured object last. In Object Mode use **Ctrl + L > Link Materials**. Avoid including parts that need another material.
- 4 Select Window_Pane and make a new material. In its Principled BSDF **Emission** settings choose a warm pale yellow and increase Strength modestly. Keep the frame and crossbars on Wood.
- 5 Use Material Preview for quick colour checks and Rendered view for the actual scene lighting. **You can now jump to page 24 and save a first render.** Return to pages 19-23 for the fuller tutorial treatment.


CHECK BEFORE MOVING ON

The window looks luminous against its dark frame. Emission alone does not create a visible glow halo around it.

Build the wood-grain shader

Noise supplies the pattern; two colours turn that pattern into wood.

TUTORIAL MATERIAL / UV SETUP CONTINUES ON THE NEXT PAGE



Keep Principled BSDF > BSDF connected to Material Output > Surface.

Read the arrows: top row left to right, then down and back to the left.

- 1 Select a wooden piece, open **Shading**, and choose its Wood material. In the Shader Editor use **Shift + A** to add the nodes shown above. For Mix, choose the **Color** data type / Mix operation.
- 2 Connect **UV > Mapping Vector, Mapping Vector > Noise Vector**, then **Noise Fac > Color Ramp Fac**. Connect **Color Ramp Color > Mix Factor**.
- 3 Set the Mix A and B colours to a dark and a lighter brown. Connect **Mix Result > Principled Base Color**. Leave the existing BSDF-to-Surface link in place.
- 4 Bring the Color Ramp's black and white stops closer together to strengthen the pattern. Increase Noise Scale, Detail and Roughness by eye. If it still looks blotchy, continue to the UV step next.


CHECK BEFORE MOVING ON

Changing the ramp changes the pattern contrast. Changing the Mix colours changes the wood colours.

Stretch grain with UVs

UV coordinates describe how the 2D texture lies across your 3D mesh.

ALSO 26:49 - 32:04 / MATCH THE GRAIN TO EACH PIECE



- 1 For a rectangular beam, mark seams around both end faces and along one long edge on the back. In Edge Select, Shift-select those edges, then use **Ctrl + E > Mark Seam**.
- 2 Select all faces. Use **U > Unwrap** and the Angle Based method if your version offers a method choice. Open the UV Editor. You should see flat islands for the sides and ends.
- 3 Select the long side island in the UV Editor by hovering over it and pressing **L**. Rotate it by 90 degrees if needed. With the island selected, use **S, Y** to compress its UV height.
- 4 Watch the material while you adjust. The grain should run along the beam, not across it. Rotate the island 90 degrees if the streaks go the wrong way. Move the UVs to try a different part of the procedural pattern.
- 5 For a flat door or gable viewed straight on, the video also uses **U > Project from View**. Use Front View for the door/gable and Right View for the window. This is a shortcut for the visible faces; use a proper seam unwrap for objects viewed from every side.


CHECK BEFORE MOVING ON

UV edits change the texture placement without changing the 3D shape. Editing a linked tile mesh also changes its shared UV map.

Highlight the worn edges

The tutorial uses an Ambient Occlusion mask to give the edges a lighter cartoon finish.

ALSO 26:16 - 26:42 / ADVANCED CYCLES MATERIAL



- 1 Add **Ambient Occlusion** and two **Math** nodes. Use the AO scalar output. On Ambient Occlusion enable **Inside** and **Only Local** as in the tutorial.
- 2 Set the first Math node to **Subtract**: its top input is 1 and its second input receives AO. Set the next node to **Greater Than**, receiving that result and an adjustable threshold.
- 3 Add a second Mix Color node after the wood colour mix. Plug the threshold result into Factor, the original wood result into A, and a lighter edge colour into B. Connect its Result to Principled Base Color.
- 4 In a **Cycles rendered preview**, adjust AO Distance and the threshold until the effect picks out thin edges. Reduce Distance for small window parts. Duplicate the material before giving a smaller object its own settings.

CHECK BEFORE MOVING ON

The effect should accent a narrow edge. If most of the object turns pale, adjust the mask before changing the colours.

Reuse the idea for other surfaces


Copy the material before changing it, so your wood stays wood.

FOLLOW THE TUTORIAL


These swatches explain the colour families; they are not exact render samples.



STONE



WALL



ROOF

- 1 Select the stone band. Choose Wood, then click the material's duplicate / user-count button to make its own copy. Name it **Stone**. Confirm that you are editing the copy.
- 2 Change the Texture Coordinate connection from **UV** to **Object** at the Mapping node. Replace the browns with greys and adjust the Noise Scale to suit the stone.
- 3 Copy Stone to make **Wall**, choose warmer, brighter colours, and bypass the edge-highlight mix. Keep the noise colour mix connected to Principled Base Color.
- 4 Copy Stone again for **Roof**. Choose a muted dark red, a brighter red and a lighter edge colour. Reduce the edge-mask Distance for the small shingles. Share this roof material with the ridge caps.
- 5 Create **Ground** as another copy with earthy or grassy colours and high Roughness. The video discusses Camera coordinates as a static-image shortcut; this guide keeps Object coordinates so the pattern does not depend on the camera angle.

CHECK BEFORE MOVING ON

Changing Wall should not change Wood. A separate material copy protects the other objects using the original.

Add depth with light and haze


Build up one effect at a time and compare each test render.

ADVANCED FINISH / KEEP A CLEAR, FOG-FREE SAVE FIRST

Top-view plan. A backlight points towards the hut from behind or beside it.

Rotated Sun

Area backlight



- 1 Keep the Sun from page 17 and rotate it until the shadows show the house shape. Add an **Area** light above and behind the hut; make it broad and point its local -Z direction towards the model.
- 2 The tutorial starts that Area light around **1500 W**, then adjusts it. Choose a warm or cool tint. A second Area light may illuminate the background; the video tries much higher power there. Adjust to your own scene scale.
- 3 For optional fog, add a cube that encloses the scene. Give it a new material. In its Shader Editor disconnect the surface shader and connect **Principled Volume > Volume** to **Material Output > Volume**.
- 4 Start the volume Density near **0.01**, as the video eventually does, then reduce it if the view becomes milky. Keep the fog box out of the ordinary solid-object material setup.
- 5 In Color Management try a higher-contrast Look and adjust Exposure gently. World colour and fog colour can tint the shadows. Keep the earlier version so students can compare clear and atmospheric renders.


CHECK BEFORE MOVING ON

You can still read the door, window and roof clearly. If a large solid cube blocks the view, check that the fog material has no Surface connection.

Render, save and show your hut

Save both the editable project and the picture. They serve different purposes.

CLASSROOM DELIVERY STEP / AFTER THE NARRATED BUILD



Editable project



Finished picture

- 1 Return to Camera View and check the framing. Turn off Camera to View. Hide any construction helpers that should not render, using their render visibility in the Outliner.
- 2 In Output Properties choose an image size, for example **1200 x 1200**. Start at **50%** for a quick test. In Cycles, keep denoising on and use a modest sample count for that test.
- 3 Choose **Render > Render Image** or press **F12**. Check the roof overlaps, material assignments, shadows and background. Fix the clearest problem first, then test again.
- 4 When satisfied, return resolution to **100%** and render again. In the render window choose **Image > Save As**. Save **Medieval_Hut_Final.png**. Saving the .blend file alone does not save this image.
- 5 Save the project too, for example **Medieval_Hut_Finished.blend**. Show the club one technique you learned and one detail you changed to make the hut your own.

CHECK BEFORE MOVING ON

Ready to share: the whole model fits in the picture; nothing important floats; both files have been saved.

What changed from the video

The guide follows the supplied narration, with deliberate adaptations for a mixed-ability club.

SCOPE, TRANSCRIPT CORRECTIONS AND TEACHING NOTES

Keep the main learning sequence

The build retains a raised cube origin, a subdivided roof ridge, separated roof/gables, recesses, mirrors, extruded details, bevels, terrain, linked shingles, ridge caps, UV grain, procedural colour and atmospheric lighting.

Classroom choices are labelled

The sample dimensions and front-door/right-window layout resolve things the transcript describes only as “this”. Insets replace the wall loop-cut layout; simple timbers and frames replace some extracted strips. Gable boards and ridge caps use simpler construction.

Correct the automatic captions

“Hat” means hut; “urgent point” means origin; “shield” refers to a gable; “bell / B modifier” means Bevel; “insert” means Inset. Around 1:42 the stated Ctrl + V is interpreted as Ctrl + B for bevel. G then Y moves geometry; it does not extrude it.

Explain the tricky tools out loud

At about 5:29, “screw” refers to Shear (Shift + Ctrl + Alt + S in the default keymap). Around 12:35, V is Rip. This guide uses Y face splitting where a simpler separation is useful. Neither operation is P > Selection, which makes another object.

Budget time for teaching

A 39-minute narrated build is much longer when students repeat each action. Use the five-session route on page 2 as a starting estimate. Plan 5 minutes recap, 45 minutes building, and 10 minutes checking, saving and sharing. Allow extra sessions for beginners.

Do not infer the closing timelapse

At 38:27 the creator says he will add further details in a timelapse. The remaining transcript is mostly music. This guide does not claim to reproduce those additions, and it does not carry forward the earlier draft's unsupported chimney.

VISUAL BASIS

Images are original teaching diagrams, not captured Blender screens. The exact selection layouts and final timelapse appearance need the video itself.

Quick rescue guide

Check mode, selection and view before repeating a command.

TROUBLESHOOTING + SOURCE

The mirror appears in the wrong place

Set Mirror Object to House. Its origin should still be at the world centre. Check X versus Y, and delete the duplicate source half when making a continuous symmetric roof.

The roof ridge has a crack

Check that the source centre vertices lie at $X = 0$ and that the roof Mirror has Merge and Clipping enabled. Separate trim pieces can keep Merge off.

A loop cut will not go around the shape

Ctrl + R follows a suitable quad strip. It stops at triangles or n-gons. Use the labelled Knife alternative, or ask the coach to check the topology.

A face looks dark, invisible or inside-out

In Edit Mode select all, then Shift + N. Overlays > Face Orientation helps find reversed faces. A single open sheet has two sides, so inspect its intended outside.

Editing one tile changes them all

That is expected after Alt + D: the mesh is shared. Use Shift + D for a future independent copy, or make an existing tile's mesh single-user before reshaping it separately.

Too much moves, or rotation is strange

Turn Proportional Editing off and restore Median Point. Exit Local View. Also check that Camera to View is off before navigating away from the camera.

The wood is blotchy, or the scene is slow

Align and compress the UV islands for grain. For speed, work in Solid or Material Preview and render small tests. Skip edge masking and fog until the basic render works.

Primary source: your uploaded Medieval House Transcript.txt, covering 0:00-43:54, from [Polygon Runway's Full Blender Tutorial - Textured Medieval House](#). The lesson-header timestamps are clickable. The material section is grouped for teaching, so some pages link to more than one part of the narration.

Validation: transcript mapping, instruction consistency and every PDF page were checked. This environment does not have Blender, so the steps and shader results have not been executed here. This is a teaching adaptation based on narration; it is not a frame-for-frame reconstruction.